East Midlands Gateway Phase 2 (EMG2)

Document DCO 6.12F/MCO 6.12F


ENVIRONMENTAL STATEMENT

Technical Appendices

Appendix 12F

Trial Trenching Report

October 2025







East Midlands Gateway – Phase 2 Leicestershire

Archaeological Evaluation



Accession Number: X.A104.2022 Ref: 266170.5 March 2023



© Wessex Archaeology Ltd 2023, all rights reserved.

Unit R6 Sheaf Bank Business Park Prospect Road Sheffield **S2 3EN**

www.wessexarch.co.uk

Wessex Archaeology Ltd is a Registered Charity no. 287786 (England & Wales) and SC042630 (Scotland)

This report can be relied upon for the purposes of the examination. The material contained in this report was designed as an integral part of a report to an individual client and was prepared solely for the benefit of that client. The material contained in this report does not necessarily stand on its own and is not intended to nor should it be relied upon by any third party. To the fullest extent permitted by law Wessex Archaeology will not be liable by reason of breach of contract negligence or otherwise for any loss or damage (whether direct indirect or consequential) occasioned to any person acting or omitting to act or refraining from acting in reliance upon the material contained in this report arising from or connected with any error or omission in the material contained in the report. Loss or damage as referred to above shall be deemed to include, but is not limited to, any loss of profits or anticipated profits damage to reputation or goodwill loss of business or anticipated business damages costs expenses incurred or payable to any third party (in all cases whether direct indirect or consequential) or any other direct indirect or consequential loss or damage.

Document Information

Document title East Midlands Gateway – Phase 2, Leicestershire

Document subtitle Archaeological Evaluation

Document reference 266170.5 Commissioned by RPS Group

Address North Warehouse

Gloucester GL1 2EP

On behalf of SEGRO Properties Limited

Address 1 New Burlington Place

London WS1 2HR

Site location West of Junction 23a (M1)

County Leicestershire
National grid reference (NGR) 446012 324744

Planning authority North West Leicestershire District Council

Museum name Leicestershire County Council Museum Collections

Museum accession code X.A104.2022

OASIS Id Wessexar1-511026

WA project name East Midlands Gateway Phase 2

WA project code 266170

Date of fieldwork 5 September–4 November 2022

Fieldwork directed by Philip Roberts

Assisted by Gwen Naylor, Richard Smith, Emma Metcalfe, Lluis Bermudo-

Ferrer, Ally Shepard, Christopher Warburton, Frances Garnett, Daniel Webster, Jack Needham, Stephen Broomhead, Richard Smith, Jack Peverall, Marijane Porter, Jack Dowling, Aaron Friar, Chloe Deeks, Callum Bruce, Luke Roberts, Kai Gopsill, Euan

O'Neill, Cordelia Laycock and Isaac Penaluna

Project management by John Winfer

Document compiled by Clare Jackson-Slater

Contributions from Phil Andrews (slag), Mark Stewart (flintwork), Lorrain Higbee

(animal bone), Kevin Trott (all other finds), Megan Scantlebury

(environmental) and Jess Irwin (archive)

Graphics by Carrie May

Document edited by Patrick Daniel

Quality Assurance

Issue	Date		Author	Approved by	
1	06/02/2023		CJ	500	
2	09/02/2023		CJ	500	
3	10/02/2023		CJ	500	
4	03/03/2023	Environmental results added	CJ	5 wol	



Summaryiii Acknowledgements.....iii INTRODUCTION1 Project and planning background......1 1.2 Location, topography and geology......2 1.3 2 ARCHAEOLOGICAL AND HISTORICAL BACKGROUND......2 2.1 2.2 2.3 AIMS AND OBJECTIVES......5 3 General aims5 3.1 3.2 4 METHODS......5 4.2 4.3 Finds and environmental strategies6 4.4 Monitoring......6 5 STRATIGRAPHIC EVIDENCE6 5.1 Introduction.......6 5.2 Iron Age (800 BC-AD 43)......8 5.3 Romano-British (AD 43–410)......9 5.4 5.5 Post-medieval/modern (AD 1500-present)9 5.6 Uncertain date9 6 6.1 6.2 6.3 Fired/baked clay13 Ceramic building material (CBM)13 6.4 6.5 6.6 6.7 6.8 7 7.1 7.2 7.3 7.4 CONCLUSIONS 17 8 8.1 8.2 8.3 8.4 9 ARCHIVE STORAGE AND CURATION......21 9.1 Preparation of the archive......21 9.2



	9.3	Selection strategy	. 21
	9.4	Security copy	. 23
	9.5	OASIS	. 23
10	COP	YRIGHT	. 23
	10.1	Archive and report copyright	. 23
	10.2	Third party data copyright	. 24
REFE	REN	CES	. 25
APPE	NDIC	ES	. 29
		ndix 1 Trench summaries	
		ndix 2 Environmental evidence	
		ndix 3 OASIS summary	
List o	f Fia	ures	
Cove		Trench 60, view from the north	
Figur	e 1	Site location	
Figur		Plan of trenches with investigated archaeological features: 58, 97, 98, 101, 103 and 394, over 2022 geophysical survey	
Figur	e 3	Plan of trenches with investigated archaeological features: 291, 292, 293, 294, 299, 314, 315 and 317, over 2022 geophysical survey	
Figur	e 4	Plan of trenches with investigated archaeological features: 44, 58 and 393 over 2022 geophysical survey	2
Figur	e 5	Plan of trenches with investigated archaeological features: 206, 208, 211 and 222, o 2022 geophysical survey	ver
Figur	e 6	Sections	
Figur		Trench 97, ditch 9706, view from the north-west, 0.5 m scale	
Figur		Trench 101, ditch 10104, view from the north, 1 m scale	
Figur		Trench 299, postholes 29905 and 29907, view from the south-east, 1 m scale	
Figur		Trench 291, ditch 29104, view from the north, 2 x 1 m scales	
Figur		Trench 292, ditch 29209, view from the north-west, 1 m scale	
Figur	e 12	Trench 208, pit 20804, view from the south-west, 1 m scale	

List of Tables

Summary of areas
Quantification of finds by material type, number, and weight (g)
Hand collected pottery totals by chronological period and ware types
Animal bone: number of identified specimens present (or NISP) by phase
Sample provenance summary



Summary

Wessex Archaeology was commissioned by RPS Group, on behalf of SEGRO Properties Limited, to carry out a programme of archaeological trial trenching in advance of a hybrid planning application for site infrastructure works, associated offices, vehicular access parking, service yards, drainage and landscaping. The works were carried out on a 100.42-hectare parcel of land, separated into 20 fields, located to the west of junction 23a M1, Leicestershire, DE74 2TN, centred on NGR 446012 324744.

A total of 388 trial trenches were opened and recorded, of which 19 contained archaeological features. The earliest archaeological features recorded were pits and ditches of Iron Age date. The features were largely concentrated in three areas: Area 1 (Fig. 2) located just to the north of Hyam's Lane in the centre of the site, Area 2 (Fig. 3), which was located to the south of Hyam's Lane, at the western edge of the site, and Area 3 (Fig. 4) located just north of Hyam's Lane in the west of the site. Area 1 contained ditches; three of which contained Middle–Late Iron Age pottery (9706, 10104 and 10307), while Romano-British material was recovered from three further ditches in trenches 97 and 98. Areas 2 and 3 contained ditches, pits and two postholes, from which only material dating to the Middle–Late Iron Age was recovered.

The artefact assemblage is small to moderate, with pottery and animal bone as the main types of artefact found. The majority of pottery recovered from the site is of Middle Iron Age date, with a small number of Late Iron Age and Romano-British sherds. Pottery recovered from features in Areas 2 and 3 suggests they were in use during the Middle to Late Iron Age periods, while the ditches in Area 1 continued in use to the late 3rd or early 4th century AD. The pottery was locally and regionally made with recognisable forms that indicate domestic use; these included cooking jars, storage vessels, bowls/dish, mortaria and a possible beaker. Animal bone recovered from the features in Areas 1–3 also supports the suggestion of a domestic settlement, as cattle and sheep/goat bones showed evidence of butchery and meat consumption, including the burnt remnants of a roasting joint.

The environmental evidence comprised charred plant and cereal remains, along with wood charcoal. The remains were poorly preserved with abundant evidence of bioturbation, however, there was evidence of Iron Age to Romano-British crop processing activity present in the samples, particularly from features in Area 2 (pit 29204 and ditch 29406). Wild plant taxa also indicated the environment at that time was arable, with poorly drained field margins.

The evaluation has met its aims and objectives; further analysis and mitigation can advance understanding of the character, extent and function of the features on the site.

Acknowledgements

Wessex Archaeology would like to thank SEGRO Properties Limited for commissioning the archaeological evaluation, in particular Imogen Smazanovich, and would also like to thank Chris Clarke at RPS Consulting Services for overseeing the works. Wessex Archaeology is also grateful for the advice of the Team Leader (Heritage) at Leicestershire County Council (LCC), who monitored the project for the local planning authority (LPA), and to Structural Soils for their cooperation and help on site.



East Midlands Gateway Phase 2, Leicestershire

Archaeological Evaluation

1 INTRODUCTION

1.1 Project and planning background

- 1.1.1 Wessex Archaeology was commissioned by RPS Group, on behalf of SEGRO Properties Limited, to carry out a programme of works comprising an archaeological evaluation, fieldwalking survey and a watching brief on trial pits for site investigation (SI) works. The works were carried out on a 100.42 ha parcel of land, separated into 20 fields, located west of junction 23a M1, Leicestershire, DE74 2TN, centred on NGR 446012 324744 (Fig. 1).
- 1.1.2 The planned works is the second phase of the East Midlands Gateway development and is located south of East Midlands Airport. The hybrid planning application is seeking:
 - '... (1) full planning permission for the principal site infrastructure works (including site remodelling and earthworks, new vehicular access and associated highways improvement works, principal internal highway and drainage infrastructure and structural landscaping) and (2) outline planning permission distribution and industrial uses (USE Classes B8/B2) including associated offices together with plot related new vehicular access, parking and service yards, drainage and landscaping.'
- 1.1.3 Prior to the evaluation, a desk-based assessment (DBA, RPS 2022) and geophysical survey (Magnitude Surveys 2022) were conducted across the site to determine its archaeological potential. The DBA concluded that there was a high potential for evidence of Iron Age and Roman activity associated with settlement and agriculture, and a high potential for the survival of remains associated with a World War II bombing decoy. The geophysical survey identified potential archaeological anomalies to the north of Hyam's Lane, which crosses the development site on a north-east to south-west alignment.
- 1.1.4 All works were undertaken in accordance with a written scheme of investigation (WSI) which detailed the aims, methodologies and standards to be employed in order to undertake the evaluation (Wessex Archaeology 2022). The Team Leader (Heritage) at Leicestershire County Council (LCC) approved the WSI, on behalf of the Local Planning Authority (LPA), prior to fieldwork commencing.
- 1.1.5 The evaluation was originally designed to comprise the excavation, investigation and recording of 391 trial trenches but several changes to the trench design were implemented during the evaluation, and 388 were excavated:
 - Trenches 149 and 150, in field 20, were not excavated as they were located under the site compound;
 - analysis of the fieldwalking results in fields 15 and 16 led to a reorganisation of the trench locations to centre upon concentrations of finds; consequently, three fewer trenches were dug in each of these two fields (the overall reduction in trenches in fields 15 and 16 was from 39 to 33);



- several trenches in field 13 were moved or split in two at the request of the landowner in order to avoid main/significant land drains and;
- five additional contingency trenches were excavated in fields 4, 7 and 12 in order to explore and better understand the extent of archaeological features that had been discovered.
- 1.1.6 All decisions regarding the reduction, relocation and addition of trenches were carried out with, or instigated by, the consultant and with the approval of the Team Leader (Heritage) at LCC. The trenches were excavated 5 September–4 November 2022.

1.2 Scope of the report

- 1.2.1 The purpose of this report is to provide a detailed description of the results of the evaluation, to interpret the results within a local, regional or wider archaeological context and assess whether the aims of the evaluation have been met.
- 1.2.2 The presented results will provide further information on the archaeological resource that may be impacted by the proposed development and facilitate an informed decision with regard to the requirement for, and methods of, any further archaeological mitigation.
- 1.2.3 The results of the fieldwalking and SI monitoring sections of the archaeological works have been reported separately (Wessex Archaeology 2023a and 2023b).

1.3 Location, topography and geology

- 1.3.1 The site comprises 20 parcels of land located to the west of junction 23a (M1), bounded to the north by the A453, Grimes Gate to the west and Long Holden road to the south. The site is bisected north-east to south-west by Hyam's Lane. To the south-west is the village of Diseworth and to the north is East Midlands Airport. Agricultural land continues to the west and south.
- 1.3.2 The existing ground levels are 60–65 m AOD at the southern boundary, gently rising to 90–95 m AOD at the north-eastern corner of the site.
- 1.3.3 The underlying bedrock geology is predominantly mapped as Gunthorpe Member Mudstone (British Geological Survey 2022), with thin bands of Diseworth Sandstone and Gunthorpe Member Siltstone, dolomitic in the south of the site. In the north-west of the site the bedrock is overlain by glaciofluvial deposits of sand and gravel, along with Oadby member diamicton. Two bands of head clay, silt, sand and gravel are present in the north-west and south-east corners of the site. Elsewhere, notably in the fields to the south of Hyam's Lane, superficial deposits are absent.

2 ARCHAEOLOGICAL AND HISTORICAL BACKGROUND

2.1 Introduction

2.1.1 The archaeological and historical background was assessed in a prior desk-based assessment (RPS 2022), which considered the recorded historic environment resource within a 2 km radius of the site. A summary of the results is presented below, with relevant entry numbers from the Leicestershire Historic Environment Record (HER) and the National Heritage List for England included. Additional sources of information are referenced, as appropriate.



2.2 Previous investigations related to the proposed development

Geophysical survey (2022)

2.2.1 A geophysical survey (Magnitude Surveys 2022) was conducted across the site in order to assess its archaeological potential. Possible archaeological features were identified in the north in the form of linear ditches, enclosures, possibly dating to the Iron Age or Romano-British period. Additional anomalies representing former field boundaries and the remains of ridge-and-furrow cultivation were also identified.

Desk-based assessment (2022)

2.2.2 The desk-based assessment (RPS 2022) concluded that the majority of HER entries in the vicinity of the site related to evidence of Iron Age occupation. Historical evidence indicated that the site has been undeveloped to present day. The assessment included a review of the available LiDAR data, which confirmed the natural undulating topography of the site, with several hollows at the northern boundary. An area of ridge-and-furrow is visible in the north-west part of the site, while several former field boundaries can also be seen across the area.

Fieldwalking survey (2023)

2.2.3 A fieldwalking survey (Wessex Archaeology 2023a) was conducted across the site in order to assess the likely date range of any archaeological remains present, through artefactual evidence. The finds assemblage recovered covered a broad date range (prehistoric to modern), with the majority dating to the post-medieval period. There were no clusters or patterns in the types or distribution of finds suggestive of focussed activity.

Geoarchaeological monitoring (2023)

2.2.4 A total of four trial pits, seven cable percussion boreholes and five rotary core boreholes were monitored (Wessex Archaeology 2023b) in the north and east of the site. The investigations revealed a sequence of Gunthorpe Member bedrock, overlain by Pleistocene glaciofluvial sands and gravels, Pleistocene head and Holocene alluvium.

2.3 Archaeological and historical context

Prehistoric

- 2.3.1 The earliest evidence for human activity occurring within the vicinity of the site is a Mesolithic bladelet core found during test pitting 1.8 km to the north-east of (MLE23597).
- 2.3.2 Several isolated Neolithic artefacts have been recorded within 2 km of the site including a Neolithic polished stone axe head (MLE17368) found in a garden 200 m to the west of the site. A Neolithic arrowhead (MLE23596) was retrieved 1.3 km to the north of the site, while a Neolithic flint flake (MLE7293) was recovered 1.3 km to the south-east. The archaeological investigations at Gimbro Farm, 1.9 km to the north-west of the site (MLE9672) produced pottery and worked flint of presumed Late Neolithic or Early Bronze Age date.
- 2.3.3 Three burnt mounds and a cluster of associated pits, of probable Bronze Age date, were uncovered during mitigation works in the first phase of the East Midlands Gateway project, located north of East Midlands Airport (Wessex Archaeology 2019). A Middle Bronze Age inhumation burial was also uncovered within an area of concentrated Iron Age activity (2.3.5), as well as two Late Bronze Age cremation graves (Daniel forthcoming).
- 2.3.4 A cropmark of a rectangular enclosure, generally thought to be of prehistoric origin, is recorded 2 km to the south-west of the site (MLE5934).



- 2.3.5 Mitigation works associated with the first phase of the East Midlands Gateway project identified a concentration of Iron Age activity (Wessex Archaeology 2019). The recorded features included pit alignments, roundhouses, enclosure ditches and the remains of field systems. The activity was predominantly agricultural, with evidence of mixed cattle and arable farming.
- 2.3.6 Archaeological investigations at Gimbro Farm found field systems, an enclosure and a four-post structure all dating to the Iron Age period (MLE5931).

Romano-British

- 2.3.7 A possible, but as yet, undated road linking the Trent crossing and Redhill with Watling Street at Tamworth crosses close to the site approximately 200 m to the north-west (MLE4636, MLE20490).
- 2.3.8 The landscape north of the site was reorganised in the 1st century AD as the Iron Age sites identified north of East Midlands Airport fell out of use (Wessex Archaeology 2019) and other areas became the focus of agricultural activity. The Romano-British field systems and enclosures went out of use in the 4th century AD.
- 2.3.9 A hoard of 85 Roman coins, in proximity to a spread of Romano-British pottery, has been recorded 900 m to the south of the site (MLE8407), while several sherds of Romano-British pottery have been found between 500 m and 1 km to the south-east (MLE8056; MLE8057). A number of non-specified Roman artefacts have been recovered near Ash Spinney, 1.5 km to the south-east of the site (MLE8055).

Early medieval/medieval

- 2.3.10 The historic settlement of Diseworth, located to the west of the site, is recorded within the *Domesday* Survey of 1086 as a small settlement containing 12 households, supported by seven plough teams (Open Domesday 2022). The HER defines the historic core of the settlement as being located 250 m to the west of the site boundary (MLE5936). The church of St. Michael, located 350 m to the west of the study site, is likely to have been originally constructed in the 10th century (MLE11188), while earthworks associated with a medieval manorial site are located at the western end of the village 800 m to the west of the site (MLE4759). A recent archaeological watching brief at Clements Gate, approximately 250 m to the west of the site, recorded multiple pits and postholes relating to medieval settlement (MLE22825).
- 2.3.11 Several features of archaeological interest lie immediately outside of the study site boundary to the south-west. A small area of ridge-and-furrow earthworks was surveyed in 2010 within existing fields, (MLE23740), while an upstanding mound, 30–40 ft (9–12 m) in diameter, possibly represents an associated windmill mound (MLE4744).
- 2.3.12 Aerial photographic analysis has recorded a possible medieval moated enclosure 1.2 km to the south of the site (MLE4733) and the base of a medieval ceramic vessel was found close to the location of the cropmark in 1987 (MLE20310).

Post-medieval and modern

2.3.13 During the post-medieval and modern periods, the site is likely to have remained within the agricultural hinterland of Diseworth. Localised evidence for potential post-medieval ridge-and-furrow cultivation features has been identified within the north-west part of the site, based on a review of the available LiDAR data.



3 AIMS AND OBJECTIVES

3.1 General aims

- 3.1.1 The general aims of the evaluation, as stated in the WSI (Wessex Archaeology 2022) and in compliance with the ClfA *Standard and guidance for archaeological field evaluation* (ClfA 2014a), were to:
 - provide information about the archaeological potential of the site;
 - test the results of the geophysical survey previously carried out across the site; and
 - inform either the scope and nature of any further archaeological work that may be required; or the formation of a mitigation strategy (to offset the impact of the development on the archaeological resource); or a management strategy.

3.2 General objectives

- 3.2.1 In order to achieve the above aims, the general objectives of the evaluation were to:
 - determine the presence or absence of archaeological features, deposits, structures, artefacts or ecofacts within the specified area;
 - establish, within the constraints of the evaluation, the extent, character, date, condition and quality of any surviving archaeological remains;
 - place any identified archaeological remains within a wider historical and archaeological context in order to assess their significance; and
 - make available information about the archaeological resource within the site by reporting on the results of the evaluation.

4 METHODS

4.1.1 All works were undertaken in accordance with the detailed methods set out within the WSI (Wessex Archaeology 2022) and in general compliance with the standards outlined in CIfA guidance (CIfA 2014a). The methods employed are summarised below.

4.2 Fieldwork methods

General

- 4.2.1 The trench locations were set out using a Global Navigation Satellite System (GNSS), and in most cases were in the approximate positions proposed in the WSI (Fig. 1). Trenches in fields 15 and 16 were repositioned to centre upon concentrations of finds identified by the fieldwalking survey and reduced in number. Several trenches in field 13 were split or repositioned to avoid land drains and a total of five extra contingency trenches were also excavated. All decisions regarding the reduction, relocation or addition of trenches were made after discussions with, or at the instigation of, the client's consultant and with the approval of the Team Leader (Heritage) at LCC.
- 4.2.2 A total of 388 trial trenches (124 measuring 30 x 1.8 m and 264 measuring 50 x 1.8 m) were excavated in level spits using a 360° excavator equipped with a toothless bucket, under the constant supervision and instruction of the monitoring archaeologist. Machine excavation proceeded until either the archaeological horizon or the natural geology was exposed.



- 4.2.3 Where necessary, the base of the trench/surface of archaeological deposits was cleaned by hand. A sample of archaeological features and deposits was hand-excavated, sufficient to address the aims of the evaluation.
- 4.2.4 Spoil from machine stripping and hand-excavated archaeological deposits was visually scanned for the purposes of finds retrieval. Artefacts were collected and bagged by context. All artefacts from excavated contexts were retained.
- 4.2.5 Trenches completed to the satisfaction of the client and the Team Leader (Heritage) at LCC were backfilled using excavated materials in the order in which they were excavated and left level on completion. No other reinstatement or surface treatment was undertaken.

Recording

- 4.2.6 All exposed archaeological deposits and features were recorded using Wessex Archaeology's pro forma recording system. A complete record of excavated features and deposits was made, including plans and sections drawn to appropriate scales (generally 1:20 or 1:50 for plans and 1:10 for sections) and tied to the Ordnance Survey (OS) National Grid.
- 4.2.7 A Leica GNSS connected to Leica's SmartNet service surveyed the location of archaeological features. All survey data is recorded in OS National Grid coordinates and heights above OD (Newlyn), as defined by OSTN15 and OSGM15, with a three-dimensional accuracy of at least 50 mm.
- 4.2.8 A full photographic record was made using digital cameras equipped with an image sensor of not less than 16 megapixels. Digital images have been subject to managed quality control and curation processes, which has embedded appropriate metadata within the image and will ensure long term accessibility of the image set.

4.3 Finds and environmental strategies

4.3.1 Strategies for the recovery, processing and assessment of finds and environmental samples were in line with those detailed in the WSI (Wessex Archaeology 2022). The treatment of artefacts and environmental remains was in general accordance with: Standard and Guidance for the Collection, Documentation, Conservation and Research of Archaeological Materials (CIfA 2014b), Environmental Archaeology. A Guide to the Theory and Practice of Methods, from Sampling and Recovery to Post-excavation (English Heritage 2011), and CIfA's Toolkit for Specialist Reporting (Type 2: Appraisal).

4.4 Monitoring

4.4.1 The Team Leader (Heritage) at LCC monitored the evaluation on behalf of the LPA. Any variations to the WSI, if required to better address the project aims, were agreed in advance with the client and the Team Leader (Heritage) at LCC.

5 STRATIGRAPHIC EVIDENCE

5.1 Introduction

5.1.1 The majority of the trenches were blank, with 19 of the 388 (4.9%) excavated trial trenches containing archaeological features. These features comprised ditches, pits and postholes. The trenches containing archaeological features were located in the central and southern parts of the site.



5.1.2 The uncovered features represent three main periods of activity: Iron Age, Romano-British and post-medieval, though several features remain of uncertain date. There are five areas of concentrated archaeological remains (Figs 2–5), these are summarised in Table 1. An additional two undated ditches were recorded in trenches 58 (field 6; Figs 2 and 4) and 222 (field 18; Fig. 5) and a farm track, dating to the modern period, was recorded in trench 265 (field 11; not illustrated).

 Table 1
 Summary of areas

Area	Field	Trenches	Feature numbers	Summary of remains	Period
1	7	97, 98, 101, 103 and 394 (Fig. 2)	9705, 9706, 9710, 9803 (Fig.6.1), 10104, 10303, 10307 (Fig. 6.2), 10310, 39404	9 x ditches	M/LIA/RB
2	12	291–294 and 299 (Fig. 3)	Ditches : 29103, 29209 (Figs 11 and 6.4), 29404, 29406, 29409 Pits : 29204, 29207, 29304 Postholes : 29905, 29907	5 x ditches, 3 x pits and 2 x postholes	M/LIA/undated
3	4	44 and 393 (Fig. 4)	4404, 4406 and 39304	3 x ditches	M/LIA
4	19	206, 208 and 211 (Fig. 5)	Ditches : 20604, 21104 Pit : 20804 (Fig. 6.3)	2 x ditches and 1 x pit	Post- medieval/undat ed
5	13	314, 315 and 317 (Fig. 3)	31403, 31503 (Fig. 6.5), 31703	3 x ditches	Undated

- 5.1.3 The following section presents the results of the evaluation with archaeological features and deposits discussed by period.
- 5.1.4 Detailed descriptions of individual contexts are provided in the trench summary tables (Appendix 1). Figure 1 shows the location of all trenches, while figures 2–5 show the trench locations in relation to the geophysical survey and provide detail of the concentration of features in the central and southern parts of the site (Magnitude Surveys 2022). A sample of archaeological features is illustrated in more detail in figures 6–12.

5.2 Soil sequence and natural deposits

- 5.2.1 Natural deposits of sand, silt and clay substrate were uncovered in all trenches, ranging between 0.25 and 0.7 m below ground level (BGL).
- 5.2.2 Alluvial or colluvial sand deposits were identified in 19 trenches (trenches 35, 37, 38, 41, 53, 198, 218, 220, 222, 224, 225, 226, 227, 245, 279, 326, 353, 361 and 386), scattered across the site. Where these deposits were recorded, natural clay or silt substrate was recorded at deeper levels: 0.78–0.94 m BGL. A sherd of late medieval pottery was recovered from the colluvial layer in trench 224.
- 5.2.3 Subsoil comprising silt, sand or clay was identified in 216 trenches across the site. The subsoil was 0.06–0.3 m thick and its upper surface was recorded between 0.18 m and 0.34 m BGL.
- 5.2.4 The ground surface at all trenches comprised a silty sand, sandy silt or silty clay ploughsoil, measuring up to 0.5 m thick.



5.3 Iron Age (800 BC-AD 43)

Area 1 (Field 7; Fig. 2)

- 5.3.1 To the immediate north of Hyam's Lane, in the centre of the site, was a cluster of seven potentially Iron Age ditches. The ditches were quite substantial, measuring 0.50–1.90 m wide and 0.33–0.66 m deep. Fragments of animal bone (total: 63 fragments, 174 g; ditches 10104, 10303 and 10307), slag (2 fragments, 37 g; ditch 10307) and Middle–Late Iron Age pottery (total: 29 sherds, 229 g; ditches 9706; Fig. 7, 10104; Fig. 8 and 10307) were recovered from the ditch fills.
- 5.3.2 No pottery was recovered from ditches 10303 or 10310, however, as they were truncated by (10303), or truncated through (10310) ditch 10307 on the same alignment they have been interpreted as being part of the same boundary and potentially of the same period, thus included with this group. No finds were recovered from the ditch in trench 394, however, it is included in this group as the geophysical survey (Magnitude Surveys 2022) suggests it is a continuation of one of the ditches in trench 103. No finds were recovered from ditch 9705, however its proximity and similar alignment to ditch 9706 has included it within this group.
- 5.3.3 The ditches correlated well with a possible focus of archaeological activity identified in the geophysical survey (*ibid*). The survey suggested the linear and curvilinear anomalies formed field boundaries, enclosures and a possible ring ditch.

Area 2 (Field 12; Fig. 3)

- A cluster of five ditches (0.53–4.2 x 0.43–0.9 m deep), three pits (0.84–4.5 x 0.4–1.4 x 0.22–0.44 m deep) and two postholes (0.36–0.5 x 0.4 x 0.1 m deep; Fig. 9) was identified just south of Hyam's Lane, in the west of the site. Finds of animal bone (total: 344 fragments, 2,004 g; ditches 29103; Fig. 10, 29404, 29406 and 29409 and pits 29204 and 29207), flint (1 flake, 10 g; ditch 29409), slag (1 fragment, 68 g; ditch 29409), fired clay (total: 15 fragments, 16 g; ditch 29103 and pit 29204) and Middle–Late Iron Age pottery (total: 137 sherds, 2,296 g; ditches 29103, 29404, 29406 and 29409 and pits 29304, 29204 and 29207) were recovered from the ditches and pits. The charred remains of crop processing debris were recovered in moderate amounts from pit 29204 and ditch 29406. No material was recovered from the postholes in trench 299, however, they are included in this group due to their proximity to the Iron Age features.
- 5.3.5 The ditches possibly formed part of an enclosure, however, it is difficult at this stage to determine its size and shape. None of the features uncovered during the trial trench evaluation were identified in the geophysical survey (Magnitude Surveys 2022), apart from the ditches in trench 294 which correlated with an undetermined (weak) anomaly.

Area 3 (Field 4; Fig. 4)

5.3.6 Ditches 4404 and 4406 (0.66 x 0.17–0.23 m deep), located just north of Hyam's Lane, contained pottery of Middle–Late Iron Age date (total: 19 sherds, 169 g). The charred remains of free-threshing wheat were recovered from the fill of ditch 4406; these are associated with post-Roman agriculture, however, the presence of 16 sherds of Iron Age pottery indicates that the wheat remains were intrusive and not indicative of the ditch's date. Ditch 4406 did not correlate with any anomalies identified in the geophysical survey, however, ditch 4404 aligned well with a possible (weak) archaeological anomaly. The anomaly formed part of a possible ditch alignment which was uncovered in trench 393 (39304; 1.38 x 0.13 m deep). No finds were recovered from the ditch, however, due to its potential association with ditch 4404 it has been included within this group.



5.4 Romano-British (AD 43–410)

Area 1 (Field 7; Fig. 2)

5.4.1 Two ditches (9710 and 9803; 1.50–2.10 m wide x 0.55–0.6 m deep) in Area 1 yielded 57 fragments (1,047 g) of animal bone, 34 sherds (546 g) of Romano-British and late Romano-British pottery, as well as a Romano-British iron nail (1 fragment, 9 g; 9803), suggesting a continuation in activity in the area from the Iron Age through the Romano-British period.

5.5 Post-medieval/modern (AD 1500-present)

Area 4 (Field 19; Fig. 5)

5.5.1 Area 4 was located in the south-east corner of the site and contained a ditch (20604; 0.64 m wide x 0.21 m deep) from which one sherd (59 g) of post-medieval/modern pottery was recovered. There was no correlation between the results of the geophysical survey and the ditch.

Field 11

5.5.2 The remains of a modern trackway were recorded in trench 265 (26503; 5.16 x 0.06 m deep; not illustrated). The trackway is no longer in use and was silted up with a dark silty clay from which post-medieval/modern pottery and ceramic building material (CBM) were recovered. This feature was identified in the geophysical survey as a double-ditched track.

Fields 6, 12, 15 and 18

5.5.3 Land drains and plough furrows (trenches 61, 222, 289, 301 and 374) were seen across the site, providing evidence for medieval and post-medieval agricultural activity. The furrow in trench 61, located in the north of the site, correlated well with anomalies identified as agricultural in the geophysical survey, while the furrows south of Hyam's Lane were not identified in the survey.

5.6 Uncertain date

Area 4 (Field 19; Fig. 5)

5.6.1 A ditch (21104; 0.47 m wide x 0.10 m deep) and a pit (20804; Fig. 12; 1.50 x 0.95 x 0.16 m deep) were recorded in Area 4. The ditch contained a single sandy fill, while the pit contained two fills of silty clay, from which no finds were recovered. Neither of the features were identified in the geophysical survey.

Area 5 (Field 13; Fig. 3)

5.6.2 Three ditches (31403, 31503 and 31703; 0.75–0.88 x 0.08–0.27 m deep) were recorded in the south-west of the site, though it is probable that 31403 and 31503 formed part of the same boundary. The ditches were shallow and contained silty clay and silt fills, from which no finds were recovered. The features did not correlate with any anomalies identified in the geophysical survey.

Trench 58 (field 6; Figs 2 and 4)

5.6.3 A single ditch (5805) was uncovered just north of Hyam's Lane and west of Area 1. The ditch was of moderate size, measuring 0.95 m wide by 0.4 m deep, with a V-shaped profile. No finds were recovered from the clay fill, however, the ditch correlates well with an anomaly identified as possible archaeology (weak) in the geophysical survey.



- Trench 222 (field 18; Fig 5)
- 5.6.4 A ditch in trench 222 (22205; 0.67 x 0.21 m deep) contained a single fill of silt from which no finds were recovered. The ditch did not correlate with any anomaly identified in the geophysical survey.

6 FINDS EVIDENCE

6.1 Introduction

- 6.1.1 A small to moderate quantity (8,849 g) of finds were recovered from the evaluation, ranging in date from the Middle–Late Iron Age to post-medieval, with an emphasis on the Middle–Late Iron Age and Romano-British periods.
- 6.1.2 The finds have been cleaned and quantified by material type within each context and scanned to assess their nature, condition, and potential date range. The recording and reporting conform to the type 2 Appraisal level according to the ClfA's toolkit for specialist reporting (ClfA 2022a). All finds have been quantified by material type, and the results are presented in Table 2.

Table 2 Quantification of finds by material type, number, and weight (g)

Material	No.	Wt. (g)
Animal bone	714	4,611
Burnt flint	12	9
Ceramic building material	2	191
Fired clay	7	24
Flintwork	2	2
Glass	1	4
Metalwork	4	95
Pottery Middle–Late Iron Age Romano-British Medieval Post-medieval Sub-total	181 72 2 9 264	2,755 843 37 167 3,802
Slag	5	111
Total	1011	8,849

6.2 Pottery

- 6.2.1 The pottery provides the primary dating evidence for the site and includes material of Middle–Late Iron Age, Romano-British, medieval, and post-medieval date. In total, 245 sherds weighing 3,731 g were recovered by hand from 26 contexts in 14 features. These consisted of twelve ditches, three pits, colluvium/subsoil, six topsoil deposits and a modern farm track. A further 19 sherds (71 g), all of Romano-British date, came from environmental sample residues.
- 6.2.2 Most of the sherds survive in a crisp, fresh condition, enabling refitting of sherds. Sherds showing abrasion were limited to two pieces. The mean sherd weight is 15.2 g. A total of 19 rim sherds (joining rims within a single context were counted as one) were recognised with an Estimated Vessel Equivalent (EVE) of 2.23 vessels.
- 6.2.3 For this assessment, the hand collected sherds from each context were divided into broad ware groups based on the principal inclusion type (e.g., calcite-gritted wares) or known



fabric type (e.g., Nene Valley colour coated ware) and quantified by the number and weight of the pieces present. Where appropriate, the fabrics have been cross-referenced with other local published assemblages (Marsden 2011; Clark 1999, 95; Tomber and Dore 1998; Pollard 1994, 51-5; and Davies and Sawday 1999, 166). Other diagnostic features (decoration, surface treatments and evidence for use, re-use, or repair) were noted where relevant and spot dates have been assigned to each context based on the pottery present. This level of recording is consistent with the 'basic record' advocated for the rapid characterisation of pottery assemblages (Barclay *et al.* 2016, Section 2.4.5). A breakdown of the sherds by chronological period and ware type is presented in Table 3).

Table 3 Hand collected pottery totals by chronological period and ware types

Period	Ware	Ware code	No.	Wt. (g)
	Quartz sand tempered ware	Q1	3	17
	Sandy fabric with quartz tempering	Q4	82	1,584
	Quartz tempered	Q5	2	7
	Granitic rock tempered ware	R1	8	105
Middle–Late Iron Age	Sandy fabric with granitic rock tempering	R2	69	877
, igo	Sand and granitic rock tempering (in approximately equal quantities)	R3	1	6
	Shell tempered ware	S1	1	4
	Grog in shelly and sandy fabric	G1	14	145
	Grog in sandy fabric	G2	1	10
Sub total			181	2,755
	Nene Valley colour- coated ware	LNV CC	1	11
	White ware	WW	1	17
	Mancetter-Hartshill mortaria	MAH WH	1	144
Romano-British	Derbyshire ware	DER CO	3	120
	Black-burnished ware	ROS BB 1	1	13
	Calcite-gritted greyware	1A	4	14
	Greyware	GW	42	453
Sub total			53	772
Medieval	Chilvers Cotton ware	CC5/EA7	1	19
ivieulevai	Potters Marston ware	PM	1	18
Sub total			2	37
Deed	Midlands black glazed ware	МВ	2	74
Post- medieval/modern	Midlands brown glazed ware	МВ	2	78
	Mocha ware	EA	4	10



	Tickhill ware	EA7	1	5
Sub total			9	167
Grand Total			245	3,731

Middle-Late Iron Age pottery

- 6.2.4 Sherds belonging to this period account for 69% of the assemblage by count and 72% by weight. The sherds (Table 3) predominantly occur in a sandy fabric with quartz tempering and a grog tempered ware with a shelly sandy matrix (Marsden 2011, 62, fabrics Q4 and R2 respectively). Smaller quantities of granite rock tempered ware, quartz sand tempered ware and quartz tempered ware are also present, with single fragments of sand and granitic rock tempering, shell tempered ware and grog in sandy matrix wares. These are very similar to fabrics from Beaumont Leys and Manor Farm, Humberstone (Marsden 2011, table 1, 62).
- 6.2.5 A small number of forms were identified consisting mainly of jar and storage vessels, along with a handled form (ditch 29406), similar to a fragment from Hallam Fields, Birstall (Marsden 2010, 57-59, fig. 19.2). The small range of rim forms includes upright and inturned types (ditches 4406, 29406 and 29409, and pit 29204). Three bases from a storage vessel came from ditch 29406, and a jar from pit 29204. Conjoining sherds from a flat-rim bowl in fabric Q4 from pit 29204, which is similar to a vessel from Breedon-on-the-Hill (Wacher 1978, fig. 7.45). A rim, in a grog tempered sandy fabric (G2) from ditch 29409, resembles a butt beaker form, copying a vessel from Jewry Wall (Kenyon 1948, fig. 36.10) and Bath Lane, Leicester (Clamp 1985, figs 31.5 and 32.27).
- 6.2.6 The scored and combed body sherds within the assemblage (ditches 10104, 29103 and 29406; pits 29204 and 29207) are commonly encountered on Middle Iron Age sites (c.4th century BC) in the Trent basin and lower Nene/Welland Valleys (Elsdon 1992, 83-91; Cottrill and Dunning 1950, 43-68; Wacher 1964, fig 3.9; Kenyon 1950, figs 4-5; and Todd 1981, 21-24). This tradition continues into first half of the 1st century AD (Pollard 1994, 72-76), although scored wares rarely outlasted the 1st century BC, when the decoration was replaced with combing (Knight 2002, 134; Kenyon 1948, 124-132; Browning et al. 2021, 235-6). Carbonised residues are present on the external surfaces of a number of sherds, likely to indicate their function (the cooking of food).
- 6.2.7 The pottery is probably mainly of Middle Iron Age date, although a few diagnostic sherds of Late Iron Age date indicate continued activity into the 1st century AD. All the fabrics encountered are of local origin and widely found on contemporary sites in the Trent and Soar valleys, suggesting close contact and trading links between the settlements across the whole area.

Romano-British

- 6.2.8 A small assemblage of Romano-British pottery (Table 3) accounted for 27% of the overall assemblage by sherd count and 22% by weight. The fabrics are mainly dominated by local greywares, with single examples of regional wares (ditches 9710 and 9803) from the surrounding counties. Residual early to mid-2nd-century greyware sherds came from the topsoil of trench 97, including a number of refitting sherds from an everted rim lid-seated jar (Kenyon 1948, fig. 23.5; Pollard 1994, fig. 54.79), while undiagnostic body sherds came from the subsoil of trench 44.
- 6.2.9 A number of local greyware sherds were present within the fills of ditch 9710, including a beaded-and-flanged bowl post-dating AD *c*.270 and an everted rim jar/cooking pot in a style common during the mid-2nd–4th centuries. The presence of a local whiteware flagon handle would suggest this ditch was silting up by the late 3rd to early 4th century AD.



6.2.10 The second ditch (9803) contained mainly single sherds from four individual vessels, including the base from a Black Burnished ware dish. The lack of shale within the matrix of the fabric and the surface treatment may suggest it was a product of the South Yorkshire industry (Buckland *et al.* 1980, 145-164), rather than Poole Harbour in Dorset. A single body sherd from a Nene Valley colour-coated vessel, along with the base from a Derbyshire coarseware jar and a Mancetter-Hartshill mortaria suggest this ditch was also silting up by the later 3rd to early 4th century.

Medieval, post-medieval and modern

6.2.11 A small assemblage (Table 3) of medieval to modern pottery, consisting of single individual sherds, was collected from the topsoil of trenches 27 and 28, the subsoil in trench 44, and the colluvium in trench 22. The two medieval sherds (colluvium 22403 and topsoil 27201) are of local origin, from the kilns at Chilvers Cotton and Potters Marsden. The post-medieval wares include both Midlands black and brown glazed earthen wares from Staffordshire or Derbyshire (topsoil's 2701, 27601 and 28101), two sherds from a Tickhill jar (topsoil 28201) and fragments from a late 19th-century Mocha ware bowl (farm track 26504). A Midlands black glazed sherd present in ditch 20604 suggests this ditch was silting up during the late 18th or early 19th century.

6.3 Fired/baked clay

6.3.1 Seven fragments of fired/baked clay weighting 24 g were recovered from pit 29204 and ditch 29104. The fragments occur in sandy fabrics with occasional larger inclusions of quartz and crushed shell pieces. No original surfaces survive, and the function of these pieces remains unknown.

6.4 Ceramic building material (CBM)

6.4.1 Single fragments of late post-medieval/modern brick and peg/pan tile were retained from farm track 26504. The brick, in a fairly sandy fabric with inclusions of crushed brick, iron stone and calcareous pellets, has a single surface surviving. The peg/pan tile is made in a sandy fabric, with its underside heavily sanded with quartz, indicating the use of a mould or former in its manufacture.

6.5 Glass

6.5.1 A single clear fragment of modern window glass was retained from the topsoil of trench 27.

6.6 Metalwork

6.6.1 Two iron items from the topsoil of trenches 27 and 276 consist of twisted wire and a galvanised nail, both potentially modern in date. A gilded lead handle, decorated with coiled lead wire with opposing terminals was found near trench 155. The style is not dissimilar to cupboard or drawer fittings of mid-/late 18th to mid-19th century date. The only stratified metal item consists of a broken T-shaped nail dated to the mid-late Romano-British period (Manning 1985, 135. type 3) found within ditch 9803.

6.7 Slag

6.7.1 Only five pieces of possible metalworking debris were collected. One piece (68 g) from ditch 29409 comprises a relatively dense but undiagnostic fragment of rather abraded iron slag. The other four pieces (43 g), from ditches 10307, 9706 and 10310, are vesicular fuel ash slag with no certain association with metalworking.



6.8 Flintwork

- 6.8.1 Two pieces of worked flint (12 g) were recovered from the evaluation. A broken tertiary flake was found in the topsoil of trench 272 and a secondary flake was collected from Iron Age ditch 29409. Both are rather glossy and edge damaged, consistent with reworking and redeposition. Flint is locally available from various fluvio-glacial deposits and was very likely collected from nearby.
- 6.8.2 Both objects are essentially undiagnostic pieces and provide minimal information. The flake from ditch 29409 has a cortical butt and this is a feature more common in the later Bronze Age as flint knapping skill declined, however, any suggestion of date should be extremely tentative given the small size of the assemblage.

6.9 Burnt flint

6.9.1 Only nine grammes of burnt (unworked) flint was recovered, all of which was extracted from environmental sample residues. This material type is intrinsically undiagnostic but is usually taken as an indicator of prehistoric activity.

6.10 Animal bone

- 6.10.1 A total of 467 fragments (4.522 kg) of animal bone was recovered during the normal course of hand excavation, with a further 247 pieces (89 g) extracted from environmental sample residues. Once refits and associated bone groups (or ABGs) are considered, the total count falls to 624 fragments (Table 4).
- 6.10.2 The bones are in good condition and were rapid scanned and assessed following current guidelines (Baker and Worley 2019).

Table 4 Animal bone: number of identified specimens present (or NISP) by phase

Species	Middle/Late Iron Age	Romano-British	Undated	Total	
Cattle	24	8	-	32	
Sheep/goat	24	3	-	27	
Pig	1	-	-	1	
Horse	2	2	-	4	
Red deer	2	-	-	2	
Dog	1	-	-	1	
Total identified	54	13	-	67	
Total unidentifiable	454	41	62	557	
Overall total	508	54	62	624	

Middle-Late Iron Age

- 6.10.3 Animal bones were recovered from several ditches and two pits located in trenches 101, 103 and 291–4. The single largest concentration of bones came from pit 29204 and a cattle ABG was recorded in ditch 29104.
- 6.10.4 Most of the identified bones are from cattle and sheep/goat. Both main livestock are represented by a range of skeletal elements from various stages in the carcass reduction sequence, from primary butchery through to meat consumption (O'Connor 1993). The cattle bones are all from adult animals, while the sheep/goat bones are from a range of ages, from immature through to adult. The bones of both main livestock are all fairly small and gracile, which is consistent with the types of unimproved breeds typical of the Iron Age period.



- 6.10.5 The concentration of animal bones recovered from pit 29204 comprises nine cattle bones and fourteen sheep/goat bones, plus a pig tooth. The cattle bones are fragmented but include a few teeth and fragments from several post-cranial elements, one of which, a patella, is partially charred. Several unidentifiable burnt bone fragments were also recovered from this context. This evidence indicates that large meat joints were roasted onthe-bone over an open fire. The sheep/goat bones are mostly semi-complete and include fragments from five mandibles, a horn core and range of post-cranial elements.
- 6.10.6 The group of cattle bones recovered from ditch 29104 is all from the left forequarter of single animal and was found in a semi- articulated state indicating that it was directly deposited into the open feature, most probably after the meat had been stripped from the bones but it was still held together by ligaments. These types of deposit (i.e., ABGs) make good candidates for radiocarbon dating.
- 6.10.7 Rare components of the assemblage include horse, dog, and red deer. Two horse bones, an incisor tooth and fragment of femur from a pony-sized animal, and a fragmented dog skull, came from ditch 29409. Two small pieces of red deer antler were recovered from separate fills of ditch 10307.

Romano-British

6.10.8 A few animal bones were recovered from ditches 9710 and 9803, the former of probable late Romano-British date and the latter more broadly dated to this period. The identified bones from ditch 9710 comprise a sheep/goat mandible and a loose tooth from the upper jaw. Several cattle bones were recovered from ditch 9803, together with a sheep/goat tooth and a pair of pelvises from a pony-sized horse. The cattle bones include two semi-complete mandibles, an axis vertebra and four long bones.

7 ENVIRONMENTAL EVIDENCE

7.1 Introduction

7.1.1 Twenty-one bulk sediment samples were taken from a range of late prehistoric, Romano-British and unphased features, such as ditches, postholes, a furrow, and a pit, and were processed for the recovery and assessment of the environmental evidence. Charcoal and charred plant remains recovered from the samples have been assessed. The samples break down into the following feature groups:

 Table 5
 Sample provenance summary

Area	Field	Trenches	Sampled features	Period	No. of bulk samples	Volume (litres)
1	7	97, 98, 103	Ditches : 9705, 9706, 9710, 9803, 10303, 10307, 10310	M/LIA/RB	11	336
2	12	291, 292, 294, 299	Ditches : 29103, 29209, 29406, 29409 Pit : 29204 Postholes : 29905, 29907	M/LIA/undated	7	106
3	4	44, 393	Ditches: 4404, 4406, 39304	M/LIA	3	77
				TOTALS	21	519



7.2 Aims and methods

- 7.2.1 The aim of this assessment is to determine the nature and significance of the environmental remains preserved at the site and their potential to address the project aims (charcoal, charred plant remains). Appropriate recommendations for further work are provided. This assessment follows recommendations from Historic England (English Heritage 2011).
- 7.2.2 The size of the standard bulk sediment samples was on average 24.7 litres in volume. The samples were processed by standard flotation methods on a Siraf-type flotation tank; the flot retained on a 0.25mm mesh, residues fractionated into 4mm and 1mm fractions. The coarse fractions of the residues (>4 mm) were sorted by eye for artefactual and environmental remains and discarded. The environmental material extracted from the residues was added to the flots. The fine residue fractions and the flots were scanned and sorted using a Leica MS5 stereomicroscope at magnifications of up to x40.
- 7.2.3 Different potential indicators of bioturbation were considered, including the percentage of roots and the abundance of other material including modern seeds, mycorrhizal fungi sclerotia (e.g., *Cenococcum geophilum*), animal remains, such as burrowing blind snails (*Cecilioides acicula*), or earthworm eggs, and modern insects. The preservation and nature of the charred plant and wood charcoal remains, as well as the presence of other environmental remains such as terrestrial molluscs and animal bone was recorded.
- 7.2.4 Plant remains were identified through comparison with modern reference material held by Wessex Archaeology and relevant literature (e.g., Cappers *et al.* 2006). Wood charcoal fragments were identified through examination of the transverse section to identify the presence of oak (*Quercus* sp.) and non-oak species. Nomenclature follows Stace (1997) for wild taxa, and Zohary *et al.* (2012) for cereals and other cultivated crops (using traditional names).
- 7.2.5 All remains were recorded semi-quantitatively on an abundance scale: C = <5 ('Trace'), B = 5–10 ('Rare'), A = 10–30 ('Occasional'), A* = 30–100 ('Common'), A** = 100–500 ('Abundant'), A*** = >500 ('Very abundant'/Exceptional').

7.3 Results

- 7.3.1 The results are presented in Appendix 2. The flots vary in volume. Potential indicators of bioturbation are very abundant (e.g., modern roots, modern cereal chaff, modern seeds, fragments of plastic, fungal sclerotia, modern insects, earthworm eggs).
- 7.3.2 Environmental evidence comprises charred plant remains preserved by charring and wood charcoal. The preservation condition of the charred plant remains was generally poor. Many samples contained mineral stained charcoal. Highly fragmented clinker/cinder and coal was present in many of the samples.
- 7.3.3 The samples are of generally similar compositions, with consistent arrays of charred plant remains present. However, environmental material was generally very sparse, except for the samples from Area 2 pit 29204 and ditch 29406, which were moderately rich in charred plant remains.
- 7.3.4 Cereal remains were recovered in many samples, but the remains were generally limited to grains of wheats (*Triticum* sp.), barley (*Hordeum* sp.), and indeterminate cereals (*Triticeae*). Free-threshing (*Triticum aestivum/turgidum*) grain was noted in the flot from Area 3 ditch 4406. The chaff (glume bases) of spelt wheat (*Triticum spelta*) and spelt/emmer wheat (*T. spelta/dicoccum*) were recovered in small numbers, alongside an array of wild plant taxa.



Wild taxa included species which prefer disturbed conditions (e.g., arable fields, waste ground), including grasses (Poaceae) such as bromes/oats (*Bromus/Avena* sp.), and bromes (*Bromus* sp.), as well as other taxa, including ribwort plantains (*Plantago lanceolata*), medicks/trefoils/clovers (Trifolieae), vetches (Vicieae), docks (*Rumex* sp.), bedstraws (*Galium* sp.) and species of the goosefoot family (Chenopodiaceae). Indications of damp/wet ground (e.g., poorly drained field margins) include species of the sedge family (Cyperaceae), and hedgerow/scrub is indicated by the fragments of (*Corylus avellana*) nutshell. Indeterminate tubers/rhizomes and monocotyledon stems, potentially belonging to species of the sedge family or grasses, were also noted.

7.3.5 Wood charcoal was present in trace amounts or represented by small fragments, some of which were mineral stained. Some oak and non-oak species were noted, including a small number of possible heather-type (cf. *Calluna vulgaris* tp.) stems.

7.4 Conclusions

- 7.4.1 The sample compositions are broadly consistent in the array of plant taxa, comprising glume wheat chaff together with wheat grains, barley grains and wild taxa. Some wild taxa such as bromes, docks, and bedstraws, amongst others, are likely to be arable weeds. The cereal remains suggest that many of the samples, in particular those from Area 2 pit 29204 and ditch 29406, contain crop-processing debris, consistent with settlement activity. Hulled barley and glume wheat species such as spelt were the main crops cultivated in the later prehistoric and Romano-British periods (Campbell and Straker 2003; Lodwick 2017).
- 7.4.2 The combination of the cereal remains and arable weed species alongside rhizomes/tubers, monocotyledon stems, sedges, and possible heather-type stems, is suggestive of fuel debris resulting from the burning of heathy vegetation (Hall 2003).
- 7.4.3 Small quantities of fragmented coal and clinker/cinder, present in many samples, may have become reworked into other features across the site due to bioturbation. Coal became widely used as a fuel source in the later medieval/post-medieval periods, although there is some evidence for its use in the Iron Age and Romano-British periods (Claughton *et al.* 2016).
- 7.4.4 Free-threshing wheat was identified in Area 3 ditch 4406; free-threshing wheat species are cultivated intensely from the early medieval period, and therefore tend to be associated with medieval arable cultivation (Moffett 2006; 2011). The free-threshing wheat and the abundant evidence for contamination from later activities (e.g., coal, clinker/cinder, modern cereal remains, plastic, etc.) and evidence on site for later medieval/post-medieval activities (section 5.5), suggests that this remain may represent intrusion from later agricultural activities (cf. Pelling et al. 2015).

8 CONCLUSIONS

8.1 Summary

8.1.1 The earliest features comprised ditches and pits dated to the Middle Iron Age, located in the centre and west of the site, adjacent to Hyam's Lane. Finds of Middle Iron Age pottery, with occasional outliers of Late Iron Age pottery, and animal bone were recovered from the ditch and pit fills. The ditches aligned well with anomalies outlined on the geophysical survey, forming the boundaries of potential enclosures and fields.



- 8.1.2 Ditches containing Romano-British pottery were recorded in the centre of the site, just north of Hyam's Lane. The pottery indicated that the ditches were in use until the late 3rd to early 4th century.
- 8.1.3 Post-medieval furrows were identified across the site, predominantly to the south of Hyam's Lane, as well as two ditches dating to the late post-medieval period, which were located at the south of the site.
- 8.1.4 A small number of features remain undated, namely two postholes close to a set of Iron Age features, in the west of the site and four ditches located in the central, south-west and south-east of the site.

8.2 Discussion

- 8.2.1 The trench evaluation showed that archaeological remains are present across the central portion of the site. Evidence of Middle to Late Iron Age activity was found close to Hyam's Lane, just to its north and south (Areas 1–3). The ditches uncovered in these areas correlated well with anomalies identified in the geophysical survey and appear to be the ditched boundaries of a series of enclosures or fields. Pottery recovered from the ditches and pits in Areas 2–3 suggest that the features were abandoned in the 1st century AD. In Area 1, however, pottery dates suggest that these features continued in use until the late 3rd/early 4th century. Artefactual and environmental evidence indicates that the Iron Age features were part of, or in the vicinity of, settlement activity, with signs of growing, processing, cooking, eating, and then throwing away of food evident.
- 8.2.2 There has been extensive evidence of settlement activity from the Iron Age and Romano-British periods found 1.5 km north of the site, during works on Phase 1 of the East Midlands Gateway development (Wessex Archaeology 2019; Daniel forthcoming). The excavations found a large increase in activity during the Middle Iron Age, largely agricultural in nature, with evidence of cattle rearing and arable farming. The previous investigations found the landscape underwent a large reorganisation after the 1st century AD, with the Iron Age sites being abandoned and other areas becoming the foci of Romano-British activity. This is reflected in the Phase 2 evaluation results, where two areas with Iron Age remains show little or no continuity into the Romano-British period. However, in Area 1 there does seem to be evidence of continuation in activity, with pottery recovered dating to both periods. The Romano-British field system in Phase 1 of the works fell out of use in the 4th century, similar to the ditches uncovered during this evaluation. It is probable that the Iron Age and Romano-British activity south of the airport is part of the same agricultural landscape as the sites to the north; whether there is a more tangible association between the two has yet to be determined.
- 8.2.3 There is evidence of post-medieval to modern activity found across the site, in the form of furrows, land drains, a track and boundary/drainage ditches. Few finds were recovered from these features, and those that were recovered dated to the late post-medieval to modern periods. These results also tally with the entirely agricultural character of the post-Romano-British evidence recorded during Phase 1 of the East Midlands Gateway development (Wessex Archaeology 2019; Daniel forthcoming).
- 8.2.4 The topography of Areas 1 and 3 was either sloping or undulating, with ground levels ranging between 81.73 m and 88.59 m AOD (Area 1) and 73 m to 76 m AOD (Area 3). In contrast, the topography of Area 2 was flat, at 77 m AOD. The thickness of the overburden in trenches in these three areas was not greater than in other trenches across the site (0.25–0.34 m thick). This would imply the features here did not enjoy a heightened level of protection from subsequent ploughing. Overall, there is no clear evidence that the



topographic setting of Areas 1–3 has had any bearing on the subsequent preservation of the remains they were found to contain. The lack of significant archaeological remains across the wider site appears to be an extension of the land use pattern identified north of the airport during the phase one East Midlands Gateway development: this was an open agricultural landscape with occasional small, dispersed foci of archaeological activity linked to the mixed arable and grazing to which their surroundings were given over (Wessex Archaeology 2019; Daniel forthcoming).

Artefactual evidence

- 8.2.5 The artefact assemblage was small to moderate, though the majority of features did contain finds. Animal bone and pottery were the main artefact types and derived predominantly from the Middle to Late Iron Age and Romano-British periods. The sherds showed little evidence of abrasion, indicating primary deposition and little residuality. The Iron Age pottery was locally made, mainly dating to the Middle Iron Age period with a few Late Iron Age examples, and with evidence of scored and combed decoration on a number of sherds. This decoration is common on Middle Iron Age sites and is present on pots until the early 1st century AD. The greater number of Middle Iron Age sherds could suggest that this was the main period of activity, with the site falling into disuse in the later Iron Age, before being completely abandoned by the mid-1st century AD. Sherds of Romano-British pottery were almost exclusively recovered from trenches in Area 1 and comprised of local and regional wares, also in domestic forms such as bowls, dishes and cooking jars. Traces of carbonised residue are present on some of the pot sherds, possibly the remains of a cooked meal.
- 8.2.6 The second largest artefact type was animal bone, mainly from cattle and sheep/goat and recovered from ditches and pits which contained Iron Age and Romano-British pottery. The animal bone recovered from Iron Age features derived from livestock of a size typical of that period and showed evidence of butchery and meat consumption; this included burning, possibly representing the roasting of a meat joint.

Environmental evidence

- 8.2.7 The environmental evidence comprised poorly preserved charred plant remains and wood charcoal, and abundant evidence of bioturbation and modern intrusion. The environmental material was generally very sparse, with the exception of samples from Area 2 pit 29204 and ditch 29406, which were moderately rich in charred plant remains.
- 8.2.8 Wheat, barley and indeterminate cereal remains were recovered in most samples, along with crop processing debris, indicating settlement activity. These crop species were the main crops cultivated in the Iron Age and Romano-British periods. Wild plant taxa were also present, providing evidence of arable agriculture occurring in a damp/wet environment.

Geophysical survey

- 8.2.9 There was a low to moderate level of correlation between the results of the geophysical survey (Magnitude Surveys 2022) and the evaluation. The Iron Age and Romano-British ditches identified in Areas 1 and 3 correlated well with anomalies detected during the survey, however, the survey recorded a more extensive network of ditches and possible field system than was identified during the trial trenching. The survey signals for the linear anomalies were weak, and therefore it is possible that a number of them did not reflect archaeological features. Others may represent residual traces of archaeological features now ploughed out and not detectable through intrusive investigation.
- 8.2.10 It was noted in the geophysical survey that the presence of green waste in the fields south of Hyam's Lane partially obscured the results, and it seems that this did have an impact on



the accuracy of the results. Features uncovered during the evaluation were not identified on the survey, and anomalies identified during the survey were not seen during the evaluation.

8.3 Conclusion

- 8.3.1 The trial trench evaluation has met its aims and objectives: the investigation has determined there are archaeological remains present on the site, principally along Hyam's Lane in the centre and west. The extent, character, date, condition and quality of the remains have been determined. The archaeological features have been placed within the wider historical and archaeological context and the results of the geophysical survey have been tested.
- 8.3.2 There is a good level of confidence that the results of the evaluation are an accurate reflection of the archaeological remains that are present, and therefore can inform any potential mitigation strategy. A mitigation strategy focused on the areas of Iron Age and Romano-British activity is recommended.

8.4 Potential

Finds potential

- 8.4.1 The preservation of the artefacts from the evaluation trenching is very good. Study of the artefacts recovered will contribute to a localised understanding of the character of human activity and settlement within the landscape and will assist with the planning of any future mitigation for the site.
- 8.4.2 The animal bone assemblage offers limited potential for further research, although the cattle ABG from ditch 29104 presents an opportunity for future radiocarbon dating (as does the presence of burnt residues on pottery). Iron Age and Romano-British livestock husbandry regimes in the Trent Valley are poorly understood due to a general lack of evidence (Cooper 2006; Knight *et al.* 2012). However, the animal bone assemblage recovered from the previous phase of excavations at East Midlands Gateway (Higbee forthcoming) has significantly improved this situation. The assessment results from the current phase of work indicate that bone preservation across the proposed development area is generally good, therefore any further archaeological mitigation has the potential to recover a larger and more informative assemblage that will build on this knowledge.

Environmental potential

8.4.3 This assessment indicates that features on the site have some potential for the preservation of charred plant remains and charcoal. Samples should be taken for the recovery of charred plant remains and charcoal, where permitting, from well-sealed and dateable features, especially any arising and related to settlement activities during any further archaeological mitigation. Features that are specifically related to burning activities should also be sampled and samples should be taken covering as wide a range of feature types and phases as possible.

Research potential

- 8.4.4 There is potential for further excavation and analysis on the areas of Iron Age and Romano-British activity, in order to fully understand their extent, character and function, and whether there is any association with the activity identified to the north in the Phase 1 section of the East Midlands Gateway works.
- 8.4.5 In light of the results from this evaluation and after consideration of the East Midlands Research Framework (Research Frameworks 2023) the site-specific aims of any further work are to:



- contribute to the refinement of first millennium BC ceramic technology by additional radiocarbon dating and typological analyses;
- determine if there is any impact of the local topography on the development of and spatial organisation of the Iron Age and Romano-British field systems;
- contribute to the study of the production, distribution and use of Iron Age pottery;
- promote the integration of specialist studies of material relating to subsistence, diet and health; and
- determine the landscape context of the Iron Age and Romano-British activity.

9 ARCHIVE STORAGE AND CURATION

9.1 Museum

9.1.1 The archive resulting from the evaluation is currently held at the offices of Wessex Archaeology in Sheffield. Leicestershire County Council Museum Collections has agreed in principle to accept the archive on completion of the project, under the accession code **X.A104.2022**. Deposition of any finds with the museum will only be carried out with the full written agreement of the landowner to transfer title of all finds to the museum.

9.2 Preparation of the archive

Physical archive

- 9.2.1 The archive, which includes paper records, graphics, artefacts and ecofacts, will be prepared following the standard conditions for the acceptance of excavated archaeological material by Leicestershire County Council Museum Collections, and in general following nationally recommended guidelines (Brown 2011; ClfA 2014c; SMA 1995).
- 9.2.2 All archive elements are marked with **X.A104.2022**, and a full index will be prepared. The physical archive currently comprises the following:
 - Three cardboard boxes or airtight plastic boxes of artefacts and ecofacts, ordered by material type
 - Two files of paper records

Digital archive

9.2.3 The digital archive generated by the project, which comprises born-digital data (e.g., site records, survey data, databases and spreadsheets, photographs and reports), will be deposited with a Trusted Digital Repository, in this instance the Archaeology Data Service (ADS), to ensure its long-term curation. Digital data will be prepared following ADS guidelines (ADS 2013 and online guidance) and accompanied by metadata.

9.3 Selection strategy

9.3.1 It is widely accepted that not all the records and materials (artefacts and ecofacts) collected or created during the course of an archaeological project require preservation in perpetuity. These records and materials will be subject to selection in order to establish what will be retained for long-term curation, with the aim of ensuring that all elements selected to be retained are appropriate to establish the significance of the project and support future



- research, outreach, engagement, display and learning activities, i.e., the retained archive should fulfil the requirements of both future researchers and the receiving Museum.
- 9.3.2 The selection strategy, which details the project-specific selection process, is underpinned by national guidelines on selection and retention (Brown 2011, section 4) and generic selection policies (SMA 1993; Wessex Archaeology's internal selection policy) and follows ClfA's *Toolkit for Selecting Archaeological Archives* (ClfA 2022b). It should be agreed by all stakeholders (Wessex Archaeology's internal specialists, external specialists, local authority, museum) and fully documented in the project archive.
- 9.3.3 In this instance, given the relatively low level of finds recovery, the selection process has been deferred until after the fieldwork stage was completed. Project-specific proposals for selection are presented below. These proposals are based on recommendations by Wessex Archaeology's internal specialists and will be updated in line with any further comment by other stakeholders (museum, local authority). The selection strategy will be fully documented in the project archive.
- 9.3.4 Any material not selected for retention may be used for teaching or reference collections by Wessex Archaeology.

Finds

- Pottery (264 fragments); small to moderate assemblage from features of Iron Age, Romano-British and post-medieval date. Limited potential for further analysis. Retain in case of future work at the site, to compare with any future assemblages and to review.
- Fired/baked clay (7 pieces); small assemblage from Iron Age features. Limited potential for further analysis. Retain in case of future work at the site; to compare with future assemblages and to review.
- Ceramic building material (92 fragments); negligible quantity. No further research potential. Do not retain.
- Glass (1 fragment); negligible quantity of modern date. No further research potential.
 Do not retain.
- Metalwork (4 items); a single nail from a Romano-British feature, two modern iron objects and a gilded lead furniture fitting of later post-medieval date; negligible quantity. Limited potential for further analysis. Retain the Roman nail and postmedieval furniture fitting, discard the two modern iron items (wire and nail).
- Slag (5 pieces); negligible quantity. No further research potential. Discard.
- Flintwork (2 pieces); negligible quantity. Limited potential for further analysis. Retain to compare with any future assemblages.
- Animal bone (714 fragments); majority from stratified contexts of Middle/Late Iron
 Age or Romano-British date. Limited research potential beyond radiocarbon dating
 the ABG from ditch 29104 but retain for now in case of future work at the site and for
 review.
- Burnt flint (12 pieces): undiagnostic material; discarded.
- 9.3.5 The vast majority of the finds (pottery; fired clay; CBM; glass; slag; flintwork and animal bone) do not have any conservation requirements. The three iron objects have been x-radiographed to permit detailed identification and provide a basic archive record. At present



the objects are stable and stored with supportive packaging in an airtight plastic container with desiccant (silica gel), to ensure a dry environment below 35% humidity.

Environmental

- 9.3.6 The material should be retained as part of the site archive until further sampling or research has been undertaken, following which recommendations for analysis and deposition will be made.
- 9.3.7 Should no further work be undertaken, the samples with potential for further research will be retained, while samples without further potential in the absence of further sampling will be discarded.

Documentary records

9.3.8 Paper records comprise site registers (other pro forma site records are digital), drawings and reports (written scheme of investigation, client report). All will be retained and deposited with the project archive.

Digital data

9.3.9 The digital data comprise site records (tablet-recorded on site) in spreadsheet format; finds records in spreadsheet format; survey data; photographs; reports. All will be deposited, although site photographs will be subject to selection to eliminate poor quality and duplicated images, and any others not considered directly relevant to the archaeology of the site.

9.4 Security copy

9.4.1 In line with current best practice (e.g., Brown 2011), on completion of the project a security copy of the written records will be prepared, in the form of a digital PDF/A file. PDF/A is an ISO-standardised version of the Portable Document Format (PDF) designed for the digital preservation of electronic documents through omission of features ill-suited to long-term archiving.

9.5 OASIS

9.5.1 An OASIS (online access to the index of archaeological investigations) record (http://oasis.ac.uk) has been initiated, with key fields completed (Appendix 3). A .pdf version of the final report will be submitted following approval by the Team Leader (Heritage) at Leicestershire County Council (LCC) on behalf of the LPA. Subject to any contractual requirements on confidentiality, copies of the OASIS record will be integrated into the relevant local and national records and published through the Archaeology Data Service (ADS) ArchSearch catalogue.

10 COPYRIGHT

10.1 Archive and report copyright

10.1.1 The full copyright of the written/illustrative/digital archive relating to the project will be retained by Wessex Archaeology under the *Copyright, Designs and Patents Act 1988* with all rights reserved. The client will be licenced to use each report for the purposes that it was produced in relation to the project as described in the specification. The museum, however, will be granted an exclusive licence for the use of the archive for educational purposes, including academic research, providing that such use conforms to the *Copyright and Related Rights Regulations 2003*.



10.2 Third party data copyright

10.2.1 This document and the project archive may contain material that is non-Wessex Archaeology copyright (e.g., Ordnance Survey, British Geological Survey, Crown Copyright), or the intellectual property of third parties, which Wessex Archaeology are able to provide for limited reproduction under the terms of our own copyright licences, but for which copyright itself is non-transferable by Wessex Archaeology. Users remain bound by the conditions of the *Copyright, Designs and Patents Act 1988* with regard to multiple copying and electronic dissemination of such material.



REFERENCES

- ADS 2013. Caring for Digital Data in Archaeology: a guide to good practice. Archaeology Data Service and Digital Antiquity Guides to Good Practice.
- Baker, P. and Worley, F. 2019. *Animal Bone and Archaeology: recovery to archive*. Historic England Handbooks for Archaeology.
- Barclay, A., Knight, D., Booth, P., Evans, J., Brown, D. H, and Wood, I. 2016. *A Standard for Pottery Studies in Archaeology*. PCRG, SGRP and MPRG.
- British Geological Survey 2022. *BGS Geology Viewer* https://www.bgs.ac.uk/map-viewers/bgs-geology-viewer/ (accessed January 2023).
- Brown, D. H. 2011. *Archaeological Archives: a guide to best practice in creation, compilation, transfer and curation* (revised edition). Archaeological Archives Forum.
- Browning, J., Cooper, N. J., Johnson, E., Monckton, A. and Sawday, D. 2021. 'Making a living: The supply of pottery to Roman Leicester.' In Buckley, R., Cooper, N. J. and Morris, M. *Life in Roman and Medieval Leicester; excavations in the town's north-east quarter, 1958-2006*, 235-245. Leicester Archaeology Monograph 26.
- Buckland, P. C., Magiliton, J. R. and Dolby, M. J. 1980. The Roman pottery industries of South Yorkshire: A review, *Britannia*, 11, 145–164.
- Campbell, G. and Straker, V. 2003. Prehistoric crop husbandry and plant use in southern England: development and regionality, in K. A. Robson Brown (ed.) *Archaeological Sciences 1999: proceedings of the archaeological Science Conference, University of Bristol 1999*, 14-30. Oxford BAR Int Series 1111.
- Cappers, R. T. J., Bekker, R. M. and Jans, J. E. A. 2006. *Digital Seed Atlas of the Netherlands*. Groningen: Barkhuis Publishing.
- Chartered Institute for Archaeologists [ClfA] 2014a. Standard and Guidance for Archaeological Field Evaluation (revised edition October 2020). Reading: Chartered Institute for Archaeologists.
- ClfA 2014b. Standard and Guidance for the Collection, Documentation, Conservation and Research of Archaeological Materials (revised edition October 2020). Reading: Chartered Institute for Archaeologists.
- ClfA 2014c. Standard and Guidance for the Creation, Compilation, Transfer and Deposition of Archaeological Archives (revised edition October 2020). Reading: Chartered Institute for Archaeologists.
- ClfA 2022a. *Toolkit for Specialist Reporting* https://www.archaeologists.net/reporting-toolkit (accessed January 2023).
- CIfA 2022b. *Toolkit for Selecting Archaeological Archives* https://www.archaeologists.net/selection-toolkit (accessed January 2023).
- Clamp, H. 1985. 'The late Iron Age and Romano-British pottery' in Clay, P. and Mellor, J. E. *Excavations in Bath Lane, Leicester,* 41-58. Leicestershire Museums, Art Galleries and Record Service Archaeological Report 10.



- Clark, R. 1999. 'The Roman pottery' in Connor, A. and Buckley, R. *Roman and medieval occupation in Causeway Lane, Leicester*, 95-164.Leicester Archaeology Monographs 5.
- Claughton, P., Gill, M., Jackson, P., Newman, P., Russell, A., Shaw, M., Thomas, I., Timberlake, S., Williams, D. and Willies, L. 2016. *The Archaeology of Mining and Quarrying in England: a research framework for the archaeology of the extractive industries in England.*Matlock Bath, National Association of Mining History Organisations.
- Cooper, N. J. 2006. The Archaeology of the East Midlands: An archaeological resource assessment and research agenda. Leicester, Leicester Archaeology Monographs 13.
- Cottrill, F. and Dunning, G. C. 1950. 'Report on archaeological material from sites in Leicestershire and Northamptonshire' in Kenyon, K. Excavations at Breedon-on-the-Hill, 1946, Transactions of the Leicestershire Archaeology and Historical Society 26, 43-68.
- Daniel, P. forthcoming. *The Margin Walkers: prehistoric and Romano-British remains at the East Midlands Gateway Logistics Park.* Wessex Archaeology Occasional Paper.
- Davies, S. and Sawday, D. 1999. 'The post-Roman pottery and tile' in Connor, A. and Buckley, R. Roman and medieval occupation in Causeway Lane, Leicester, 165-213. Leicester Archaeology Monographs 5.
- Elsdon, S. 1992. 'The Iron Age pottery' in Clay, P. An Iron Age farmstead at Grove Farm, Enderby, Leicestershire, *Transactions of the Leicestershire Archaeology and Historical Society* 66, 38-52.
- English Heritage 2011. Environmental Archaeology. A Guide to the Theory and Practice of Methods, from Sampling and Recovery to Post-excavation (2nd edition). Portsmouth: English Heritage.
- Hall, A. R. 2003. Recognition and characterisation of turves in archaeological occupation deposits by means of macrofossil plant remains. English Heritage Centre for Archaeology Report 16.
- Higbee, L. forthcoming. 'Animal Bones', *The Margin Walkers: prehistoric and Romano-British remains at the East Midlands Gateway Logistics Park*, 114-123. Wessex Archaeology Occasional Paper.
- Kenyon, K. 1948. 'The coarse pottery' in *Excavations at the Jewry Wall site, Leicester*, 73-213. Society of Antiquaries Research Report XV. London.
- Kenyon, K. 1950. 'The Iron Age Pottery' in Excavations at Breedon-on-the-Hill, 1946, *Transactions of the Leicestershire Archaeology and Historical Society* 26, 25-35.
- Knight, D. 2002. 'A regional ceramic sequence: pottery of the first millennium BC between the Humber and the Nene.' In Woodward, A. and Hill, J. D. (eds) *Prehistoric Britain the ceramic basis*, 119-142. Prehistoric ceramics research group occasional publication 3.
- Knight, D., Vyner, B. and Allen, C. 2012. East Midlands Heritage: an updated research agenda and strategy for the historic environment of the East Midlands. The University of Nottingham and York Archaeological Trust.



- Lodwick, L. 2017. Arable farming, plant foods and resources, in T. Brindle, A. T. Smith, M. G. Allen, M. Fulford and L. Lodwick (eds) *The Rural Economy of Roman Britain*, 11-84. London, Society for the Promotion of Roman Studies.
- Magnitude Surveys 2022. Geophysical Survey Report of East Midlands Gateway Phase 2, Castle Donnington, Leicestershire. Unpublished client report ref. MSSK1236.
- Manning, W. H. 1985. Catalogue of the Romano-British Iron Tools, Fittings and Weapons in the British Museum, 125-137.
- Marsden, P. 2010. 'Pits and pots' in Speed, G. The excavations of an enclosed Iron Age settlement at Hallam fields, Birstall, Leicestershire, *Transactions of the Leicestershire Archaeology and Historical Society* 84, 55-61.
- Marsden, P. 2011. 'The prehistoric pottery and briquetage' in Thomas, J. *Two Iron Age* 'aggregated' settlements in the environs of Leicester: excavations at Beaumont Leys and Humberstone, 61-80. Leicester Archaeology Monograph 19.
- Moffett, L. 2006. 'The archaeology of medieval plant foods', in C. Woolgar, D. Serjeanston, and T. Waldron (eds), *Food in Medieval England: Diet and Nutrition,* 41–55. Oxford, Oxford University Press.
- Moffett, L. 2011. 'Food plants on archaeology sites: the nature of the archaeobotanical record', in H. Hamerow, D. A. Hinton and S. Crawford (eds) *The Oxford Handbook of Anglo-Saxon Archaeology*, 346-360. Oxford: Oxford University Press.
- O'Connor, T. P., 1993. Process and terminology in mammal carcass reduction, *International Journal of Osteoarchaeology* 3, 63–7.
- Open Domesday 2022. *Diseworth* https://opendomesday.org/place/SK4524/diseworth/ (accessed December 2022).
- Pelling, R., Campbell, G., Carruthers, W., Hunter, K. and Marshall, P. 2015. Exploring contamination (intrusion and residuality) in the archaeobotanical record: case studies from central and southern England. *Vegetation History and Archaeobotany* 24, 85-99.
- Pollard, R. 1994. 'The Iron Age and Roman Pottery' in Clay, P. and Pollard, R. *Iron Age and Roman occupation in the West Bridge area, Leicester. Excavations 1962-1971*, 51-114. Leicestershire Museums Arts and Records Service.
- Research Frameworks 2023. *East Midlands Historic Environment Research Framework*. https://researchframeworks.org/emherf/. Accessed November 2022.
- RPS 2022. East Midlands Gateway Phase 2, Land to the West of Junction 23A M1, Leicestershire. Archaeological Desk Based Assessment. Unpublished report ref. JAC28062 V2.
- SMA 1993. Selection, Retention and Dispersal of Archaeological Collections. London: Society of Museum Archaeologists.
- SMA 1995. *Towards an Accessible Archaeological Archive*. London: Society of Museum Archaeologists.
- Stace, C. 1997. New Flora of the British Isles (2nd edition). Cambridge: Cambridge University Press.



- Todd, M. 1981. 'The prehistoric pottery' in *The Iron Age and Roman settlement at Whitwell, Leicestershire*, 21-24. Leicestershire Museums, Art Galleries and Record Service Archaeological Report 1.
- Tomber, R. and Dore, J. 1998. *The National Roman Fabric Reference Collection; A handbook.* MoLAS Monograph 2.
- Wacher, J. S. 1964. 'Excavations at Breedon-on-the-Hill, Leicestershire, 1957' *Antiquities Journal* 54, 122–142.
- Wacher, J. S. 1978. Excavations at Breedon-on-the-Hill, 1-35. *Transactions of the Leicestershire Archaeology and Historical Society* 52.
- Wessex Archaeology 2019. East Midlands Gateway Strategic Rail Freight Interchange: Postexcavation assessment and updated project design. Unpublished client report ref. 115292.1.
- Wessex Archaeology 2022. Written Scheme of Investigation for Archaeological Evaluation. Sheffield: unpublished report ref. WA 266170.01.
- Wessex Archaeology 2023a. East Midlands Gateway Phase 2, Land South of East Midlands Airport, Leicestershire: Archaeological fieldwalking. Unpublished report ref. 266170.3.
- Wessex Archaeology 2023b. East Midlands Gateway Phase 2: Geoarchaeological monitoring of GI works. Unpublished report ref. 266170.21.
- Zohary, D., Hopf, M. and Weiss, E. 2012. *Domestication of Plants in the Old World: the origin and spread of cultivated plants in West Asia, Europe, and the Nile Valley* (4th edition). Oxford: University Press.



APPENDICES

Appendix 1 Trench summaries

Trench No 1		Length 30 m		Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
101		Topsoil		lid-grey brown friable sligh ayey sandy silt.	tly	0.00-0.3
102		Subsoil	Li si	ght greyish brown slightly lt.	sandy	0.3-0.37
103		Natural		emi- plastic mid-brownish ayey silt.	red	0.37

Trench No 2		Length 30 m		Width 2 m	Depth 0	.45 m
Context Number	Fill Of/Filled With	Interpretative Category	D	Description		Depth (m) BGL
201		Topsoil	М	Mid-grey brown clayey sandy silt.		0.00-0.3
202		Subsoil	Li	Light brown grey friable sandy silt.		0.3-0.37
203		Natural	cl	Semi plastic mid-reddish brown clayey silt occasional small flecks of limestone throughout.		0.37

Trench No	3	Length 30 m		Width 1.80 m Depth 0).45 m	
Context Number	Fill Of/Filled With	Interpretative Category	De	escription		Depth (m) BGL	
301		Topsoil	cc	id-brown sandy silt moder ompaction with 10% mode nall sub-rounded and sub- ones, poorly sorted.	rate	0.00-0.20	
302		Subsoil	m m ro	id-greyish yellowish browr oderately compact clay wi oderate small to medium s unded and sub-angular st porly sorted.	th 10% sub-	0.20-0.33	
303		Natural	cc	id-yellowish red moderate ompact clay with 10% mod nall to medium sub-round ub-angular stones, poorly s	erate	0.33-0.45	

Trench No 4		Length 30 m		Width 1.80 m	Depth 0.32 m	
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
401		Topsoil	co	Mid-brown sandy silt moderate compaction with 10% moderate small sub-rounded and sub-angular stones, poorly sorted.		0.00-0.20
402		Natural	m m	Mid-brownish red clay with moderate compaction with 10% moderate small to medium subrounded stones, poorly sorted.		0.32



Trench No	5	Length 30 m	V	/idth 2 m	Depth 0	.45 m
Context	Fill Of/Filled	Interpretative	Desc	cription		Depth (m)
Number	With	Category				BGL
501		Topsoil	Mid-	grey brown clay sandy	silt.	0.0-0.3
502		Subsoil	_	Light brown orange friable sandy		0.3-0.4
			silt.			
503		Natural		i- plastic clayey silt and		0.4
				nes of light yellowish br		
			friab	e slightly sandy silt with	า	
			occa	sional small flecks of lir	mestone	
			throu	ighout especially towar	ds	
			west	ern end.		

Trench No	6	Length 30 m		Width 1.80 m	Depth 0	.59 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
601		Topsoil	cc	id-brown soil moderate ompaction with 10% mode nall sub-rounded and sub- ones poorly sorted.		0.00-0.32
602		Subsoil	cc	id-brownish yellow moder ompact with small to medio ounded stones, poorly sort	um sub-	0.32-0.50
603		Natural	m to	id-brownish yellowish red oderately compact clay wi medium sub-rounded and ngular stones, poorly sorte	d sub-	0.50-0.59

Trench No	7	Length 30 m	1	Width 2 m	Depth 0	.45 m
Context	Fill Of/Fille		Des	scription		Depth (m)
Number	With	Category				BGL
701		Topsoil	Mid	l-grey brown clayey sand	ly silt.	0.00-0.30
702		Subsoil	_	ht orange brown friable s idy silt.	lightly	0.30-0.40
703		Natural	mod flec	n reddish brown clayey s derate inclusion of limes ks throughout occasiona nded stones.	tone	0.40



Trench No	8	Length 30 m	Width 1.80 m		Depth 0	.47 m
Context	Fill Of/Filled	•	Description			Depth (m)
Number	With	Category				BGL
801		Topsoil	Mid-brown sandy compaction with a small sub-rounde stones, poorly so	10% modered and sub-	rate	0.00-0.27
802		Subsoil	Mid-brownish yell compact clay with sub-rounded ston	n small to m	nedium	0.27-0.37
803		Natural	Mid-brownish red compact clay with sub-rounded and stones, poorly so	n small to m sub-angula	nedium	0.37

Trench No	9	Length 30 m		Width 1.80 m	Depth 0	.62 m
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
901		Topsoil	cc	id-brown sandy silt with mompaction with 10% mode mall sub-rounded and subones, poorly sorted.	rate	0.00-0.33
902		Subsoil	CC	id-brownish yellow moders ompact clay with small to r ub-rounded stones, poorly	nedium	0.33-0.58
903		Natural	co m	id-brownish red moderate ompact clay with 10% sma edium sub-rounded and s ngular stones, poorly sorte	ull to ub-	0.58+

Trench No	10	Length 30 m	Width 1.80 m	Depth 0	.66 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
1001		Topsoil	Dark greyish brown sandy moderate poorly sorted sub rounded to angular gravel 2 loose compaction, clear ho with 1002, light rooting on s	o- 2-80 mm, rizon	0.00-0.34	
1002		Subsoil	Mid-yellowish brown silty of sparse poorly sorted sub-rogravel 2-80 mm, clear horiz 1001, diffuse horizon with 1 firm compaction.	ounded on with	0.34–0.53	
1003		Natural	Mid-brown with a reddish h 10% moderate poorly sorte rounded gravel 2-60 mm, fi compaction, diffuse horizor 1002.	d sub- rm	0.53+	



Trench No	11	Length 30 m		Width 1.80 m	Depth 0	.46 m
Context	Fill Of/Filled	I Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
1101		Topsoil	ro lo	ark greyish brown sandy soderate poorly sorted subbunded to angular gravel 2 ose compaction, clear hor ith 1102, light rooting on s	- -80 mm, izon	0.00-0.39
1102		Natural	10 rc	lid-brown with a reddish hu 0% moderate poorly sorted bunded gravel 2-60 mm, fir ompaction, clear horizon w 101.	d sub- m	0.39+

Trench No	12	Length 30 m	Width 1.80 m	Depth	0.39 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
1201		Topsoil	Dark greyish brown moderate poorly so rounded to angular loose compaction, with 1202, light roo	orted sub- gravel 2-80 mm, clear horizon	0.00-0.32
1202		Natural	Mid-brown with a re 10% moderate poo rounded gravel 2-6 compaction, clear h 1201, texture is slig western end of tren	rly sorted sub- 0 mm, firm norizon with ghtly sandier at	0.32+

Trench No	13	Length 30 m		Width 1.80 m Depth 0		.45 m	
Context	Fill Of/Filled	I Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
1301		Topsoil	ro lo	ark greyish brown sandy soderate poorly sorted sub unded to angular gravel 2 ose compaction, clear hor th 1302, light rooting on s	- -80 mm, izon	0.00-0.39	
1302		Natural	10 ro	id-brown with a reddish hu 0% moderate poorly sorted unded gravel 2-60 mm, fir ompaction, clear horizon w 801.	d sub- m	0.39+	



Trench No	14	Length 30 m		Width 1.80 m	Depth 0	.50 m
Context	Fill Of/Filled	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
1401		Topsoil	aı O	lid-grey brown sandy silt. (and friable. Frequent rooting ccasional small to medium bunded and sub-angular st	g (crop). n sub-	0.00-0.37
1402		Natural	SI	lid-brownish yellow clay. Fompact. Frequent small to ub-rounded and sub-angul cones.	medium	0.37-0.5+

Trench No	15 Lo	ength 30 m	Width 1.80 m	Depth 0	.88 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
1501		Topsoil	Dark greyish brown sandy s moderate poorly sorted sub rounded to angular gravel 2 loose compaction, moderate horizon with 1502.	- -80 mm,	0.00-0.29
1502		Subsoil	Mid-brown clay, 3% sparse sorted sub-rounded gravel 2 mm, moderately clear horizon 1501, diffuse horizon with 1 firm compaction.	2-40 on with	0.29-0.48
1503		Natural	Mid-brownish grey with a year hue clay, abundant white fle 10% moderate poorly sorted rounded gravel 2-70 mm, di horizon with 1502, firm com western side of trench has a reddish hue.	ecking, d sub- ffuse paction,	0.48+

Trench No	16	Length 30 m		Width 1.80 m	Depth 0	.72 m
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
1601		Topsoil	m ro lo	ark greyish brown sandy soderate poorly sorted subbunded to angular gravel 2 ose compaction, clear hor ith 1602, light rooting on s	- -80 mm, izon	0.00-0.45
1602		Natural	50 ho in	ark brownish red clay, 5% porly sorted sub-rounded on the compaction, clay or the compaction with 1601, possible trench, natural changes to the clay towards its souther the compact of th	gravel 2- ear feature o a light	0.45+



Trench No	17 L	ength 30 m	Width 2 m	Depth 0).40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	·	Depth (m) BGL
1701		Topsoil	Mid-grey brown friable sandy silt.	clayey	0.00-0.20
1702		Subsoil	Light orange brown fria sandy silt.	able slightly	0.20-0.28
1703		Natural	Patchy mid-brown red clayey silt with modera of limestone fragments and light brown orange sandy silt.	te inclusion throughout	0.28

Trench No	18	Length 30 m		Width 1.80 m Depth		h 0.41 m	
Context	Fill Of/Filled	Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
1801		Topsoil	C(SI	lid-brown soil moderate ompaction with 10% mode mall sub-rounded and sub-tones, poorly sorted.		0.00-0.31	
1802		Natural	C	lid-brownish red moderate ompact clay with small to r ub-rounded stones, poorly	nedium	0.41	

Trench No	19	Length 30 m	Width 1.80 m	Depth 0	.38 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
1901		Topsoil	Dark greyish brown sandy moderate poorly sorted su rounded to angular gravel loose compaction, clear he with 1902, light rooting on	b- 2-80 mm, orizon	0.00-0.32
1902		Natural	Dark brownish red silty cla abundant poorly sorted su rounded gravel 2-50 mm, patches of mudstone, mod loose compaction, clear ho with 1901, patches of red	b- common lerate to orizon	0.32+



Trench No	20 L	ength 30 m	Width 2 m	Depth 0	.70 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
2001		Topsoil	Mid-grey brown clayey sand	dy silt.	0.00-0.30
2002		Subsoil	Mid-orange red slightly clay with very occasional limesto fragments concentrated on/top.	ne	0.30-0.60
2003		Natural	Patchy mid-brown red semi clayey silt and eroded limes west end the natural becombrown orange friable sandy moderate inclusion of round stones and limestone fragmethroughout.	tone. At es mid- silt with	0.60

Trench No	21 l	Length 30 m	Width 1.80 m	Depth 0	.40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
2101		Topsoil	Dark greyish brown sandy s moderate poorly sorted sub rounded to angular gravel 2 loose compaction, clear hor with 2102, light rooting on s	- -80 mm, izon	0.00-0.30
2102		Natural	Dark brownish red silty clay abundant poorly sorted sub- rounded gravel 2-50 mm, co- patches of mudstone, mode loose compaction, clear hor with 2101, natural changes clay at northern end.	ommon erate to izon	0.30+

Trench No	22	Length 30 m		Width 1.80 m Depth 0		.43 m
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
2201		Topsoil	cc	id-brown sandy silt with mompaction and with 10% mall sub-rounded and sub- ones, poorly sorted.	noderate	0.00-0.34
2202		Natural	CC	id-brownish red moderate ompact clay with small to r ub-rounded stones, poorly	nedium	0.34-0.43



Trench No	23	Length 30 m		Width 2 m	Depth 0	.70 m
Context	Fill Of/Filled	d Interpretative	De	escription		Depth (m)
Number	With	Category				BGL
2301		Topsoil		riable, mid-grey brown clar andy silt.	yey	0.00-0.30
2302		Colluvium	sa	id-reddish brown, friable, s andy silt with very occasion nestone fragments.		0.30-0.60
2303		Natural	cla of the	id-reddish brown semi- pla ayey silt with moderate ind limestone flecks and frag roughout and larger areas nestone showing through.	clusion ments s of	0.60

Trench No	24	Length 30 m		Width 2 m Depth 0.		.65 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
2401		Topsoil	bı w	loderately compacted mid- rownish grey clayish silt (4 ith rare rounded and angu cony inclusions 2-5 cm in s	0/60%) lar	0.00-0.40
2402		Natural	pi ai si	xtremely compacted mid-rink clay with rare rounded ngular stony inclusions 2-7 ze and occasional patches reenish white degraded stopped	and cm in s of	0.40-0.65+

Trench No	25 I	Length 30 m	Width 2 m	Depth 0	.24 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
2501		Topsoil	Loosely compacted dark br grey sandy silt, ~15% small rounded inclusions with ~5 angular stony inclusions sp scattered throughout.	sub- large	0.00-0.18
2502		Subsoil	Loosely compacted dark gr brown sandy silt, ~10% mid sub-rounded inclusions sca throughout.	l-sized	0.18–0.24
2503		Natural	Densely compacted dark rebrown sandy clay. ~10% m sub-rounded inclusions scaunevenly throughout.	id-sized	0.24+



Trench No	26	Length 30 m	Width 2.26 m	Depth 0	.48 m
Context	Fill Of/Filled	I Interpretative	Description		Depth (m)
Number	With	Category			BGL
2601		Topsoil	Mid-grey brown sandy silt. I fine and granular. Frequent (crop). Occasional small to sub-rounded stones.	rooting	0.00-0.31
2602		Natural	Mid-pinkish red slightly sand with patches of bedrock vision the south-west end of trench and compact. Occasional signature sub-angular stones	ible at h. Firm mall to	0.31–0.48

Trench No 27 Leng		Length 30 m		Width 2 m	Depth 0	.44 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
2701		Topsoil		riable, mid-grey brown slig ayey sandy silt.	htly	0.00-0.32
2702		Natural	sli in	ght bright red orange, friab ightly sandy silt with occas clusions of small stones a anganese flecks througho	sional nd	0.32

Trench No	28	Length 30 m	Width 2.33 m	Depth	0.42 m
Context	Fill Of/Filled	d Interpretative	Description		Depth (m)
Number	With	Category			BGL
2801		Topsoil	Mid-grey brown, fine sandy silt. Frequent I Occasional small to rangular and sub-rour	rooting (crop). medium sub-	0.00-0.32
2802		Natural	Light to mid-yellow satches of both a pin slightly sand clay gracompact. Frequent sub-rounded stones angular flint.	ikish red ivel. Firm and mall to large	0.32-0.42+



Trench No	29	Length 30 m	Width 2 m		38 m
Context	Fill Of/Filled		Description		Depth (m)
Number	With	Category			BGL
2901		Topsoil	Loosely compacted dark brogrey sandy silt, ~15% small rounded inclusions with ~5 angular stony inclusions spascattered throughout.	sub- large	0.00-0.28
2902		Subsoil	Loosely compacted dark gre brown silty sand, ~10% mid sub-rounded inclusions scar throughout.	-sized	0.28-0.38
2903		Natural	Densely compacted dark re brown clay sand with ~80% sorted mid-sized sub-round inclusions found throughout notably more common in the	poorly ed though	0.38+

Trench No	30 L	Length 30 m Width 2 m Dept		Depth 0	.53 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
3001		Topsoil	Loosely compacted mid-gre brown clayish silt (10/90%) rare rounded and angular st inclusions.	with	0.00-0.29
3002		Subsoil	Loosely compacted mid-yel brown clayish silt (10/90%) occasional stony inclusions in size.	with	0.29-0.50
3003		Natural	Densely compacted mid-rec pink silty clay (40/60%) with frequent rounded and angul inclusions 2-8 cm in size.		0.50-0.53+

Trench No	31	Length 30 m	Width 2.28 m	Depth 0).74 m
Context Number	Fill Of/Filled With	d Interpretative Category	Description		Depth (m) BGL
3101		Topsoil	Mid-grey brown sandy so loose and granular. Fre rooting (crop) and stubble from previous ploughing Occasional small to me rounded stones.	equent ole mixed in g.	0.00-0.26
3102		Colluvium	Mid-brownish red sand. and compact. Frequent medium sub-rounded a angular stones.	small to	0.26-0.58
3103		Natural	Mid-pinkish red slightly Firm and compact. Occ small to medium sub-ro stones and sub-angular	asional ounded	0.58-0.74 +



Trench No	32	Length 30 m		Width 2 m Depth 0).59 m	
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL	
3201		Topsoil	bı aı	oderately compacted mid- rown silt with common round angular stony inclusion on in size.	nded	0.00-0.34	
3202		Subsoil	bı (4	oderately compacted mid- rownish yellow clayish silt .0/60%) with rare rounded clusions 2-4 cm in size.		0.34-0.50	
3203		Natural	pi o	ensely compacted mid-red nk clayish silt (10/90%) wi ccasional stony inclusions size.	th	0.50-0.59+	

Trench No	33	Length 30 m		Width 2 m	Depth 0	.40 m
Context	Fill Of/Filled	Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
3301		Topsoil	F	riable dark brown silty san	dy clay.	0.00-0.30
3302		Natural	pa m	lid-brown reddish orange of atches of friable sandy silt noderate inclusion of small nedium-sized stones throug	and	0.30

Trench No	34 L	ength 30 m	ngth 30 m Width 2 m Depth 0		.36 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
3401		Topsoil	Loosely compacted dark brougery sandy silt, ~15% small rounded inclusions with ~5 angular stony inclusions spascattered throughout.	sub- large	0.00-0.26
3402		Subsoil	Loosely compacted dark grubrown silty sand, ~10% mid sub-rounded inclusions scathroughout.	-sized	0.26–0.36
3403		Natural	Densely compacted light orangey brown clay sand. ~35% small subrounded inclusions with a further ~10% larger angular stony inclusions scattered unevenly throughout.		0.36+



Trench No	35 L	ength 30 m	Width 2 m	Depth 0.85 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL
3501		Topsoil	Friable, mid-grey brown slight clayey sandy silt.	ly 0.00–0.22
3502		Subsoil	Light brown orange sandy silt occasional pebbles, randomly distributed.	
3503		Colluvium	Light orange brown friable silt sand with moderate inclusions rounded stones and mangane flecks throughout.	s of
3504		Natural	Mid-yellow brown semi-plastic clayey silt with moderate inclu of stones in patches.	

Trench No	36 L	ength 30 m	Width 2 m	Depth 0	.36 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
3601		Topsoil	Loosely compacted dark br grey sandy silt, ~15% small rounded inclusions with ~5 angular stony inclusions sp scattered throughout.	sub- large	0.00-0.28
3602		Subsoil	Loosely compacted dark gr brown silty sand, ~10% mic sub-rounded inclusions sca throughout.	l-sized	0.28–0.36
3603		Natural	Densely compacted light or brown clay sand. ~35% sm- rounded inclusions with a fu ~10% larger angular stony inclusions scattered unever throughout.	all sub- urther	0.36 +

Trench No	37	Length 30 m	Width 2 m	Width 2 m Depth 0	
Context Number	Fill Of/Fille With	d Interpretative Category	Description		Depth (m) BGL
3701		Topsoil	Friable, mid-grey brown slightly clayey sandy silt.		0.00-0.32
3702		Colluvium	Light brown orange, friable, silty sand with moderate inclusions of stones and manganese flecks throughout.		0.32-0.72
3703		Natural	Patchy mid-reddish brown brown grey semi-plastic silt	_	0.72



Trench No	38	Length 30 m	Width 2.34 m	Depth 1.10	0 m
Context	Fill Of/Filled	•	Description		Depth (m)
Number	With	Category		В	BGL
3801		Topsoil	Mid-brown, firm, silty sand.	0	0.00-0.21
			Frequent rooting (crop). Ra	re small	
			rounded stones.		
3802		Subsoil	Mid-grey brown, firm and st	icky 0	0.21-0.33
			clayey sand. Rare very fine	rooting.	
			Rare small to medium sub-	ounded	
			stones.		
3803		Colluvium	Mid-brownish yellow, firm sa	andy 0	0.33-0.94
			clay. Becomes more yellow	and	
			sandy at south end of trenc	h.	
			Occasional small to mediun	n sub-	
			rounded stones.		
3804		Natural	Light to mid-greyish yellow, firm, 0.94–1.10).94–1.10+
			sticky and plastic clay. Occa	asional	
			rounded stone inclusions.		

Trench No	39 L	ength 30 m	Width 2 m	Depth 0	.69 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
3901		Topsoil	Moderately compacted dark brown clayish silt (60/90%) occasional rounded and and stony inclusions 2-5 cm in s	with gular	0.00-0.40
3902		Subsoil	Densely compacted mid-bro grey silty clay (20/80%) with rounded and angular stony inclusions 1-5 cm in size.	ownish	0.40-0.62
3903		Natural	Extremely mixed natural inc greyish brown clayish sand, red clayish silt, bluish grey s greyish yellow clayish silt wi manganese inclusions. Occ rounded and angular stony inclusions throughout.	pinkish silt and ith	0.62-0.69+



Trench No	40	Length 30 m	Width 2 m	Depth 0	.34 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
4001		Topsoil	Loosely compacted dark brogrey sandy silt, ~15% small rounded inclusions with ~5 angular stony inclusions spascattered throughout.	sub- large	0.00-0.28
4002		Subsoil	Loosely compacted dark gre brown silty sand, ~10% mid sub-rounded inclusions sca throughout.	-sized	0.28-0.34
4003		Natural	Densely compacted dark re brown clay sand, ~10% sma rounded inclusions scattere unevenly throughout. Becordark reddish brown clay in rextent.	all sub- d nes	0.34+

Trench No	41	Length 30 m	Width 2 m		Depth 0	.72 m
Context	Fill Of/Filled	Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
4101		Topsoil		riable, mid-grey brown slig ayey sandy silt.	htly	0.00- 0.32
4102		Alluvium	ai w ai oi (f	Iluvial. Friable, light yellow nd light reddish brown san ith frequent inclusions of s nd medium-sized stones a ccasional larger angular st lint) throughout, size of sto uggests water activity.	dy silt mall nd ones	0.32-0.52
4103		Natural	M	lid-reddish brown clayey s	ilt.	0.52-0.72

Trench No	42	Length 30 m Width 2 m Depth 0.4		.40 m		
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
4201		Topsoil		riable, mid-grey brown slig ayey sandy silt.	htly	0.00-0.24
4202		Subsoil		ght brown orange friable s andy silt.	lightly	0.24-0.34
4203		Natural	pla br	atchy mid-reddish brown s astic clayey silt and light y own friable sandy silt. Occ one inclusions, randomly stributed.	ellow	0.34-0.4



Trench No	43	Length 30 m		Width 2 m	Depth 0	.44 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
4301		Topsoil	gr ro ar	cosely compacted dark brovey sandy silt, ~15% small bunded inclusions with ~5 langular stony inclusions, spectattered throughout.	sub- large	0.00-0.26
4302		Subsoil	br su	cosely compacted dark green silty sand, ~10% mid who silty sand, ~10% mid who silty sand, ~10% mid who silty sand are some some sand who salty sand are some some some some some some some som	-sized	0.26-0.36
4303		Natural	br ro	ensely compacted dark re rown clay sand, ~10% sma runded inclusions scattere nevenly throughout.	all sub-	0.36+

Trench No	44 L	ength 30 m	Width 2.31 m	Depth 0	.38 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
4401		Topsoil	Mid-brown silty sand. Frequence rooting (crop). Occasional semedium small to medium surrounded stones.	mall to	0.00-0.14
4402		Subsoil	Light grey firm sand. Rare various of control of contro	ub-	0.14-0.34
4403		Natural	Mid-pinkish red slightly firm clay. Moderate small to larg rounded and sub-angular si	e sub-	0.34-0.38+
4404	4405	Ditch	Linear ditch aligned east to with moderate, concave sid a concave base. Length: >2 Width: 0.67 m. Depth: 0.17	es and 2.00 m.	0.34–0.51
4405	4404	Secondary fill	Light orange brown friable s silt with very occasional, ve stone.	•	
4406	4407	Ditch	Linear ditch aligned north-w south-east with steep, straig and a concave base. Lengt m. Width: 0.66 m. Depth: 0.	ght sides h: >2.00	0.34–57
4407	4406	Secondary fill	Light grey brown sandy silty with occasional stone, rand distributed.	-	



Trench No 45		Length 30 m		Width 2 m	Depth 0	.95
Context	Fill Of/Filled	Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
4501		Topsoil	Li	Light brown silty clay with orange		0.00-0.45
			hι	ue with slightly diffuse bou	ndary.	
4502		Colluvium	М	id-brownish orange silty cl	lay.	0.45-0.95
4503		Natural	Li	ght yellow clay.		0.95

Trench No	46	Length 30 m	V	Vidth 2 m	Depth 0	.55
Context	Fill Of/Filled	d Interpretative	Des	cription		Depth (m)
Number	With	Category				BGL
4601		Topsoil	grey clay roun	y loosely compacted, mish brown with orange hand well rooted, occasionanded and sub-angular stusions.	nue silty I sub-	0.00-0.36
4602		Subsoil	com	orangey brown modera pacted silty clay with so ing. Occasional small pe es.	me fine	0.36-0.55
4603		Natural	Mid-	yellowy orange clay.		0.55

Trench No	47	Length 30 m		Width 2 m	Depth 1	m
Context	Fill Of/Filled	d Interpretative	De	escription		Depth (m)
Number	With	Category				BGL
4701		Topsoil	bro	osely compacted mid-gre own sandy silt (40/60%) wunded stony inclusions 2- ce.	vith rare	0.00-0.50
4702		Colluvium	sa rou	ensely compacted greyish ndy silt (30/70%) with fred unded stony inclusions 1- size.	quent	0.50-1.00+

Trench No 48		Length 30 m	Width 2 m	Depth 0	.35 m
Context Number	Fill Of/Filled	d Interpretative Category	Description		Depth (m) BGL
4801		Topsoil	Loosely compacted brown clayish silt (3 common rounded standards 2-5 cm in size.	0/70%) with	0.00-0.32
4802		Natural	Densely compacted pink silty clay (10/90 occasional stony ind in size.	0%) with	0.32-0.35+



Trench No	49	Length 30 m	Width 2 m	Depth 0	.32 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
4901		Topsoil	Loosely compacted dark browning grey sandy silt, ≤5% small strounded inclusions sparsely scattered throughout	sub-	0.00-0.28
4902		Subsoil	Moderately compacted dark brown silty sand, ~10% smarounded inclusions scattere throughout.	all sub-	0.28-0.32
4903		Natural	Densely compacted reddish sandy clay, with patches of brown silty sand and ~25% sub-rounded inclusions with further ~10% larger angular inclusions usually in poorly clusters.	greyish small a a stony	0.32+

Trench No 50 L		Length 30 m	Width 2 m	Depth 0).35 m
Context Number	Fill Of/Filled With	d Interpretative Category	Description		Depth (m) BGL
5001		Topsoil	Loosely compacted grey clayish silt (20/ occasional rounded stony inclusions 2-6	80%) with and angular	0.00-0.30
5002		Natural	Densely compacted yellow clayish silt wi rounded stony inclus size.	th frequent	0.30-0.35+

Trench No	51	Length 30 m	,	Width 1.94 m	Depth 0).38 m	
Context	Fill Of/Filled	Interpretative	Des	scription		Depth (m)	
Number	With	Category				BGL	
5101		Topsoil	Fre sma	I-brown, soft, sandy silty quent rooting (crop). Ocall to medium sub-roundates.	casional	0.00-0.22	
5102		Subsoil	clay Rai	ht to mid-yellowish browinglyey silt. Occasional fine in re small to medium sub-anes.	rooting.	0.22-0.30	
5103		Natural	firm	l-brownish yellow slightly n, clay. Frequent small to p-rounded/angular stones	large	0.3-0.38+	



Trench No	52	Length 30 m		Width 1.93 m Depth 0).44 m	
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL	
5201		Topsoil	Fı sr	id-grey brown, soft, sandy requent rooting (crop). Oc nall to medium sub-round ones.	casional	0.00-0.23	
5202		Subsoil	cl O	ght yellowish brown slight ayey sand. Rare very fine ccasional small to mediun unded stones.	rooting.	0.23-0.37	
5203		Natural	sa	id-reddish yellow, firm, cla and. Frequent small to larç unded stones.		0.37-0.44+	

Trench No	53 L	ength 30 m	Width 1.91 m	Depth 1	.20 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
5301		Topsoil	Light to mid-brownish grey, silty sand. Frequent rooting Occasional small to medium rounded stones.	(crop).	0.00-0.38
5302		Colluvium	Yellow brown, firm, clayey s Moderate small to medium s rounded and sub-angular st Rare small charcoal flecks. Becomes a brown clay to th east end of trench.	sub- ones.	0.38–1.01
5303		Natural	Found in sondage through to colluvium at the south-east the trench. A mid-grey brow clay with reddish mottling. Revery fine rooting. Occasionato medium sub-rounded sto Unlike natural seen elsewher only visible in sondage.	end of n, firm, Rare al small nes.	1.01–1.2+



Trench No	54	Length 30 m	Width 2 m	Depth 0.	.44 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
5401		Topsoil	Loosely compacted dark brogrey sandy silt, ≤5% small strounded inclusions sparsely scattered throughout.	sub-	0.00-0.32
5402		Subsoil	Loosely compacted dark ora brown silty sand, ~10% sma rounded inclusions scattere throughout.	all sub-	0.32-0.44
5403		Natural	Densely compacted mid-ora brown silty sand, ~10% sma angular inclusions found thr but generally clustered up.	all sub-	0.44+
5404		Natural	Densely compacted dark re brown sandy clay, ~5% sma rounded stony inclusions, ~ manganese flecks.	all	0.44-0.85

Trench No	55 L	ength 30 m	Width 1.92 m	Width 1.92 m Depth 0	
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
5501		Topsoil	Mid-grey brown sandy silt. See Frequent rooting (crop). Oc small to medium rounded see	casional	0.00-0.24
5502		Subsoil	Mid-grey silty sand. Firm. R fine rooting. Very similar to		0.24-0.35
5503		Natural	Mid-yellow sand. Firm. Free small to large rounded ston Occasional small flecks of manganese.	•	0.35-0.47+

Trench No	56	Length 30 m	Width 1.93 m	Depth 0	0.43 m
Context Number	Fill Of/Filled	Interpretative Category	Description		Depth (m) BGL
5601		Topsoil	Mid-grey brown sandy silt. Soft. Frequent rooting (crop). Occasional small to medium rounded stones.		0.00-0.21
5602		Subsoil	clayey sand. Firm. Rare	Light to mid-yellowish brown slightly clayey sand. Firm. Rare very fine rooting. Rare small to medium sub-	
5603		Natural	Mid-yellow slightly clayed Firm. Frequent small to I rounded stones. Frequent manganese flecks.	arge sub-	0.33-0.43+



Trench No	57	Length 30 m		Width 1.94 m Depth 0		0.38 m	
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
5701		Topsoil	Fı sr	id-grey brown sandy silt. S requent rooting (crop). Occ mall to medium sub-round ones.	casional	0.00-0.32	
5702		Natural	Fı ar	id-brownish yellow clay. F requent small to large sub- nd sub-rounded stones. Pl cars visible.	-angular	0.32-0.38+	

Trench No	58 L	ength 30 m	Width 2 m Dep	pth 0.34 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL
5801		Topsoil	Loosely compacted dark browning grey sandy silt, ≤5% small subrounded inclusions sparsely scattered throughout	sh 0.00–0.28
5802		Subsoil	Loosely compacted dark orange brown silty sand, ~10% small su rounded inclusions scattered throughout.	-
5803		Natural	Densely compacted reddish brows andy clay, heavily mixed with lighter yellowy brown silty sand. Plough scars also very frequent. ~10 larger rounded stones with a further ~20% smaller rounded stones, poorly sorted but often clustered together	
5804	5805	Secondary fill	Mid-grey sandy (20%) clay, very firm compaction with occasional pebbles, up to 15 cm size toward the base of the fill	
5805	5804	Ditch	Linear ditch aligned north-east to south-west with steep, irregular sides and an irregular/undulating base. Length: >2.00 m. Width: 0 m. Depth: 0.40 m.	3



Trench No	59	Length 30 m	Width 2 m	Depth 0	0.39 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
5901		Topsoil	Loosely compacted dar grey sandy silt, ≤5% sm rounded inclusions spa scattered throughout.	nall sub-	0.00-0.31	
5902		Subsoil	Loosely compacted dar brown silty sand, ~10% rounded inclusions scar throughout.	small sub-	0.31–0.39	
5903		Natural	Densely compacted red sandy clay, with patche brown silty sand. ~25% rounded inclusions with ~10% larger angular strainclusions usually in poclusters.	s of yellowy small sub- a further ony	0.39+	

Trench No	60	Length 30 m	Width 2 m	dth 2 m Depth 0.40	
Context	Fill Of/Fille	d Interpretative	Description		Depth (m)
Number	With	Category			BGL
6001		Topsoil	Loosely compacted grey clayish silt (20/ occasional rounded stony inclusions 2-6 including flint.	70%) with and angular	0.00-0.38
6002		Natural	Densely compacted brown sandy silt (20 frequent rounded an inclusions 1-5 cm in	/80%) with nd angular stony	0.38-0.40+



Trench No	61 L	ength 30 m	Width 30 m	Depth 0	.34 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
6101		Topsoil	Loosely compacted dark brogery sandy silt, ≤5% small surounded inclusions sparsely scattered throughout.		0.00-0.28
6102		Subsoil	Loosely compacted dark greyish brown silty sand, ~10% small subrounded inclusions scattered throughout.		0.28-0.34
6103		Natural	Densely compacted reddish sandy clay, with patches of g brown silty sand. ~25% smal rounded inclusions with a fur ~10% larger angular stony inclusions usually in poorly s clusters.	greyish II sub- ther	0.34+
6104	6104	Furrow	Linear furrow aligned north to with concave sides and an irregular/undulating base. Le >5.00 m. Width: >1.55 m. De 0.15 m.	ngth:	0.34–0.50
6105	6104	Secondary fill	Mid-grey orange sandy silt w moderate inclusions of small/medium rounded stone throughout		

Trench No	62 L	ength 30 m	Width 2 m Depth (.77 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
6201		Topsoil	Loosely compacted dark brugrey sandy silt, ≤5% small strounded inclusions sparsely scattered throughout.	sub-	0.00-0.34
6202		Subsoil	Loosely compacted dark greyish brown silty sand, ~10% small subrounded inclusions scattered throughout.		0.34-0.48
6203		Natural	brown silty sand. ~25% small subrounded inclusions with a further ~10% larger angular stony inclusions usually in poorly sorted clusters.		0.48+
6204		Natural	Densely compacted light ye brown sandy silt, ~50% sma mid-sized poorly sorted rou inclusions, variation in natural found in southern extent of sondage dug to determine of	all to nded ral only trench,	0.48-0.77



Trench No	63	Length 30 m	Width 2 m	Depth 0	.26 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
6301		Topsoil	Loosely compacted dark br grey sandy silt, ≤5% small s rounded inclusions sparsely scattered throughout.	sub-	0.00-0.22
6302		Subsoil	Loosely compacted dark gr brown silty sand, ~10% sm rounded inclusions scattere throughout.	all sub-	0.22-0.26
6303		Natural	Densely compacted reddish sandy clay, with patches of brown silty sand. ~25% smarounded inclusions with a fu ~10% larger angular stony inclusions usually in poorly clusters.	greyish all sub- urther	0.26+

Trench No	64	Length 30 m	Width 1.93 m	Width 1.93 m Depth 0	
Context Number	Fill Of/Filled With	d Interpretative Category	Description		Depth (m) BGL
6401		Topsoil	Mid-brown sandy silt. Frequent rooting (cro small to medium rour	p). Occasional	0.00-0.27
6402		Natural	Mid-brownish yellow sandy patches scatte throughout. Firm. Fre large sub-rounded ar stones.	ered equent small to	0.27-0.31+

Trench No	65	Length 30 m	Wid	th 2 m	Depth 0	.32 m
Context	Fill Of/Filled	•	Descrip	otion		Depth (m)
Number	With	Category				BGL
6501		Topsoil	brown o	compacted dark gre clayish silt with occas d and angular stony ns 2-7 cm in size.	-	0.00-0.25
6502		Natural	reddish with cor inclusio patches	ely densely compact brown silty clay (10/ mmon rounded stony ns 2-8 cm in size. W of reddish pink san e yellow silt.	/90%) / /ith	0.25-0.32+



Trench No	66	Length 30 m	Width 2 m	Depth 0	.36 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
6601		Topsoil	Loosely compacted dark I grey sandy silt, ~15% smarounded inclusions with ~ angular stony inclusions s scattered throughout.	all sub- 5 large	0.00-0.26
6602		Subsoil	brown silty sand, ~10% m sub-rounded inclusions so throughout.	id-sized	0.26–0.36
6603		Natural	Densely compacted dark brown sandy clay, ~50% angular inclusions found throughout.	small sub-	0.36+

Trench No	67	Length 30 m		Width 2 m Depth 3		36 m	
Context	Fill Of/Filled	Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
6701		Topsoil	M	oderately compacted dark	(0.00-0.33	
			bı	brownish grey silty clay (30/70%)			
			W	ith rare rounded and angu	lar		
			st	ony inclusions 2-6 cm in s	ize.		
6702		Natural	D	ensely compacted dark re	ddish	0.33-0.36+	
			bı	own silty clay (20/80%) w	ith		
			fr	equent rounded and angul	lar stony		
			in	clusions 2-7 cm in size.			

Trench No	68	Length 30 m	Width 2 m Depth 0		.40 m	
Context	Fill Of/Fille	d Interpretative	Description	on		Depth (m)
Number	With	Category				BGL
6801		Topsoil	Friable mid	d-grey brown sligl idy silt.	ntly	0.00-0.30
6802		Subsoil	.	rown friable sand rate inclusions of t.	•	0.30-0.38
6803		Natural	clayey silt of limestor	h-brown semi-pla with moderate ind he flecks throughd rounded stones.	clusions	0.38



Trench No	69	Length 30 m		Width 2 m Depth		0.50 m	
Context	Fill Of/Filled	I Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
6901		Topsoil		riable mid-grey brown sligl ayey sandy silt.	htly	0.00-0.3	
6902		Subsoil	Si	ght brown orange, friable, andy silt moderate inclusio mall fragments of limeston iroughout.	n of	0.30-0.40	
6903		Natural	cl in	lid-reddish-brown semi-pla ayey silt with occasional clusions of limestone fleck agments throughout.		0.40	

Trench No	70	Length 30 m		Width 2 m Depth 0.4		43 m	
Context Number	Fill Of/Filled With	d Interpretative Category	Des	scription		Depth (m) BGL	
7001		Topsoil		d-grey brown slightly clay ndy silt.	еу	0.00-0.30	
7002		Subsoil	_	ht brown orange friable s ndy silt.	lightly	0.30-0.43	
7003		Natural	clay incl	d-reddish-brown semi-pla yey silt with occasional lusions of limestone fleck obles throughout.		0.43	

Trench No	71	Length 30 m	Width 2 m	Depth 0	.27 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
7101		Topsoil	Loosely compacted dark brogrey sandy silt, ~20% small rounded inclusions with ~5 langular stony inclusions spascattered throughout.	sub- arge	0.00-0.23
7102		Subsoil	Loosely compacted dark gre brown silty sand, ~15% mid sub-rounded inclusions scar throughout.	-sized	0.23-0.27
7103		Natural	Densely compacted dark rebrown sandy clay, ~50% smangular inclusions found unthroughout.	nall sub-	0.27+



Trench No	72	Length 30 m		Width 2 m	Depth 0	.32 m
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
7201		Topsoil	gı	cosely compacted mid-bro rey silty clay (30/70%) with ounded and angular stony clusions 2-6 cm in size.		0.00-0.26
7202		Natural	bi ai cr re	ensely compacted dark re rown clay with frequent round angular stony inclusions in in size and patches of bed sand and patches of more equent stones.	unded s 1-12 rownish	0.26-0.32+

Trench No	73 I	ength 30 m	Width 2.16 m	Depth 0.	.40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
7301		Topsoil	Mid-grey brown slightly clay Friable. Frequent rooting (croccasional small to medium rounded stones and sub-an flint.	rop). n sub-	0.00-0.30
7302		Natural	A mid-pinkish red slightly sa clay with patches of a yellow gravel and bands of a brown yellow stony sand which appeared a geological anomaly identified by the geophysics Firm. Frequent small to larg rounded stones and sub-an flint.	v clayey nish pears to v s survey. e sub-	0.30-0.40+

Trench No	74 L	ength 30 m	Width 2.32 m Depth 0).40 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
7401		Topsoil	Mid-grey brown slightly clay Friable. Frequent rooting (conditional contents of the contents o	rop).	0.00-0.33	
7402		Natural	Light to mid-brownish yellow Firm. Frequent small to larg rounded stones and sub-an flint.	e sub-	0.33-0.40+	



Trench No	75	Length 30 m		Width 2 m	Depth 0	.34 m
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
7501		Topsoil	gı	oderately compacted browners silty clay (20/80%) with common rounded and anguing inclusions 1-8 cm in s	n Iar	0.00-0.28
7502		Natural	bi ai cr re	ensely compacted dark re rown clay with frequent round angular stony inclusion in size and patches of bed sand and patches of morequent stones.	unded s 1-12 rownish	0.28-0.34+

Trench No	76 L	ength 30 m	Width 2 m	Depth 0	.36 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
7601		Topsoil	Loosely compacted dark brougery sandy silt, ~15% small rounded inclusions with ~5 angular stony inclusions spascattered throughout.	sub- large	0.00-0.28
7602		Subsoil	Loosely compacted dark grubrown silty sand, ~10% mid sub-rounded inclusions scathroughout.	-sized	0.28–0.36
7603		Natural	Densely compacted dark re brown sandy clay, ~35% sm angular inclusions found in sorted clusters throughout.	nall sub-	0.36+

Trench No	77	Length 30 m	0 m Width 2 m Depth 0.		.50 m	
Context	Fill Of/Fille	d Interpretative	De	Description		Depth (m)
Number	With	Category				BGL
7701		Topsoil		Mid-grey brown friable slightly		0.00-0.30
			cla	ayey sandy silt.		
7702		Subsoil	Li	ght grey brown friable san	dy silt.	0.30-0.44
7703		Natural	sil lin	Mid-red orange semi-plastic clayey silt with moderate inclusions of limestone flecks and fragments throughout.		0.44



Trench No	78	Length 30 m	Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
7801		Topsoil	Loosely compacted dark brogrey sandy silt, ~15% small rounded inclusions with ~5 langular stony inclusions spascattered throughout.	sub- arge	0.00-0.28
7802		Subsoil	Loosely compacted dark grebrown silty sand, ~10% mid- sub-rounded inclusions scat throughout.	sized	0.28-0.36
7803		Natural	Densely compacted mid-red brown, slightly grey, sandy c ~50% small sub-rounded incompact found unevenly throughout.	lay,	0.36+

Trench No	79	Length 30 m		Width 2 m Depth 0).36 m	
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
7901		Topsoil	cl	cosely compacted greyish ayish silt (30/70%) with ccasional rounded and and cony inclusions 1-5 cm in s	gular	0.00-0.32	
7902		Natural	cl aı	ensely compacted pinkish ay with common rounded ngular stony inclusions 2-5 ze.	and	0.32-0.36+	

Trench No	80 Le	ength 30 m	Width 2.32 m	Depth 0	.45 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
8001		Topsoil	Mid- to dark greyish brown sclayey silt. Soft, sticky and grequent rooting (crop). Occamall to medium sub-roundstones and sub-angular flint	granular. casional ed	0.00-0.31
8002		Natural	A mixed light to mid-brownis yellow slightly sandy clay. E sandier to the north of the trand patches of a red sand a visible. Frequent small to la rounded stones and sub-an flint.	secomes rench are also rge sub-	0.31-0.45+



Trench No	81	Length 30 m		Width 2 m	Depth 0	0.40 m	
Context	Fill Of/Filled	d Interpretative	De	Description		Depth (m)	
Number	With	Category				BGL	
8101		Topsoil		able, mid-grey brown slig yey sandy silt.	htly	0.00-0.30	
8102		Subsoil	_	Light orange brown friable slightly sandy silt.		0.30-0.40	
8103		Natural	cla of I	d-reddish-brown semi-pla yey silt with moderate ind limestone flecks througho tches of limestone.	clusions	0.40	

Trench No	82	Length 30 m	Width 2 m	Depth (0.40 m	
Context	Fill Of/Fille	d Interpretative	Description		Depth (m)	
Number	With	Category			BGL	
8201		Topsoil	J	Mid-grey brown slightly clayey		
			sandy silt.			
8202		Subsoil	Light brown orange f	Light brown orange friable sandy		
			silt.			
8203		Natural	Mid-reddish-brown s	emi-plastic	0.35	
			clayey silt with mode	erate inclusions		
			of limestone flecks a	nd fragments		
			throughout.			

Trench No	83	Length 30 m	Width 2 m	Width 2 m Depth	
Context	Fill Of/Filled	d Interpretative	Description	Description	
Number	With	Category			BGL
8301		Topsoil	Mid-grey brown slig sandy silt.	htly clayey	0.00-0.20
8302		Subsoil	Light brown orange sand.	friable silty	0.20-0.28
8303		Natural	Mid-reddish-brown clayey silt with mod of limestone flecks patches of limeston	erate inclusion throughout ar	

Trench No	84	Length 30 m		Width 2 m Depth 0).49 m	
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)	
Number	With	Category				BGL	
8401		Topsoil	Fı sr	id-grey brown silty clay. Frequent rooting (crop). Oc mall to medium sub-round ones.	casional	0.00-0.37	
8402		Natural	0	id-pinkish red clay. Firm. ccasional small to mediur ngular stones.	n sub-	0.37-0.49+	



Trench No	85	Length 30 m	Width 2 m Depth		Depth 3	32 m	
Context	Fill Of/Filled	d Interpretative	Description	Description		Depth (m)	
Number	With	Category				BGL	
8501		Topsoil	Moderately compound brown silty clay (3 occasional rounds inclusions 2-5 cm	30/70%) wi ed stony		0.00-0.30	
8502		Natural	Densely compact clay with no visible		•	0.30-0.32+	

Trench No	86	Length 30 m		Width 2 m Depth 0).49 m	
Context Number	Fill Of/Fille With	d Interpretative Category	D	escription		Depth (m) BGL	
8601		Topsoil	C	lid-grey brown clayey silt. ompact and granular. Frectooting (crop). Occasional seledium sub-rounded stone	mall to	0.00-0.35	
8602		Natural	Fı	lid-pinkish red clay. Firm. requent small to large sub- nd sub-rounded stones.	-angular	0.35-0.49+	

Trench No	87	Length 30 m	30 m Width 2 m Depth 0.		.38 m	
Context Number	Fill Of/Filled	d Interpretative Category	D	escription		Depth (m) BGL
8701		Topsoil	fri ro	id-grey brown clayey silt. I able and granular. Freque oting (crop). Occasional s edium rounded stones.	ent	0.00-0.29
8702		Natural	Fr	id-pinkish red clay. Firm. requent small to medium s unded stones.	sub-	0.29-0.38+

Trench No	88	Length 30 m	Width 2 m	Depth	n 0.38 m	
Context	Fill Of/Filled	d Interpretative	Description		Depth (m)	
Number	With	Category			BGL	
8801		Topsoil	Mid-grey brown slight sandy silt.	tly clayey	0.00-0.30	
8802		Subsoil		Light yellow brown, friable, slightly sandy silt with occasional pebbles		
8803		Natural	Light brown orange, f silt and patches of red semi-plastic clayey si occasional inclusions flecks and pebbles th	ddish brown It all with of limestone	0.38	



Trench No	89	Length 30 m	Width 2 r	Width 2 m Depth 0		.30 m
Context	Fill Of/Filled	d Interpretative	Description			Depth (m)
Number	With	Category				BGL
8901		Topsoil	Moderately compacted mid-greyish brown clayish silt with occasional rounded stony inclusions 2-5 cm in size.		0.00-0.27	
8902		Natural	red clay with inclusions 2-western side	pacted dark pi rare rounded s 4 cm in size. T of the trench o ning the entire	stony he contains	0.27-0.30+

Trench No 90 Length 30		Length 30 m		Width 2 m	Depth 0).28 m
Context Number	Fill Of/Fille With	d Interpretative Category	D	Description		Depth (m) BGL
9001		Topsoil	si rc	Loosely compacted brownish grey silty clay (30/70%) with common rounded and angular stony inclusions 2-5 cm in size.		0.00-0.25
9002		Natural	re	Densely compacted dark pinkish red clay with rare rounded stony inclusions 2-6 cm in size.		0.25-0.28+

Trench No	91	Length 30 m	Width 2 m	Depth 0	.30 m
Context Number	Fill Of/Filled With	I Interpretative Category	Description	·	Depth (m) BGL
9101		Topsoil	Loosely compacted dark in grey sandy silt, ~15% small rounded inclusions with ~ angular stony inclusions stattered throughout.	all sub- 5 large	0.00-0.24
9102		Subsoil	brown silty sand, ~10% m	Loosely compacted dark greyish brown silty sand, ~10% mid-sized sub-rounded inclusions scattered	
9103		Natural	Densely compacted dark brown sandy clay, ~50% s angular inclusions found u throughout. Heavily disco- with blotches of light brow clay.	small sub- unevenly oured	0.30+



Trench No	92	Length 30 m	Width 2 m	Depth 0	.41 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
9201		Topsoil	Loosely compacted dark by grey sandy silt, ~15% small rounded inclusions with ~5 angular stony inclusions spacettered throughout.	l sub- large	0.00-0.33
9202		Subsoil	Loosely compacted dark graph brown silty sand, ~10% mid sub-rounded inclusions scathroughout.	d-sized	0.33-0.41
9203		Natural	Densely compacted light gradient brown sandy clay streaked reddish brown clay, ~50% sized sub-rounded inclusio found throughout in poorly clusters.	with mid- ns,	0.41+

Trench No 93		Length 30 m	Width 2 m	Depth 0	.38 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
9301		Topsoil	Mid-grey brown cla and granular. Frequ (crop). Occasional sub-rounded stones	uent rooting small to medium	0-0.24
9302		Natural	Mid-brownish red slightly sandy clay. Firm. Frequent small to large sub-rounded stones and subangular flint.		0.24-0.38+

Trench No 94 L		Length 30 m	W	Width 2 m Depth		0.38 m	
Context	Fill Of/Filled		Desc	ription		Depth (m)	
Number	With	Category				BGL	
9401		Topsoil	grey	Moderately compacted brownish grey clayish silt (30/70%) with rare rounded stony inclusions 1-4 cm in size.		0.00-0.24	
9402		Natural	Densely compacted dark pinkish red silty clay (10/90%) with frequent rounded stony inclusions 2-7 cm in size.		0.24-0.38+		



Trench No 95 Len		Length 30 m	Width 2 m	Dept	th 0.50 m
Context	Fill Of/Fille	d Interpretative	Description	Description	
Number	With	Category			BGL
9501		Topsoil	Friable mid-grey bro	wn slightly	0.00-0.32
			clayey sandy silt.	clayey sandy silt.	
9502		Subsoil	Light grey brown fria	able slightly	0.32-0.40
			sandy silt.		
9503		Natural	Light brown orange,	semi-plastic	0.40
			clayey silt, with occasional		
			inclusions of stones	and limestone	Э
			flecks and fragments	flecks and fragments throughout.	

Trench No	96	Length 30 m	Width 2 m	Depth 0	.34 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
9601		Topsoil	Loosely compacted dark to grey sandy silt, ~15% small rounded inclusions with ~4 angular stony inclusions succeptions sattered throughout.	all sub- 5 large	0.00-0.28
9602		Subsoil	brown silty sand, ~10% m	Loosely compacted dark greyish brown silty sand, ~10% mid-sized sub-rounded inclusions scattered	
9603		Natural	Densely compacted dark brown sandy clay. ~50% sangular inclusions found uthroughout.	mall sub-	0.34+



				0.35 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL	
9701		Topsoil	Light yellowish brown sandy (30%) silt. Loose. Crop field soil.	0.00-0.25	
9702		Subsoil	Mid-brown clayey (30%) sand, friable. Occasional sub-rounded pebbles up to 8 cm size.	0.25-0.35	
9703		Natural	Barely reddish mid-brown sandy (40%) clay alternate with strips of darker reddish brown sandy (10%) clay, these ones with very high % of sub-angular both limestone and quartz pebbles.	+0.35	
9704	9705	Secondary fill	Barely greyish light brown clayey (20%) silt, quite firm with scarce grit. occasional sub-round pebbles up to 7 cm size.		
9705	9704	Ditch	Linear ditch aligned north-west to south-east with moderate, concave sides and a V-shaped base. Length: >2.50 m. Width: 0.50 m. Depth: 0.45 m.	0.35-0.41	
9706	9707	Ditch	Linear ditch aligned north-west to south-east with moderate, straight sides and an irregular/undulating base. Length: >2.00 m. Width: 1.05 m. Depth: 0.40 m.	0.35-0.75	
9707	9706	Secondary fill	Mid-greyish brown silt sand clay with frequent small - medium rounded pebble, medium to large heat reddened/shattered pebbles, occasional small flint frags and sparse charcoal flecks.		
9708	9710	Secondary fill	Barely greyish mid-brown firm clayey (30%) silt with occasional grit.		
9709	9710	Primary fill	Light yellowish brown very firm clayey (20%) sand with moderate quantity of sub-angular and sub-rounded pebbles, up to 10 cm size.		
9710	9708, 9709	Ditch	Linear ditch aligned north-east to south-west with steep, concave sides and a concave base. Length: >5.00 m. Width: 1.50 m. Depth: 0.60 m.	0.35–0.95	



Trench No	98	Length 30 m	Width 2 m	Depth 0	.30 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
9801		Topsoil	Friable, mid-grey brown slig	htly	0.00-0.30
			clayey sandy silt.		
9802		Natural	Mid-reddish brown, clay with		0.30
			to large rounded stones poo	orly	
			sorted throughout.		
9803	9804, 9805	Ditch	Linear ditch aligned north to	south	0.30-1.04
			with moderate, straight side	s and a	
			concave base. Length: 2.30	m.	
			Width: 2.10 m. Depth: 0.55	m.	
9804	9803	Primary fill	Light greyish brown silty cla	y with	
			gravel, small to large rounde	ed	
			stones, common, poorly sorted		
9805	9803	Secondary fill	Mid-greyish brown silty clay with		
			gravel small to medium rounded		
			stones, rare		

Trench No	99	Length 30 m		Width 2 m Depth 0		.30 m
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
9901		Topsoil	Si Fi	lid-brownish grey clayey siticky, granular and slightly requent rooting (crop). Octail to medium sub-round cones.	plastic. casional	0.00-0.23
9902		Natural	rc	lid-orange brown sandy cla requent small to medium sounded and sub-angular st lough scars visible.	sub-	0.23-0.30+

Trench No	100	Length 30 m	Width 2 m	Width 2 m Depth 0).46 m	
Context Number	Fill Of/Filled	d Interpretative Category	Description	Description		Depth (m) BGL	
10001		Topsoil		Friable, mid-grey brown slightly clayey sandy silt.		0.00-0.32	
10002		Subsoil	silt with mode	Light orange brown friable sandy silt with moderate inclusions of stones throughout.		0.32-0.46	
10003		Natural	sandy silt and brown silty cla inclusions of li	Patchy light orange brown, friable, sandy silt and semi-plastic reddish brown silty clay with moderate inclusions of limestone flecks throughout and occasional pebbles.		0.46	



Trench No 101 Le		ength 30 m	Width 2 m De	epth 0.40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL
10101		Topsoil	Loosely compacted dark brown grey sandy silt, ~15% small sul rounded inclusions with ~5 larg angular stony inclusions sparse scattered throughout.	b- ge
10102		Subsoil	Loosely compacted dark greyis brown silty sand, ~10% mid-siz sub-rounded inclusions scattered throughout.	zed
10103		Natural	Densely compacted mid-greyis brown sandy clay, ~50% small rounded inclusions found uneverthroughout.	sub-
10104	10105	Ditch	Linear ditch aligned north-west south-east with moderate, strai sides and a flat base. Length: > m. Width: 1.90 m. Depth: 0.33	ight >2.00
10105	10104	Secondary fill	Mid-brown with orange flecks sandy silt with moderate inclusions of medium rounded stones, some cracked	

Trench No 102 Lo		Length 30 m	Width 2 m	Depth 0.38 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
10201		Topsoil	Loosely compacted dark br grey sandy silt, ~15% small rounded inclusions with ~5 angular stony inclusions sp scattered throughout.	sub- large	0.00-0.29
10202		Subsoil	Loosely compacted dark gr brown silty sand, ~10% mic sub-rounded inclusions sca throughout.	l-sized	0.29-0.38
10203		Natural	Moderately compacted light brown clay sand, some gree mottling, ~45% mid-sized s rounded inclusions found un throughout.	yish ub-	0.38+



Trench No		ength 30 m	Width 2 m Depth	0.36 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL
10301		Topsoil	Dark brownish grey, silty clay with sand, soft compaction. Moderate rounded/sub-rounded stone inclusions of small to medium size. Upper plough soil with vegetation and sparse rooting. Consistent in colour and composition.	0.00-0.30
10302		Natural	Light yellowish brown, sandy clay with silt, mid- to firm compaction. Patches of grey silt in the surface and red sand deeper down. Rare chalk flecks. Common rounded/sub-rounded stone inclusions of small to medium size. Consistent in colour and composition.	0.30-0.36+
10303	10304, 10305, 10306	Ditch	Linear ditch aligned east to west with shallow, straight sides and a concave base. Length: >1.00 m. Width: >1.56 m. Depth: >0.48 m.	0.30-0.78
10304	10303	Secondary fill	Light greyish brown silty clay with sand with moderate rounded/sub-rounded/sub-angular stone inclusions of small-large size (10 - 80 mm).	
10305	10303	Primary fill	Mid-yellowish brown, grey hue silty clay with sand with rare (1%) rounded/sub-rounded/sub-angular stone inclusions of small-medium size (10-50 mm).	
10306	10303	Secondary fill	Light greyish brown, orange hue silty clay with sand with moderate rounded/sub-rounded/sub-angular stone inclusions of small - medium size (10-50 mm)	
10307	10308, 10309	Ditch	Linear ditch aligned east to west with moderate, straight sides and a V-shaped base. Length: >1.00 m. Width: >1.13 m. Depth: >0.66 m.	0.30-0.96
10308	10307	Secondary fill	Mid-greyish brown silty clay with sand with rare (1%) rounded/sub-rounded/sub-angular stone inclusions of small to medium size (10-60 mm).	
10309	10307	Secondary fill	Mid-brownish grey silty clay with sand with rare (1%) rounded/sub-rounded/sub-angular stone inclusions of small to large size (10 100 mm).	



10310	10311, 10312	Ditch	Linear ditch aligned east to west with moderate, concave sides and a concave base. Length: >1.00 m. Width: 1.37 m. Depth: >0.35 m.	0.30-0.65
10311	10310	Secondary fill	Mid-greyish brown silty clay with sand with sparse (5%) rounded/sub-rounded/sub-angular stone inclusions of small to medium size (10-70 mm).	
10312	10310	Secondary fill	Mid-brownish grey silty clay with sand with sparse (5%) rounded/sub-rounded/sub-angular stone inclusions of small to large size (10-100 mm).	

Trench No	104	Length 30 m		Width 2 m	Depth 0	.41 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
10401		Topsoil	gr	cosely compacted dark bromey sandy silt, ~15% small anded inclusions sparsely cattered throughout.	sub-	0.00-0.33
10402		Subsoil	bı sı	Loosely compacted dark greyish brown silty sand, ~10% mid-sized sub-rounded inclusions scattered throughout.		0.33-0.41
10403		Natural	bı ar	ensely compacted dark re rown sandy clay, ~50% sm ngular inclusions found un roughout.	nall sub-	0.41+

Trench No	Trench No 105 Length 50 m			Width 1.80 m	Depth 0	.80 m
Context	Fill Of/Fille	<u> </u>	D	Description		Depth (m)
Number	With	Category				BGL
10501		Topsoil	co si	id-greyish brown soil mod ompaction with small to ma zed sub-rounded and sub ones, poorly sorted.	edium-	0.00-0.34
10502		Natural	CC SI	id-reddish brown clay mod ompact with 10% small to ub-rounded and sub-angul ones, poorly sorted.	medium	0.34-0.80



Trench No	Trench No 106 Length 50 m			Width 1.80 m	Depth 0	.47 m
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
10601		Topsoil	m m	Mid-greyish brown silt with moderate compaction with small to medium-sized sub-rounded and sub-angular stones, poorly sorted.		0.00-0.32
10602		Natural	C(SI	lid-reddish brown clay mod ompact with 10% small to ub-rounded and sub-angul cones, poorly sorted.	medium	0.32-0.47

Trench No	107	Length 30 m	Width 2 m	Depth 0).44 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
10701		Topsoil	Loosely compacted dark grey sandy silt, with ~15 sub-rounded inclusions scattered throughout, wi ~10% mid-sized rounded	% small sparsely th another	0.00-0.32
10702		Subsoil	Loosely compacted dark brown silty sand, with ~1 sized sub-rounded incluse scattered throughout.	0% mid-	0.32-0.44
10703		Natural	Densely compacted dark brown sandy clay, with sub-angular inclusions for unevenly throughout.	50% small	0.44+

Trench No	108	Length 30 m	Width 2 m	Width 2 m Depth 0		.35 m
Context	Fill Of/Fille	d Interpretative	Description	Description		Depth (m)
Number	With	Category				BGL
10801		Topsoil		Friable, mid-grey brown slightly clayey sandy silt.		0.00-0.20
10802		Subsoil	silt with modera	Light orange brown, friable, sandy silt with moderate inclusions of small stones throughout.		0.20-0.27
10803		Natural	Light orange brown, friable, sandy silt with moderate inclusions of small stones and limestone flecks and fragments throughout.		0.27	



Trench No	109	Length 30 m		Width 2 m	Depth 0	.45 m
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
10901		Topsoil		riable, mid-grey brown, slig ayey sandy silt.	ghtly	0.00-0.30
10902		Subsoil		Light grey orange, friable, sandy silt.		0.30-0.40
10903		Natural	w	ght red orange, friable, sa ith moderate inclusions of ones throughout.	-	0.40

Trench No	No 110 Length 50 m			Width 1.80 m	Depth 0	.30 m
Context Number	Fill Of/Filled	d Interpretative Category	D	Description		Depth (m) BGL
11001		Topsoil	co si	id-greyish brown silt, mod ompact with small to medi zed sub-rounded and sub ones, poorly sorted.	um-	0.00-0.30
11002		Natural	co su	id-reddish brown clay, mo ompact with 10% small to ub-rounded and sub-angu ones, poorly sorted.	medium	0.38

Trench No	111	Length 30 m		Width 2 m Depth		.35 m
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
11101		Topsoil		riable, mid-grey brown, sli ayey sandy silt.	ghtly	0.00-0.20
11102		Subsoil		Light greyish brown, friable, sandy silt.		0.20-0.28
11103		Natural	si ra	lid-brown orange, friable, so It with occasional pebbles andomly distributed and pa addish brown semi- plastic It.	atchy	0.28



Trench No	112 L	ength 30 m	Width 2 m	Depth 0	.39 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
11201		Topsoil	Loosely compacted dark brugrey sandy silt, ~15% small rounded inclusions sparsely scattered throughout.	sub-	0.00-0.30
11202		Subsoil	Loosely compacted dark greyish brown silty sand, ~10% mid-sized sub-rounded inclusions scattered throughout.		0.30-0.39
11203		Natural	Densely compacted dark re brown sandy clay, ~50% sn rounded inclusions found ut throughout.	nall sub-	0.39+

Trench No	113 L	ength 30 m	Width 2 m	Depth 0	.41 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
11301		Topsoil	Loosely compacted dark brugrey sandy silt, ~15% small rounded inclusions sparsely scattered throughout.	sub-	0.00-0.33
11302		Subsoil	Loosely compacted dark greyish brown silty sand, ~10% mid-sized sub-rounded inclusions scattered throughout.		0.33-0.41
11303		Natural	Densely compacted dark re brown sandy clay, ~50% sn rounded inclusions found ut throughout.	nall sub-	0.41+

Trench No	114	Length 30 m	30 m Width 2 m Depth 0.3		.37 m	
Context	Fill Of/Fille	d Interpretative	Descri	otion		Depth (m)
Number	With	Category				BGL
11401		Topsoil	friable a	own slightly clayey sil and granular. Freque (crop). Occasional s d stones.	nt	0.00-0.27
11402		Natural	patches sandy o Occasio	rounded stones. Mid-orange brown sand with patches of a brownish red slightly sandy clay. Firm and compact. Occasional small to medium subrounded and sub-angular stones.		0.27-0.37+



Trench No 115 Length 30 m		Width 2 m	Depth 0	.35 m	
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
11501		Topsoil	Friable, mid-grey brown, slig clayey sandy silt.	ghtly	0.00-0.20
11502		Subsoil	Friable, light yellow brown, sandy silt.		0.20-0.30
11503		Natural	Patchy light orange brown, sandy silt and mid-reddish be semi- plastic clayey silt with occasional inclusions of limit flecks and pebbles through	estone	0.30

Trench No	116	Length 50 m	Width 1.80 m Depth 0		.37 m
Context Number	Fill Of/Filled With	d Interpretative Category	Description		Depth (m) BGL
11601		Topsoil	Mid-greyish brown silt compaction with smal sized sub-rounded an stones, poorly sorted.	l to medium- d sub-angular	0.00-0.33
11602		Natural	Mid-reddish brown cla compact with 10% sm sub-rounded and sub- stones, poorly sorted.	nall to medium -angular	0.33-0.37

Trench No	117	Length 50 m		Width 1.80 m Depth 0		.33 m
Context Number	Fill Of/Filled With	d Interpretative Category	De	escription		Depth (m) BGL
11701		Topsoil	cc siz	id-greyish brown silt, mode ompaction with small to me zed sub-rounded and sub- ones, poorly sorted.	edium-	0.00-0.30
11702		Natural	cc su	id-reddish brown clay, mo ompact with 10% small to ob-rounded and sub-angul ones, poorly sorted.	medium	0.30-0.33

Trench No	118	Length 50 m	V	Width 1.80 m Depth 0.		.37 m
Context	Fill Of/Filled	•	Des	cription		Depth (m)
Number	With	Category				BGL
11801		Topsoil	com	greyish brown silt, mod paction with small to me d sub-rounded and sub- es, poorly sorted.	edium-	0.00-0.30
11802		Natural	com sub- ston	reddish brown clay, mo pact with 10% small to rounded and sub-angul es, poorly sorted with 3 relly patches.	medium ar	0.30-0.37



Trench No	119	Length 30 m		Width 2 m	Depth 0	.36 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
11901		Topsoil	gr ro	cosely compacted dark bromery sandy silt, ~15% small bunded inclusions sparsely cattered throughout, further ger rounded stony inclusions.	sub- / er ~5%	0.00-0.31
11902		Subsoil	br su	oosely compacted dark groms silty sand, ~15% mid sub-rounded inclusions scaroughout.	sized	0.31–0.36
11903		Natural	br ro	ensely compacted dark re rown sandy clay, ~30% sm runded inclusions found ur roughout.	nall sub-	0.36+

Trench No	120 L	ength 30 m	W	idth 2 m	Depth 0	.28 m
Context Number	Fill Of/Filled With	Interpretative Category	Desc	ription		Depth (m) BGL
12001		Topsoil	grey round	ely compacted dark br sandy silt, ~15% smal ded inclusions sparsely ered throughout, further r rounded stony inclus	l sub- y er ~5%	0.00-0.22
12002		Subsoil	browi sub-r	ely compacted dark gr n silty sand, ~15% mic ounded inclusions sca ghout.	d-sized	0.22-0.28
12003		Natural	browi round throu	ely compacted dark ren n sandy clay, ~30% sr ded inclusions found u ghout. Large patch of lar stones in eastern e	nall sub- nevenly big	0.28+

Trench No	121	Length 30 m	Width 2 m	Width 2 m Depth 0.3	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
12101		Topsoil	Friable, mid-grey brown, slightly clayey sandy silt.		0.00-0.20
12102		Subsoil	Friable, light orange brown, silt.	Friable, light orange brown, sandy silt.	
12103		Natural	Mid-reddish-brown semi-pla clayey silt with moderate in of limestone flecks and frag throughout, occasional stor	clusions ments	0.32



Trench No	122 L	ength 30 m	Width 2 m	Depth 0	.30 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
12201		Topsoil	Friable, mid-grey brown, slightly clayey sandy silt.		0.00-0.20
12202		Subsoil	Light orange brown, friable, silt with occasional pebbles randomly distributed.	•	0.20-0.25
12203		Natural	Light orange red, semi- plas clayey silt with moderate ind of limestone flecks and frag throughout, also occasional	clusions ments	0.25-0.30

Trench No	123	Length 50 m	Width 1.80 m	Depth 0	.34 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
12301		Topsoil	Mid-greyish brown silt, mod compaction with small to me sized sub-rounded and substones, poorly sorted.	edium-	0.00-0.30
12302		Natural	Mid-reddish brown clay, mo compact with 10% small to sub-rounded and sub-angul stones, poorly sorted with 3 gravelly patches.	medium ar	0.30-0.34

Trench No	124 L	ength 50 m	Width 1.80 m	Depth 0	.38 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
12401		Topsoil	Mid-greyish brown silt, mod compaction with small to me sized sub-rounded and substones, poorly sorted.	edium-	0.00-0.31
12402		Natural	Mid-reddish brown clay, mo compact with 10% small to sub-rounded and sub-angul stones, poorly sorted.	medium	0.31-0.38



Trench No	125	Length 50 m	Width 2 m	Depth 0	.34 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
12501		Topsoil	Loosely packed dark greyis sandy silt (30/70%) with fre rounded stony inclusions 2-size and occasional angula inclusions 4-7 cm in size.	quent 5 cm in	0.00-0.18
12502		Subsoil	Densely packed pale greyis sandy silt (20/80%) with corrounded stony inclusions 1-size and rare angular stony inclusions 2-7 cm in size.	mmon 4 cm in	0.18-0.30
12503		Natural	Extremely densely packed brownish red sandy silt (40/with patches of angular storem in size and occasional profeeddish clay.	'60%) nes 2-8	0.30-0.34+

Trench No	126 L	ength 50 m	Width 2 m	Depth 0	.37 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
12601		Topsoil	Loosely packed dark greyis sandy silt (30/70%) with free rounded stony inclusions 2-size and occasional angular inclusions 2-5 cm in size.	quent 7 cm in	0.00-0.12
12602		Subsoil	Densely packed pale greyis sandy silt (20/80%) with corrounded stony inclusions 1-size and rare angular stony inclusions 2-7 cm in size.	mmon 4 cm in	0.12-0.32
12603		Natural	Extremely densely packed rebrownish red sandy silt (40/with patches of angular storem in size and occasional pof reddish clay.	60%) nes 2-8	0.32-0.37+



Trench No	127	Length 50 m	Width 2 m	Depth 0	.40 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
12701		Topsoil	Loosely packed dark greyis sandy silt (30/70%) with fre rounded stony inclusions 2-size and occasional angula inclusions 2-3 cm in size.	quent ·4 cm in	0.00-0.16
12702		Subsoil	Densely packed pale greyis sandy silt (20/80%) with corrounded stony inclusions 1-size and rare angular stony inclusions 2-4 cm in size.	mmon 4 cm in	0.16-0.34
12703		Natural	Extremely densely packed brownish red sandy silt (30/with patches of angular storm in size and occasional profeeddish clay.	/70%) nes 2-8	0.34-0.40+

Trench No	128	Length 50 m		Width 2 m	Depth 0	.36 m
Context Number	Fill Of/Filled With	Interpretative Category	De	escription		Depth (m) BGL
12801		Topsoil	sa	posely packed dark greyis andy silt (30/70%) with cor unded and angular stony clusions 1-5 cm in size.		0.00-0.09
12802		Subsoil	sa ro	ensely packed pale greyis andy silt (20/80%) with free unded and angular stony clusions 1-4 cm in size.		0.09-0.30
12803		Natural	br wi ar	ktremely densely packed rownish red sandy silt (30/ ith patches of rounded and ngular stones 2-8 cm in size casional patches of reddi	70%) d ze and	0.30-0.36+



Trench No	129	Length 50 m		Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
12901		Topsoil	sa	posely packed dark greyis andy silt (30/70%) with cor ounded and angular stony clusions 1-5 cm in size.		0.00-0.16
12902		Subsoil	sa	ensely packed pale greyis andy silt (20/80%) with cor ounded and angular stony clusions 1-4 cm in size.		0.16-0.33
12903		Natural	bı w aı	xtremely densely packed rownish red sandy silt (30/ ith patches of rounded and ngular stones 2-8 cm in sizecasional patches of reddi	70%) d ze and	0.33-0.40+

Trench No	130 Length 50 m Width 2 m Depth 3		85 m			
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
13001		Topsoil		iable, mid-brown, slightly andy silt.	clayey	0.00-0.15
13002		Subsoil	Li	ght orange brown, friable,	silt.	0.15-0.35
13003		Natural	wi ro	eddish brown, compact, si th moderate inclusions of unded and angular stones roughout.		0.35+

Trench No	131 I	ength 50 m	Width 2 m	Depth 0	.40 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
13101		Topsoil	Friable, mid-grey brown, slig	ghtly	0.00-0.16
			clayey sandy silt.		
13102		Subsoil	Light orange brown, friable,	Light orange brown, friable, silt.	
13103		Natural	Patchy, mid-reddish brown	•	0.36-0.4+
			yellow brown, compact, silty	/ clay	
			with moderate inclusions of		
			rounded and angular stones	3	
			throughout.		



Trench No	132	Length 50 m	Width 2 m	Width 2 m Depth 0	
Context	Fill Of/Filled	I Interpretative	Description		Depth (m)
Number	With	Category			BGL
13201		Topsoil	Friable, mid-grey brown	, slightly	0.00-0.20
			clayey sandy silt.	clayey sandy silt.	
13202		Subsoil	Light grey brown, friable	, silt.	0.20-0.40
13203		Natural	Compact, patchy, mid-re	eddish	0.40+
			brown and light yellow b	rown silty	
			clay with moderate inclu	sions of	
			rounded and angular sto	ones	
			throughout.		

Trench No	133	Length 50 m		Width 2 m Depth 0		0.40 m	
Context	Fill Of/Filled	Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
13301		Topsoil	Fı	riable slightly clayey sandy	/ silt.	0.15	
13302		Subsoil	Li	ght orange brown, friable,	silt.	0.15-0.35	
13303		Natural	Pa	atchy reddish brown and li	ght	0.35-0.40+	
			ye	ellow brown, compact, silty	clay.		

Trench No	134 L	ength 50 m		Width 2.35 m	Depth 0	.41 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
13401		Topsoil	fri O	id-brown silty sand. Loose able. Frequent rooting. ccasional small to mediun unded stones.		0.00-0.20
13402		Subsoil	Fi ro	id-yellowish brown clayey rm and friable. Occasiona oting. Occasional small to edium sub-rounded stone	l fine	0.20-0.37
13403		Natural	ar la	id-brownish red clayey sand compact. Frequent sma rge sub-rounded and sub- ones.	all to	0.37-0.41+



Trench No	135 I	_ength 50 m	Width 2.36 m	Depth 0.	45 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
13501		Topsoil	Mid-brown silty sand. Loose	and	0.00-0.26
			friable. Frequent rooting.		
			Occasional small to mediun	n sub-	
			rounded stones.		
13502		Subsoil	Mid-yellowish brown clayey	sand.	0.26-0.40
			Firm and friable. Occasiona	I fine	
			rooting. Occasional small to)	
			medium sub-rounded stone	s.	
13503		Natural	A light to mid-brownish yello)W	0.40-0.45+
			clayey sand with patches of	а	
			pinkish red sandy clay. Firm	n and	
			compact. Frequent small to	large	
			sub-rounded and sub-angul	ar	
			stones.		

Trench No	136	Length 50 m		Width 2.33 m	Depth 0	.42 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
13601		Topsoil	fri O	lid-brown silty sand. Loose lable. Frequent rooting. ccasional small to mediun bunded stones.		0.00-0.20
13602		Subsoil	Sa fir	ght to mid-yellowish brown and. Firm and friable. Occa ne rooting. Occasional sma edium sub-rounded stone	asional all to	0.20-0.36
13603		Natural	fro Sa Sr	ght to mid-yellow clayey s equent patches of a pinkis andy clay throughout. Fred mall to large sub-rounded ub-angular stones.	h red quent	0.36-0.42+



Trench No	137	Length 50 m	Width 2.24 m	Depth 0	.47 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
13701		Topsoil	Mid-brown silty sand. Loose friable. Frequent rooting. Occasional small to mediun rounded stones.		0.00-0.25
13702		Subsoil	Mid-yellowish brown slightly sand. Firm and friable. Occifine rooting. Occasional smadium sub-rounded stone	asional all to	0.25-0.43
13703		Natural	Light to mid-brownish yellow sand. Very firm, hard and concentrated at north-east of trench. Frequent small to la rounded and sub-angular stelsewhere.	ompact. tches end of rge sub-	0.43-0.47+

Trench No	138	Length 50 m	Width 2.29 m	Depth 0.43 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL
13801		Topsoil	Mid-brown silty sand. Loose a friable. Frequent rooting. Occasional small to medium rounded stones.	
13802		Subsoil	Light yellowish brown clayey Firm and friable. Occasional to rooting. Occasional small to medium sub-rounded stones.	fine
13803		Natural	Mid-brownish yellow clayey s Firm and compact. Frequent to large sub-rounded and sub angular stones. A pinkish red clay emerges at the south en the trench.	small o- I sandy



Trench No	139 L	ength 50 m	Width 2 m	Depth 0.	.37 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
13901		Topsoil	Loosely packed dark greyis sandy silt (20/80%) with cor rounded and angular stony inclusions 1-7 cm in size.		0.00-0.18
13902		Subsoil	Densely packed pale greyis sandy silt (20/80%) with corrounded and angular stony inclusions 1-5 cm in size.		0.18-0.35
13903		Natural	Extremely densely packed repinkish red silty clay (20/80% occasional patches of yellow brown sandy silt and patches rounded and angular stones in size.	%) with wish es of	0.35-0.36+

Trench No	140	Length 50 m		Width 2 m	Depth 0	.36 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
14001		Topsoil	sa	posely packed dark greyis andy silt (20/80%) with cor ounded and angular stony clusions 1-5 cm in size.		0.00-0.24
14002		Subsoil	sa	ensely packed pale greyis andy silt (20/80%) with cor ounded and angular stony clusions 1-4 cm in size.		0.24-0.35
14003		Natural	pi fro	xtremely densely packed r nkish red silty clay (20/80 equent patches of yellowis andy silt and patches of ro nd angular stones 2-8 cm	%) with sh brown unded	0.35-0.36+

Trench No	141	Length 50 m	Width 2 m	Depth 0.38 m	
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
14101		Topsoil	Friable, slightly clayey sand with moderate inclusions of	•	0.00-0.22
14102		Subsoil	Friable, light yellow brown, silt.		0.22-0.32
14103		Natural	Patchy reddish brown and li yellow brown, compact, silty with moderate inclusions of rounded and angular stones throughout.	clay	0.32-0.38



Trench No	142	Length 50 m	Width 2 m	Width 2 m Depth 0.30	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
14201		Topsoil	Loosely packed dark greyis sandy silt (30/70%) with corrounded and angular stony inclusions 1-5 cm in size.		0.00-0.13
14202		Subsoil	Densely packed pale greyis sandy silt (20/80%) with occorounded and angular stony inclusions 1-4 cm in size.		0.13–0.28
14203		Natural	Extremely densely packed of pinkish red silty clay (20/80) frequent patches of yellowis sandy silt and patches of round angular stones 2-8 cm	%) with sh brown unded	0.28-0.30+

Trench No	143	Length 50 m	Width 2.34 m Depth	0.40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL
14301		Topsoil	Mid-brown silty sand. Loose and friable. Frequent rooting. Occasional small to medium subrounded stones.	0.00-0.20
14302		Subsoil	Mid-yellowish brown clayey sand. Firm and friable. Occasional fine rooting. Occasional small rounded stones.	0.20-0.36
14303		Natural	A mid-brownish red sandy clay at south-east end. Becomes a mid-yellow clayey sand to the north-east. Frequent small to large subrounded and sub-angular stones throughout. Firm and compact.	0.36-0.40+

Trench No	144	Length 50 m	Width 2.33 m	Depth 0	.40 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
14401		Topsoil	Mid-brown sandy silt. Loose friable. Frequent rooting. Occasional small to medium rounded stones.		0.00-0.21	
14402		Subsoil	Firm and friable. Occasiona	Mid-yellowish brown clayey sand. Firm and friable. Occasional fine rooting. Occasional small to medium sub-rounded stones		
14403		Natural	Mid-pinkish red sandy clay. and compact. Frequent smalarge sub-rounded and substones.	all to	0.34-0.40+	



Trench No	145	Length 50 m	Width 2 m	Depth 0	.44 m
Context Number	Fill Of/Filled With	I Interpretative Category	Description		Depth (m) BGL
14501		Topsoil	Loosely packed dark greyis sandy silt (20/80%) with free rounded and angular stony inclusions 1-5 cm in size.		0.00-0.23
14502		Subsoil	Densely packed pale greyis sandy silt (20/80%) with cor rounded and angular stony inclusions 1-8 cm in size.		0.23-0.42
14503		Natural	Extremely densely packed repinkish red silty clay (20/80° frequent patches of yellowis sandy silt and patches of roand angular stones 2-8 cm	%) with sh brown unded	0.42-0.44+

Trench No	146 L	_ength 50 m	Width 2 m	Width 2 m Depth 0.42	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
14601		Topsoil	Loosely packed dark greyis sandy silt (20/80%) with fre rounded and angular stony inclusions 1-5 cm in size.	quent	0.00-0.20
14602		Subsoil	Densely packed pale greyis sandy silt (20/80%) with co rounded and angular stony inclusions 1-8 cm in size.	mmon	0.20-0.37
14603		Natural	Extremely densely packed pinkish red silty clay (20/80 frequent patches of yellowis sandy silt and patches of roand angular stones 2-8 cm	%) with sh brown ounded	0.37-0.42+

Trench No	147	Length 50 m		Width 2.36 m Depth 0.4		.45 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
14701		Topsoil	Fr	id-brown clayey silt. Plasti requent rooting. Occasional medium sub-rounded sto	al small	0.00-0.13
14702		Subsoil	ar	dark grey brown clay. Ver nd compact. Rare very fine oting. No visible inclusion	e	0.13-0.40
14703		Natural	ha to ar br	id-pinkish red sandy clay. ard and compact. Frequen large sub-rounded and sungular stones. Becomes a rownish yellow clayey sandest end of trench.	it small ub- light	0.40-0.45+



Trench No	148	Length 50 m	Width 2.34 m	Depth 0	.49 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
14801		Topsoil	Mid-brown clay silt. Firm an plastic. Frequent rooting. Occasional small to mediun rounded stones.		0.00-0.24
14802		Subsoil	Mid-grey brown clay. Hard a compact. Occasional fine ro Occasional small to mediun rounded and sub-angular st	ooting. n sub-	0.24-0.44
14803		Natural	Mid-brownish yellow clay we patches of pinkish red clay. hard and compact. Frequento large sub-rounded stones occasional small to large flir fragments. Becomes a light brownish yellow clayey saneast end of trench.	Very at small as and ant	0.44-0.49+

Trench No	151	Length 50 m	Width 2.31 m	Depth 0	.42 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
15101		Topsoil	Mid-brown silty sand. Loose friable. Frequent rooting. Occasional small to medium rounded stones.		0.00-0.20
15102		Subsoil	Mid-greyish brown sand. Fir friable. Occasional fine root Occasional small to medium rounded stones.	ing.	0.20-0.34
15103		Natural	Light to mid-brownish yellow sand. Firm and compact. Fr small to large sub-rounded	equent	0.34-0.42+

Trench No	152	Length 50 m	Width 2 m	Depth 0.	.44 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
15201		Topsoil	Loosely packed dark greyis sandy silt (20/80%) with occ rounded and angular stony inclusions 1-5 cm in size.		0.00-0.16
15202		Subsoil	Loosely packed pale greyis sandy silt (20/80%) with occ rounded and angular stony inclusions 1-6 cm in size.		0.16–0.32
15203		Natural	Extremely densely packed in yellowish brown sandy silt (with occasional rounded an angular stony inclusions 1-5 size.	30/70%) d	0.32-0.44+



Trench No	153	Length 50 m	Width 2 m	Depth 0	.45 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
15301		Topsoil	Loosely packed dark greyis sandy silt (20/80%) with occorounded and angular stony inclusions 1-5 cm in size.		0.00-0.23
15302		Subsoil	Loosely packed pale greyis sandy silt (20/80%) with occorounded and angular stony inclusions 1-6 cm in size.		0.23-0.38
15303		Natural	Densely packed mid-oranging yellow sandy silt (40/60%) with common rounded and angustony inclusions 2-10 cm in and frequent patches of piniclay.	with Ilar size	0.38-0.45+

Trench No	154	Length 50 m	Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled	d Interpretative Category	Description	·	Depth (m) BGL
15401		Topsoil	Loosely packed dark sandy silt (20/80%) w rounded and angular inclusions 1-5 cm in s	vith occasional stony	0.00-0.16
15402		Subsoil	Densely packed pale sandy silt (20/80%) w rounded and angular inclusions 1-8 cm in s	vith occasional stony	0.16-0.34
15403		Natural	Densely packed mid- yellow sandy silt (40/0 common rounded and stony inclusions 2-6 of frequent patches of p clay.	60%) with d angular cm in size and	0.34-0.40+



Trench No	155	Length 50 m		Width 2 m	Depth 0).40 m	
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL	
15501		Topsoil	sa	posely packed dark greyis andy silt (20/80%) with occ ounded and angular stony clusions 1-5 cm in size.		0.00-0.18	
15502		Subsoil	sa ro	ensely packed pale greyis andy silt (20/80%) with occ ounded and angular stony clusions 1-8 cm in size.		0.18-0.37	
15503		Natural	ye co	ensely packed mid-orangi ellow sandy silt (40/60%) v ommon rounded and angu ony inclusions 2-6 cm in s	vith Ilar	0.37-0.40+	

Trench No	156 L	ength 50 m	Width 2 m	Depth 0	.44 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
15601		Topsoil	Loosely packed dark greyis sandy silt (20/80%) with occ rounded and angular stony inclusions 1-5 cm in size.		0.00-0.18
15602		Subsoil	Densely packed pale greyis sandy silt (20/80%) with cor rounded and angular stony inclusions 1-8 cm in size.		0.18–0.42
15603		Natural	Densely packed mid-oranging yellow sandy silt (40/60%) we common rounded and anguing stony inclusions 2-6 cm in significant story inclusions 2-6 cm.	vith Iar	0.42-0.44+

Trench No	157	Length 50 m	Width 2 m	Depth 0	.36 m
Context Number	Fill Of/Filled With	d Interpretative Category	Description		Depth (m) BGL
15701		Topsoil	Loosely packed dark greyis sandy silt (20/80%) with ocrounded and angular stony inclusions 1-5 cm in size.	casional	0.00-0.15
15702		Subsoil	Densely packed pale greyis sandy silt (20/80%) with fre rounded and angular stony inclusions 1-4 cm in size.	quent	0.15-0.32
15703		Natural	Extremely densely packed pinkish red silty clay (20/80 frequent patches of yellowi sandy silt and patches of re and angular stones 2-10 cr	%) with sh brown ounded	0.32-0.36+



Trench No	158	Length 50 m	Width 2 m	Depth 0.	.46 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
15801		Topsoil	Loosely packed dark greyis sandy silt (20/80%) with corrounded and angular stony inclusions 1-5 cm in size.		0.00-0.23
15802		Subsoil	Loosely packed pale greyis sandy silt (20/80%) with corrounded and angular stony inclusions 1-6 cm in size.		0.23–0.44
15803		Natural	Extremely densely packed of brownish red sandy silt (40/with patches of rounded and angular stones 2-8 cm in six common patches of reddish	60%) d ze and	0.44-0.46+

Trench No	159 I	_ength 50 m		Width 2 m	Depth 0	.36 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
15901		Topsoil	sa	posely packed dark greyis andy silt (20/80%) with occ aunded and angular stony clusions 1-5 cm in size.		0.00-0.17
15902		Subsoil	bi od	oderately packed pale gre rown sandy silt (20/80%) v ccasional rounded and and ony inclusions 1-8 cm in s	vith gular	0.17–0.35
15903		Natural	pi od bi ro	extremely densely packed in the red silty clay (20/80) casional patches of yellow rown sandy silt and patches ounded and angular stones size.	%) with wish es of	0.35-0.36+

Trench No	160	Length 50 m	Width 2 m	Depth 0).40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
16001		Topsoil	Loosely packed dark grusandy silt (20/80%) with rounded and angular stoinclusions 1-5 cm in size	occasional ony	0.00-0.14
16002		Subsoil	Densely packed pale gr sandy silt (20/80%) with rounded and angular sto inclusions 1-8 cm in size	occasional ony	0.14-0.35
16003		Natural	Extremely densely pack brownish red sandy silt with patches of rounded angular stones 2-8 cm i common patches of red	(40/60%) I and n size and	0.36-0.40+



Trench No	161	Length 50 m	Width 2 m	Depth 0.	.42 m
Context	Fill Of/Filled		Description		Depth (m)
Number	With	Category			BGL
16101		Topsoil	Loosely packed dark greyis sandy silt (20/80%) with occ rounded and angular stony inclusions 1-5 cm in size.		0.00-0.27
16102		Subsoil	Densely packed pale greyis sandy silt (20/80%) with occ rounded and angular stony inclusions 1-8 cm in size.		0.27-0.40
16103		Natural	Extremely densely packed r brownish red sandy silt (40/ with patches of rounded and angular stones 2-8 cm in siz common patches of pinkish clay.	60%) d ze and	0.40-0.42+

Trench No	162	Length 50 m		Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
16201		Topsoil	sa	posely packed dark greyis andy silt (20/80%) with occ ounded and angular stony clusions 1-5 cm in size.		0.00-0.16
16202		Subsoil	sa	posely packed pale greyisl andy silt (20/80%) with occ ounded and angular stony clusions 1-8 cm in size.		0.16–0.38
16203		Natural	gı w	xtremely densely packed reyish orange clayey silt (4 ith rare rounded stony incled cm in size.	10/60%)	0.38-0.40+

Trench No 163 L		Length 50 m	Length 50 m		Depth 0	.38 m
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
16301		Topsoil	fe st	id-greyish brown silty sand w small sub-rounded grey ones and minimal plant ro oderate compaction.	pebble	0.00-0.38
16302		Natural	in	id-reddish brown sandy cl frequent small grey white one inclusions. Firm comp	pebble	0.38+



Trench No	164	Length 50 m		Width 2 m	Depth 0	.45 m
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
16401		Topsoil	in st	id-grey brown silty sand w frequent small grey round one inclusions and minima oting. Moderate compacti	ed al plant	0.00-0.22.
16402		Subsoil	in	ght grey brown silty sand frequent small grey white clusions. Moderate compa	stone	0.22-0.45.
16403		Natural	in	id-reddish brown sandy cl frequent small rounded sto clusions. Firm compaction	one	0.45 +

Trench No	165	Length 50 m		Width 2 m	Depth 0	.43 m
Context Number	Fill Of/Filled	d Interpretative Category	D	escription		Depth (m) BGL
16501		Topsoil	in st	lid-grey brown silty sand value of the frequent small rounded grown inclusions and minime to the free of the free	ey al plant	0.00-0.43.
16502		Natural	in	id-reddish brown sandy c frequent whit grey stone clusions. Firm compaction	•	0.43 +

Trench No	166	Length 50 m	Width 2 m	Width 2 m Depth 0	
Context Number	Fill Of/Filled With	d Interpretative Category	Description		Depth (m) BGL
16601		Topsoil	Loosely packed dar sandy silt (20/80%) rounded and angula inclusions 1-5 cm in	with occasional ar stony	0.00-0.25
16602		Subsoil	Loosely packed pale sandy silt (20/80%) rounded and angula inclusions 1-8 cm in	with occasional ar stony	0.25-0.36
16603		Natural	Extremely densely prownish red sandy with patches of rour angular stones 2-8 of frequent patches of	silt (40/60%) nded and cm in size and	0.36-0.37+



Trench No	167	Length 50 m		Width 2 m	Depth 0	.50 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
16701		Topsoil	sa	posely packed dark greyis andy silt (20/80%) with occ ounded and angular stony clusions 1-5 cm in size.		0.00-0.26
16702		Subsoil	sa	ensely packed pale greyis andy silt (20/80%) with occ ounded and angular stony clusions 1-8 cm in size.		0.26-0.48
16703		Natural	pi pa st	xtremely densely packed r nkish red sandy silt (40/60 atches of rounded and and ones 2-8 cm in size and ocasional patches of reddi)%) with gular	0.48-0.50+

Trench No 168 L		Length 50 m	Width 2 m	Depth 0).37 m
Context Number	Fill Of/Fille With	d Interpretative Category	Description		Depth (m) BGL
16801		Topsoil	Mid-grey brown silt infrequent grey whi stone inclusions. M compaction.	te rounded	0.00-0.37.
16802		Natural	Mid-reddish brown few small grey whit inclusions. Firm co	e pebble stone	0.37+

Trench No	169 I	Length 50 m	Width 2 m	Depth 0	.44 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
16901		Topsoil	Loosely packed dark greyis sandy silt (20/80%) with ocrounded and angular stony inclusions 1-5 cm in size.	casional	0.00-0.17
16902		Subsoil	Densely packed pale greyis sandy silt (20/80%) with ocrounded and angular stony inclusions 1-8 cm in size.	casional	0.17–0.36
16903		Natural	Extremely densely packed brownish red sandy silt (40, with occasional rounded an angular stones 2-8 cm in si frequent patches of pinkish clay.	/60%) id ze and	0.36-0.44+



Trench No	170	Length 50 m		Width 2 m	Depth 0	.37 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
17001		Topsoil	sa	posely packed dark greyis andy silt (20/80%) with occ ounded and angular stony clusions 1-5 cm in size.		0.00-0.17
17002		Subsoil	sa	ensely packed pale greyis andy silt (20/80%) with occ ounded and angular stony clusions 1-5 cm in size.		0.17-0.32
17003		Natural	re co aı	extremely densely packed ped silty clay (30/70%) with ommon patches of roundengular stony inclusions 1-5 ze.	d and	0.32-0.37+

Trench No	171	Length 50 m		Width 2 m	Depth 0	.42 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
17101		Topsoil	sa	posely packed dark greyis andy silt (20/80%) with occ ounded and angular stony clusions 1-5 cm in size.		0.00-0.18
17102		Subsoil	sa	ensely packed pale greyis andy silt (20/80%) with occ ounded and angular stony clusions 1-5 cm in size.		0.18-0.38
17103		Natural	bı (3	extremely densely packed frownish orange sandy silt 80/70%) with occasional st clusions 1-5 cm in size.	ony	0.38-0.42+

Trench No	172 L	Length 50 m Width 2 m Depth		Depth 0	.42 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
17201		Topsoil	Mid-grey brown silty sand w infrequent grey white round pebble stone inclusions and minimal plant rooting. Mode compaction.	ed I	0.00-0.42.
17202		Natural	Mid-reddish brown sandy cl infrequent grey white round pebble stone inclusions. Fir compaction.	ed	0.42+



Trench No	173 L	ength 50 m	Width 2 m	Depth 0	.39 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
17301		Topsoil	Loosely packed dark greyis	h brown	0.00-0.23
			sandy silt (20/80%) with rare	Э	
			rounded and angular stony		
			inclusions 1-5 cm in size.		
17302		Subsoil	Densely packed pale greyis	h brown	0.23-0.37
			sandy silt (20/80%) with rare	Э	
			rounded and angular stony		
			inclusions 1-5 cm in size.		
17303		Natural	Extremely densely packed p	oinkish	0.37-0.39
			red clay with no visible ston	y	
			inclusions and patches of w	hiteish	
			grey degraded stone.		

Trench No	174 I	Length 50 m	Width 2 m	Depth 0	.36 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
17401		Topsoil	Mid-grey brown silty sand w infrequent small grey white pebble inclusions. Moderate compaction.	rounded	0.00-0.18
17402		Subsoil	Light greyish brown silty sal infrequent small rounded gr pebble stone inclusions. Mo compaction.	еу	0.18–0.36
17403		Natural	Mid-reddish brown sandy cl infrequent small grey white pebble inclusions. Moderate compaction.	rounded	0.36+

Trench No	175	Length 50 m	Width 2 m Depth 0		.37 m	
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
17501		Topsoil	in st	id-grey brown silty sand w frequent small rounded gr one inclusions. Moderate ompaction.		0.00–0.17.
17502		Subsoil	in	ght greyish brown silty sar frequent small grey white clusions. Moderate compa	stone	0.17–0.37.
17503		Natural	in pe	ght reddish brown sandy of frequent small grey white abble stone inclusions. Fir ompaction.	rounded	0.37+



Trench No	176	Length 50 m		Width 2 m	Depth 0	.39 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
17601		Topsoil	sa	cosely packed dark greyis andy silt (20/80%) with rare ounded and angular stony clusions 1-5 cm in size.		0.00-0.12
17602		Subsoil	sa	ensely packed pale greyis andy silt (20/80%) with rare ounded and angular stony clusions 1-5 cm in size.		0.12-0.31
17603		Natural	re in	xtremely densely packed ped clay with no visible ston clusions and patches of werey degraded stone.	у	0.31-0.39+

Trench No	177 L	ength 50 m	Width 2 m	Depth 0	0.54 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
17701		Topsoil	Mid-grey brown silty sand infrequent small grey who pebble stone inclusions a minimal plant rooting. Fir compaction.	te rounded ind	0.00-0.54.	
17702		Natural	Mid-reddish brown sandy infrequent small grey who pebble stone inclusions. compaction.	te rounded	0.54+	

Trench No	178	Length 50 m	Width 2 m	Depth 1	.10 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
17801		Topsoil	Friable, mid-grey brown, sli clayey sandy silt with occas plastic throughout.	~ ,	0.00-0.3
17802		Subsoil	Mid-brown orange compact silt.	clay	0.3–1.10
17803		Natural	Light grey brown semi- plast clayey silt at north end. Pat orange brown, friable, sand with limestone flecks through and occasional vein of lime south end.	chy y silt jhout	1.10+



Trench No	179	Length 50 m	Width 2 m	Depth 0	.80 m
Context Number	Fill Of/Filled With	d Interpretative Category	Description		Depth (m) BGL
17901		Topsoil	Mid-grey brown silty sand infrequent small grey white pebble stone inclusions ar minimal plant rooting. Firm compaction.	e rounded d	0.00-0.68
17902		Subsoil	Mid-yellow brown silty san infrequent grey white angu inclusions. Firm compaction	lar stone	0.68-0.80
17903		Natural	Mid-reddish brown sandy of infrequent white angular strangular str	one	0.80+

Trench No	180	Length 50 m		Width 2 m	Depth 0	.76 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
18001		Topsoil	in pe m	lid-grey brown silty sand w frequent small grey white ebble stone inclusions and inimal plant rooting. Mode ompaction.	rounded I	0.00-0.39
18002		Subsoil	in pe	lid-yellow brown silty sand frequent small grey white abble stone inclusions. Mo ompaction.	rounded	0.39–0.76
18003		Natural	in	lid-reddish brown sandy cl frequent small white angu one inclusions. Firm comp	lar	0.76+

Trench No	181 L	ength 50 m	Width 2 m Depth		0.30 m	
Context	Fill Of/Filled	Interpretative	Description		Depth (m)	
Number	With	Category			BGL	
18101		Topsoil	Mid-grey brown silty sand w infrequent small grey white stone inclusions and minima rooting. Moderate compacti	pebble al plant	0.00-0.30	
18102		Natural	Mid-reddish brown sandy cl infrequent small grey white pebble stone inclusions. Fir compaction.	rounded	0.30+	



Trench No	182	Length 50 m		Width 2 m	Depth 0	.50 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
18201		Topsoil	co in	ark greyish brown, loosely ompacted, silt with a 10% c clusion throughout the lay of mm in size. Plenty of ro	stony er about	0.00-0.20
18202		Subsoil	lo st pe	id-reddish brown silty clay osely compacted with abo ony inclusion with sub-rouebbles about 6-7 mm in sizemall pockets of rooting.	ut a 5% inded	0.20-0.35
18203		Natural	sa sr	ght to mid-brownish yellov and. Firm and compact. Fr mall to large sub-rounded bout 10-20 mm in size.	equent	0.35-0.50+

Trench No	Trench No 183 Length 50 m			Width 2 m	Depth 0	.40 m
Context	Fill Of/Filled	d Interpretative	De	scription		Depth (m)
Number	With	Category				BGL
18301		Topsoil	Fria	able, mid-grey brown slig	htly	0.00-0.20
			cla	yey sandy silt with occas	ional	
			sto	nes throughout.		
18302		Subsoil	Mic	d-brown orange, friable, s	silt with	0.20-0.40
			occ	casional stones througho	ut.	
18303		Natural	Pat	tchy mid-reddish brown a	and light	0.40
			gre	yish brown compact clay	with	
			mo	derate inclusions of roun	ded and	
			ang	gular stones throughout.		

Trench No	184	Length 50 m	Width 2 m	Depth 0).40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
18401		Topsoil	Dark greyish brown, compacted, clayey si stony inclusions throu layer about 6-7 mm in	It with 10% ughout the	0.00-0.20
18402		Subsoil	Mid-reddish brown si loosely compacted, w 5% stony inclusion w rounded pebbles abo size.	vith about a rith sub-	0.20-0.35
18403		Natural	Extremely densely particles brownish red sandy of with patches of round angular stones 2-8 croccasional patches of sandy clay.	clay (30/70%) ded and m in size and	0.35-0.40+



Trench No	185	Length 50 m		Width 2 m	Depth 0	.25 m
Context Number	Fill Of/Filled With	Interpretative Category	De	escription		Depth (m) BGL
18501		Topsoil	ind	ark greyish brown, loosely empacted, clay silt with 10 clusions throughout the la bout 6-7 mm in size.	% stony	0.00-0.13
18502		Subsoil	ind	id-reddish brown clay silt, empacted, with about 5% s clusions with sub-rounded ebbles about 6-7 mm in siz	stony [°]	0.13-0.20
18503		Natural	br pa ste	ctremely densely packed rownish red sandy clay, 30 atches of rounded and angones 2-8 cm in size and ecasional patches of reddictions.)% with gular	0.20-0.25+

Trench No 186 Length 50 m		Width 1.80 m	Depth 0	.46 m	
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
18601		Topsoil	Mid-reddish brown silty clay	' ,	0.00-0.20
			moderately compact. Occas	sional	
			stone inclusions.		
18602		Subsoil	Mid-greyish brown silty clay	,	0.20-0.38
			moderately compact.		
18603		Natural	Dark reddish brown silty cla	y, very	0.38-0.46+
			compact. Occasionally large		
			patches of bluish grey medi	um	
			stones.		

Trench No	187	Length 50 m		Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
18701		Topsoil	co	ark greyish brown loosely ompacted silty clay with 10 ony inclusions throughout yer about 6-7 mm in size.		0.00-0.14
18702		Subsoil	co in	id-reddish brown clay silt, ompacted, with about 5% s clusions with sub-rounded abbles about 6-7 mm in siz	stony [*]	0.14-0.25
18703		Natural	Sa Sr	ght to mid-brownish yellov and. Firm and compact. Fr mall to large sub-rounded s bout 10-20 mm in size.	equent	0.25-0.40+



Trench No	188	Length 50 m		Width 2 m Depth 0).30 m	
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
18801		Topsoil	in pe m	lid-grey brown silty sand was frequent small grey white beble stone inclusions and inimal plant rooting. Mode compaction.	rounded I	0.00-0.30	
18802		Natural	m	lid-reddish brown sandy cl ottled white angular stone ompaction.	•	0.30+	

Trench No	189	Length 50 m	ngth 50 m Width 2		Depth 0.40 m	
Context	Fill Of/Filled	d Interpretative	Descrip	otion		Depth (m)
Number	With	Category				BGL
18901		Topsoil	infreque pebble	y brown silty sand went small grey white stone inclusions and plant rooting. Mode ton.	rounded d	0.00-0.40.
18902		Natural	infreque pebble	dish brown sandy clent small grey white stone inclusions and plant rooting. Firm tion.	rounded	0.40+

Trench No	190 L	ength 50 m	Width 2 m	Depth 0	.70 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
19001		Topsoil	Mid-grey brown silty sand w infrequent small grey white pebble stone inclusions and minimal plant rooting. Firm compaction.	rounded	0.00-0.47
19002		Subsoil	Mid-reddish brown silty san infrequent small grey white inclusions. Firm compaction	stone	0.47-0.70
19003		Natural	Mid-reddish brown sandy cl infrequent small grey white pebble stone inclusions and minimal plant rooting. Firm compaction.	rounded	0.70+



Trench No	191	Length 50 m	Width 2 m		Depth 0	.70 m
Context	Fill Of/Filled	d Interpretative	Description		Depth (m)	
Number	With	Category				BGL
19101		Topsoil	Friable, mid-gre clayey sandy si throughout.		-	0.00-0.40
19102		Subsoil	Friable slightly	clayey silt.		0.40-0.70
19103		Natural	Light orange br red clay with me small fragments throughout.	oderate inclu	isions of	0.70

Trench No	192	Length 50 m		Width 2 m	Depth 0	.58 m
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
19201		Topsoil	in pe m	Mid-grey brown silty sand with infrequent small grey white rounded pebble stone inclusions and minimal plant rooting. Moderate compaction.		0.00-0.58
19202		Natural	in	lid-reddish brown sandy cl frequent white angular sto clusions. Firm compaction	ne	0.58+

Trench No	193 I	ength 50 m	Width 2 m	Vidth 2 m Depth U		Jnknown	
Context	Fill Of/Filled	Interpretative	Description			Depth (m)	
Number	With	Category				BGL	
19301		Topsoil	Friable, mid-grey clayey sandy silt was throughout.			0.00-0.34	
19302		Subsoil	Mid-brown orange	e, friable, si	lt.	0.34-0.54	
19303		Natural	Patchy reddish brown clay and light blue grey limestone at south end with moderate inclusions of manganese flecks throughout.		0.54		



Trench No	194	Length 50 m		Width 2 m Depth 0		.60 m	
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL	
19401		Topsoil	in po m	lid-grey brown silty sand w frequent small grey white ebble stone inclusions and inimal plant rooting. Mode ompaction.	rounded I	0.00-0.45	
19402		Subsoil	in st	lid-orange brown silty sand frequent small grey white cone inclusions. Moderate ompaction.		0.45-0.60	
19403		Natural	in	lid-reddish brown sandy cl frequent small grey white clusions. Firm compactior	stone	0.60+	

Trench No	195 L	ength 50 m		Width 2 m Depth 0).44 m	
Context	Fill Of/Filled	Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
19501		Topsoil		Mid grey brown silty sand with		0 - 0.40	
				frequent small grey white			
			р	ebble stone inclusions and			
			m	inimal plant rooting. mode	erate		
			C	ompaction.			
19502		Natural	М	id reddish brown sandy cl	ay with	0.40-0.44+	
			in	frequent small grey white	rounded		
			st	one inclusions and minima	al plant		
			rc	oting. firm compaction.			

Trench No	196	Length 50 m		Width 1.80 m	Depth 0	Depth 0.32 m	
Context	Fill Of/Filled	d Interpretative	De	escription		Depth (m)	
Number	With	Category				BGL	
19601		Topsoil		d-greyish brown silty clay oderately compact.	,	0.00-0.14	
19602		Subsoil		d-brownish red silty clay, oderately compact.		0.14–0.32	
19603		Natural	COI	d-brownish red silty clay, mpact. Large patches of l iish grey stone.	•	0.32+	



Trench No	197	Length 50 m		Width 2 m	Width 2 m Depth 0	
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL
19701		Topsoil	fri O	lid-brown silty sand. Loose liable. Frequent rooting. ccasional small to medium bunded stones.		0.00-0.26
19702		Subsoil	Sa fir	ght to mid-yellowish brown and. Firm and friable. Occa ne rooting. Occasional sma redium sub-rounded stone	asional all to	0.26-0.35
19703		Natural	fre sa sr	ght to mid-yellow clayey sequent patches of a pinkis andy clay throughout. Free mall to large sub-rounded about angular stones.	h red quent	0.35-0.42+

Trench No	198 L	ength 50 m	Width 2 m	Depth 0	.48 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
19801		Topsoil	Mid-brown silty sand. Loose friable. Frequent rooting. Occasional small to mediur rounded stones about 10-3 size.	n sub-	0.00-0.20
19802		Subsoil	Light to mid-yellowish brow sand. Firm and friable. Occ fine rooting. Occasional sm medium sub-rounded stone 10-30 mm in size.	asional all to	0.20-0.37
19803		Colluvium	Light mid-greyish brown firm compacted with small substances about 10-30 mm in throughout the layer.	angular	0.37-0.46
19804		Natural	Light to mid-yellow clayey s frequent patches of a pinkis sandy clay throughout. Free small to large sub-rounded sub-angular stones.	sh red quent	0.46-0.48+



Trench No	199	Length 50 m		Width 1.80 m	Width 1.80 m Depth 0	
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
19901		Topsoil	C(SI	id-greyish brown moderat ompacted silty clay plough ubstantial rooting and mod parse gravel.	soil with	0.00-0.25
19902		Subsoil	m rc	id-reddish brown silty clay oderate compaction, with oting and moderate coars omponents.	no	0.25-0.40
19903		Natural	pa lig	ark reddish brown clay wit atches of limestone patche phter whitish brown sandy aterial.		0.40

Trench No	200	Length 50 m	Length 50 m		Depth 0	.42 m
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
20001		Topsoil		id-greyish brown silty clay oderately compact.	,	0.00-0.22
20002		Subsoil		id-reddish brown silty clay oderately compact.	′,	0.22-0.42
20003		Natural		ght orangish brown silty cl oderately compact.	lay,	0.42

Trench No 201 L		Length 50 m		Width 1.80 m	Depth 0).50 m	
Context	Fill Of/Fille	d Interpretative	De	Description		Depth (m)	
Number	With	Category				BGL	
20101		Topsoil		id-reddish brown silty clay oderately compact.	,	0.00-0.21	
20102		Subsoil		id-reddish brown silty clay oderately compact.	,	0.21-0.50	
20103		Natural	co	ownish red silty clay, very empact. Large patches of l ey stones.		0.50+	

Trench No 202		Length 50 m		Width 1.80 m	Depth 0	.49 m	
Context	Fill Of/Fille	d Interpretative	De	scription		Depth (m)	
Number	With	Category				BGL	
20201		Topsoil	co	d-greyish brown moderat mpacted silty clay plough bstantial rooting and mod arse gravel.	soil with	0.00-0.19	
20202		Subsoil	mo	d-reddish brown silty clay oderate compaction, no ro d moderate coarse comp	ooting	0.19–0.49	
20203		Natural	sa	d-reddish brown clay with ndstone deposits and rare bbles in the base of the tr	е	0.49+	



Trench No 203 L		ength 50 m	Width 1.80 m	Depth 0).54 m	
Context	Fill Of/Filled	Interpretative	Description		Depth (m)	
Number	With	Category			BGL	
20301		Topsoil	Mid-greyish brown, modera compacted, silty clay plough with substantial rooting and moderate coarse gravel.	nsoil	0.00-0.16	
20302		Subsoil	Mid-reddish brown silty clay moderate compaction, no roand moderate coarse comp	ooting	0.16–0.39	
20303		Natural	Mid-reddish brown clay with limestone deposits and rare cobbles.		0.39-0.54+	

Trench No 204 Le		ength 50 m	Width 1.80 m	Depth 0	.49 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
20401		Topsoil	Mid-greyish brown, modera compacted, silty clay ploug with substantial rooting and moderate coarse gravel.	hsoil	0.00-0.23	
20402		Subsoil	Mid-reddish brown silty clay moderate compaction, with rooting and moderate coars components.	no	0.23-0.44	
20403		Natural	Light reddish brown clay wi patches of sandier material moderate coarse componer	and	0.44-0.49+	

Trench No 205		ength 50 m	Width 1.80 m	Depth 0	.50 m
Context	Fill Of/Filled	Interpretative	Description	Description	
Number	With	Category			BGL
20501		Topsoil	Mid-greyish brown, modera compacted, silty clay ploug with substantial rooting and moderate coarse gravel.	hsoil	0.00-0.17
20502		Subsoil	Mid-reddish brown silty clay moderate compaction and moderate coarse componer		0.17–0.39
20503		Natural	Mid-reddish brown clay with deposits and rare cobbles.	n sandy	0.39-0.50+



Trench No 206 L		Length 50 m	ength 50 m Width 2 m Depth		n 0.42 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
20601		Topsoil	Friable, mid-grey brown, sliq clayey sandy silt with occas plastic sheeting throughout.	-	0.00-0.30	
20602		Subsoil	Mid-brown orange semi- plastic clayey silt.		0.30-0.42	
20603		Natural	Patchy, compact, mid-reddistrown clay with moderate inclusions of small fragment limestone throughout and liggrey limestone.	s of	0.42	
20604	20605	Ditch	Linear ditch aligned north-es south-west with moderate, of sides and a concave base. >1.00 m. Width: 0.64 m. De 0.21 m.	concave Length:	0.42-0.60	
20605	20604	Secondary fill	Mid-greyish brown silty clay			

Trench No	Trench No 207 Le		Width 2 m	Depth 0	.50 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
20701		Topsoil	Friable, slightly clayey sandy silt with some plastic throughout.		0.00-0.30
20702		Subsoil	Mid-brown orange, friable, slightly sandy silt.		0.30-0.50
20703		Natural	Patchy, mid-reddish orange clay with white flecks of limestone throughout and grey white limestone.		0.50+

Trench No	208 I	Length 50 m	Width 2 m Depth		0.50 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
20801		Topsoil	Mid-grey brown, friable, slightly clayey sandy silt.		0.00-0.26	
20802		Subsoil	Firm, mid-brown orange silty clay.		0.26-0.44	
20803		Natural	Patchy, reddish brown clay and light yellow white limestone.		0.44-0.50	
20804	20805, 20806	Pit	Sub-oval pit with moderate, concave sides and a concave base. Length: 1.50 m. Width: 0.95 m. Depth: 0.16 m.		0.44-0.60	
20805	20804	Primary fill	Light reddish brown sandy clay.			
20806	20804	Secondary fill	Mid-greyish brown silty clay.			



Trench No 209 L		Length 50 m		Width 1.80 m	Depth 0	.65 m
Context	Fill Of/Filled	<u>-</u>	D	Description		Depth (m)
Number	With	Category				BGL
20901		Topsoil		Mid-greyish brown silty clay, moderately compact.		0.00–0.21
20902		Subsoil		Mid-orangish brown silty clay, moderately compact.		0.21-0.58
20903		Natural		id-orangish brown silty cla ack manganese flecks pre		0.58-0.65+

Trench No 210		Length 50 m		Width 1.80 m	Depth 0	.40 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	Description		Depth (m) BGL
21001		Topsoil		Mid-greyish brown silty clay. Moderately compact.		0.00-0.25
21002		Subsoil		Mid-reddish brown silty clay, moderately compact.		0.25-0.37
21003		Natural		lid- to dark reddish brown ay, very compact.	silty	0.37-0.40+

Trench No	211 L	ength 50 m	Width 1.80 m	Depth 0	.55 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
21101		Topsoil	Dark reddish brown silty cla	y,	0.00-0.21
			moderately compacted, with	n rare	
			small stones, poorly sorted.		
21102		Subsoil	Mid-reddish brown silty clay	' ,	0.21-0.47
			moderately compacted, with	n rare	
			small stones, poorly sorted.		
21103		Natural	Light reddish brown clay,		0.47-0.55+
			moderately densely compact	cted with	
			rare small stones and depos	sits of	
			white clay and bedrock.		
21104	21105	Ditch	Linear ditch aligned NW-SE	with	0.47-0.57
			shallow, concave sides and	а	
			concave base. Length: >5.0	00 m.	
			Width: 0.47 m. Depth: 0.10	m.	
21105	21104	Secondary fill	Light yellow brown silty san	d.	



Trench No	212 L	ength 50 m	Width 2 m	Depth 0	.55 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Description	
21201		Topsoil	Friable, mid-grey brown, slightly clayey sandy silt with some plastic throughout.		0.00-0.34
21202		Subsoil	Friable, mid-brown orange	silt.	0.34-0.55
21203		Natural	Mid-reddish orange semi- plastic clayey silt with moderate inclusions of small fragments of limestone throughout and occasional patches of light yellow friable silt.		0.55

Trench No	213	Length 50 m	Width 2 m	Depth U	Jnknown
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
21301		Topsoil	Mid-grey brown, friable, slightly clayey sandy silt with moderate inclusions of plastic throughout.		0.00-0.30
21302		Subsoil	Mid-reddish orange clayey silt.	, friable, slightly	0.30-0.70
21303		Natural	Patchy, mid-brown orange, compact silty clay and light greyish white limestone.		0.70

Trench No	214	Length 50 m		Width 1.80 m Depth 0).74 m	
Context Number	Fill Of/Filled With	I Interpretative Category	De	escription		Depth (m) BGL	
21401		Topsoil	we CI	id-reddish brown silty clay ell established rooting thro lear horizon. Moderate ompaction.		0.00-0.23	
21402		Subsoil	CC	id-brownish red silty clay voarse gravel, poorly sorted oderate compaction.		0.23-0.56	
21403		Natural	pa	ght reddish brown clay wit atches of sandier material oderate coarse componer	and	0.56-0.74+	



Trench No	215	Length 50 m	Width 1.80 m	Depth 0	.56 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Description	
21501		Topsoil	Dark reddish brown silty cla common rounded and sub- stones of varying size. Mod compacted, with well-estab rooting throughout.	rounded erately	0.00-0.19
21502		Subsoil	Mid-reddish brown silty clay moderate compaction with moderate coarse componer	Mid-reddish brown silty clay, moderate compaction with	
21503		Natural	Dark reddish brown clay wit patches of sandier material moderate coarse componer	and	0.45+

Trench No	216	Length 50 m	Width 1.80 m	Width 1.80 m Depth 0	
Context Number	Fill Of/Filled With	Interpretative Category	Description	Description	
21601		Topsoil	Mid-greyish brown mo compacted silty clay w substantial rooting and coarse gravel.	/ith	0.00-0.34
21602		Subsoil	Mid-to light greyish bro moderately compacted with rare angular coars poorly sorted and no re	d, silty clay se gravel	0.34-0.41
21603		Natural	Mid-reddish brown clar sandstone deposits an cobbles.	•	0.41-0.74+

Trench No	217	Length 50 m		Width 1.80 m	Depth 0	.78 m
Context	Fill Of/Filled	I Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
21701		Topsoil	co su	id-greyish brown, modera ompacted, silty clay with ubstantial rooting and mod parse gravel.		0.00-0.27
21702		Subsoil	m	id-reddish brown silty clay oderate compaction and oderate coarse componer		0.27-0.67
21703		Natural	pa	ght reddish brown clay wit atches of sandier material oderate coarse componer	and	0.67-0.78+



Trench No	218	Length 50 m	Width 2 m	Depth 0	.82 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
21801		Topsoil	Loosely compacted mid-greclayish silt (30/70%) with rangular stony inclusions 1-size.	ire	0.00-0.12
21802		Subsoil	Densely packed mid-greyis clay with rare angular stony inclusions 1-2 cm in size.		0.12-0.56
21803		Alluvium	Extremely densely packed greyish yellow silt with no v stony inclusions and rare flumanganese.	isible	0.56-0.80
21804		Natural	Extremely densely packed greyish yellow silty clay (30 with rare stony inclusions 1 size.	/70%)	0.80-0.82+

Trench No	219 L	ength 50 m	Width 2 m	Depth 0	.51 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
21901		Topsoil	Loosely compacted mid-greyish brown clayish silt (30/70%) with rare angular stony inclusions 1-5 cm in size.		0.00-0.18
21902		Subsoil	Densely packed mid-greyisl silty clay (40/60%) with rare stony inclusions 1-2 cm in s	angular	0.18-0.40
21903		Natural	Extremely densely packed mid- pinkish red silty clay (30/70%) with cut by 5 m wide furrows at 6 m intervals.		0.40-0.51+

Trench No	220 L	ength 50 m	Width 2 m	Depth 0	.71 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
2201		Topsoil	Loosely compacted mid-gree brown clayish silt (30/70%) rare angular stony inclusion cm in size.	with	0.00-0.28
2202		Colluvium	Densely compacted light grapink silty clay (20/80%) with visible stony inclusions.	•	0.28-0.49
2203		Natural	Extremely densely packed packed greyish yellow silty clay (30, with rare stony inclusions 1 size.	/70%)	0.39-0.71+



Trench No	221 L	ength 50 m	Width 2.22 m	Depth 0	.68 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
22101		Topsoil	Mid-grey brown clayey silt.	Firm	0.00-0.26
			and hard. Frequent rooting	(crop).	
			No visible inclusions.		
22102		Subsoil	Mid-yellowish brown slightly	clayey	0.26-0.57
			sand. Firm and compact.		
			Occasional fine rooting.		
22103		Fluvial deposits	Light pinkish yellow slightly	sandy	0.57-0.68+
			clay. Firm and compact. Ve	ry dry.	
			Likely the result of this part	of the	
			field flooding and the poolin	g of the	
			water. Very clean and		
			homogeneous - No visible		
			inclusions.		

Trench No	222 L	ength 50 m	Width 2 m	Depth 0.	91 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
22201		Topsoil	Loosely compacted mid-greyis brown clayish silt (30/70%) wi rare angular stony inclusions cm in size.	th 1-5	0.00-0.12
22202		Subsoil	Densely packed mid-greyish be clay with rare angular stony inclusions 1-2 cm in size.	orown	0.12–0.20
22203		Colluvium	Densely compacted light grey pink silty clay (20/80%) with n visible stony inclusions.		0.20-0.61
22204		Alluvium	Extremely densely packed pale greyish yellow silt with no visible stony inclusions and rare flecks of manganese.		0.61-0.88
22205	22206	Ditch	Linear ditch aligned NE-SW w moderate, concave sides and shaped base. Length: >2.00 n Width: 0.67 m. Depth: 0.21 m	a U- n.	0.88–1.09
22206	22205	Secondary fill	Light greyish yellow silt.		
22207	22208	Furrow	Linear furrow aligned NE-SW irregular, irregular sides and a irregular/undulating base. Len >2.00 m. Width: 0.56 m. Dept 0.09 m.	an igth:	0.88–0.97
22208	22207	Secondary fill	Light pinkish red silt.		
22209		Natural	Extremely densely packed mid pinkish red silty clay (30/70%) no visible stony inclusions and frequent large areas of pale ye sand.) with d	0.88–0.91+



Trench No	223	Length 50 m		Width 2.24 m	Depth 0	.47 m
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
22301		Topsoil	ar	id-brown grey clayey silt. Ind hard. Frequent rooting ovisible inclusions.		0.00-0.34
22302		Natural	M Fi	id-pinkish red slightly sand rm and compact. Occasione rooting. No visible incluery clean. Cut by several for	nal very sions –	0.34-0.47+

Trench No	224	Length 50 m		Width 2.34 m Depth 1		1.20 m	
Context Number	Fill Of/Filled With	Interpretative Category	De	Description		Depth (m) BGL	
22401		Topsoil	an	id-grey brown clayey silt. Ind hard. Friable. Frequent rop). No visible inclusions	rooting	0.00-0.32	
22402		Colluvium?	sa	Light yellowish pink brown clayey sand. Very firm and hard. Occasional fine rooting.		0.32-0.80	
22403		Colluvium	ve cla Fii	ght yellowish brown sand bry rare patches of a pinking ay natural at the south-we rm and Compact. Rare mand b-angular stones.	sh red st end.	0.80–1.20+	

Trench No	225 L	ength 50 m		Width 2.30 m	Depth 1	.13 m
Context	Fill Of/Filled	Interpretative	De	scription		Depth (m)
Number	With	Category				BGL
22501		Topsoil	and	d-grey brown clay silt. Ve d firm. Friable. Frequent op). No visible inclusions	rooting	0.00-0.36
22502		Colluvium	cla Oc de	tht to mid-yellow brown slyey sand. Firm, hard and casional fine rooting at toposit. Very clean - no visilusions.	friable.	0.36–1.00
22503		Natural	we slig	lly found in sondage at no st end of trench. A browr ghtly sandy clay. Very firn mpact. Rare medium sub unded stones.	nish red n and	1.00–1.13+



Trench No	226 L	ength 50 m	Width 2.34 m Depth	1.12 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL
22601		Topsoil	Mid-brown silty clay. Very hard and compact. Frequent rooting (crop). Occasional small sub-angular stones.	0.00-0.20
22602		Subsoil	Light to mid-pinkish brown sandy clay. Very hard and compact. No visible inclusions.	0.20-0.44
22603		Colluvium	Mid-brownish yellow sand. Very firm and compact. Occasional small to medium sub-angular flint. Frequent small flecks of manganese.	
22604		Natural	A spread of a mid-brownish pink clay approximately 12 m long in broadly middle of the trench. Very firm and compact. Occasional fine rooting. May also be the result of water pooling as the field slopes to the east and eventually to the south-east corner. Appears to lie under the topsoil (no subsoil visible) and in-between two areas of colluvium.	0.20-0.38
22605		Natural	Possibly a natural deposit only found in the north-east end of the trench in a sondage. A mid-pinkish grey clay. Very firm and hard. Frequent small to medium subrounded stones and occasional medium sub-angular flint.	1.00-1.12+



Trench No	227 L	ength 50 m	Width 2.31 m	Depth 0	.98 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
22701		Topsoil	Mid-grey brown clay silt. Ve Firm and friable. Frequent r (crop).		0.00-0.28
22702		Subsoil	Light pink sandy clay. Firm, compact, friable. Occasiona rooting. No visible inclusion	al fine	0.28–0.56 (0.70 at south-east end)
22703		Natural	Mid-reddish pink clay with of bedrock in the north-wes the trench. Firm and compavisible inclusions. Several fare visible.	t end of act. No	0.56-0.63+
22704		Colluvium	Only located at the south-earth of the trench for approximation. A light to mid-yellow san firm and friable. No visible inclusions. Lays under the state (227002).	tely 15 id. Very	0.70-0.98

Trench No	228 I	_ength 50 m		Width 2 m	Depth 1	.14 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
22801		Topsoil	а	ark reddish-brown clayey of friable/loose compaction v ccasional small stones.		0.00-0.25
22802		Subsoil	m	id- brownish-red silty clay oderate compaction, with clusions of small stones.		0.25-0.33
22803		Natural	pa	ark brownish-red silty-clay atches of whitish-grey cha avel.		0.33–1.14

Trench No	229	Length 50 m		Width 2 m	Depth 0	.97 m
Context Number	Fill Of/Filled	Interpretative Category	D	escription		Depth (m) BGL
22901	viui	Topsoil	а	ark reddish-brown clayey friable to loose compactio ccasional small to medium	n with	0.00-0.22
22902		Subsoil	fir	id-brownish red clayey silt m compaction, rare inclus ones.		0.22-0.45
22903		Natural	of	ark brownish-red silty-clay ompacted with frequent ind manganese and patches hitish-grey chalky gravel.	clusions	0.45–0.97



Trench No 230		Length 50 m		Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Fille	d Interpretative Category	D	Description		Depth (m) BGL
23001	With	Topsoil		riable, mid-grey brown, sli ayey sandy silt.	ghtly	0.00-0.30
23002		Natural	pl in	lid-to light orange red, sen lastic clayey silt with mode clusions of limestone flech lroughout.	rate	0.30-0.40

Trench No 231		Length 50 m	Width 2 m	Depth 0	.45 m
Context Number	Fill Of/Filled With	I Interpretative Category	Description		Depth (m) BGL
23101		Topsoil	Friable, mid-grey brown slig clayey sandy silt.	htly	0.00-0.45
23102		Natural	Semi- plastic, light orange re clayey silt with moderate incof limestone flecks and fragithroughout.	clusions	0.45

Trench No	232	Length 50 m	Width 2 m Depth 0		Depth 0	.55 m
Context	Fill Of/Filled	Interpretative	Des	cription		Depth (m)
Number	With	Category				BGL
23201		Topsoil	infre peb min	grey brown silty sand wequent small grey white ble stone inclusions and imal plant rooting. Mode apaction.	rounded I	0.00-0.55
23202		Natural	infre	-reddish brown sandy cla equent small white angul ne inclusions. Firm comp	lar	0.55+

Trench No 233		Length 50 m		Width 2 m Depth 0		.42 m	
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
23301		Topsoil	in pe m	Mid-grey brown silty sand with infrequent small grey white roupebble stone inclusions and minimal plant rooting. Moderate compaction.		0.00-0.42	
23302		Natural	in	lid-reddish brown sandy cl frequent small white angu one inclusions. Firm comp	lar	0.42+	



Trench No 234		Length 50 m		Width 2 m	Depth 0	Depth 0.41 m	
Context Number	Fill Of/Fille With	d Interpretative Category	De	Description		Depth (m) BGL	
23401		Topsoil	inf pe mi	Mid-grey brown silty sand with infrequent small grey white rounded pebble stone inclusions and minimal plant rooting. Moderate compaction.		0.00-0.41	
23402		Natural	inf	d-reddish brown sandy c requent small white angu one inclusions. Firm com	ılar	0.41+	

Trench No 235		Length 50 m		Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled	d Interpretative Category	D	Description		Depth (m) BGL
23501		Topsoil		lid-grey brown slightly clay andy silt.	еу	0.00-0.30
23502		Natural	pl in	Mid- to light orange red semi- plastic clayey silt with moderate inclusions of limestone flecks and fragments throughout.		0.30-0.40

Trench No 236 L		Length 50 m		Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled	d Interpretative Category	D	escription	Depth (m) BGL	
23601		Topsoil		riable, mid-grey brown slig ayey sandy silt.	0.00-0.36	
23602		Natural	pl in	Mid- to light reddish orange, semi- plastic, clayey silt with moderate inclusions of limestone flecks throughout.		0.36-0.40

Trench No	237	Length 50 m		Width 2 m	Depth 0.45 m	
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
23701		Topsoil		lid-brown grey, friable, slig ayey sandy silt.	0.00-0.45	
23702		Natural	pl in th pi si lir	ght to mid-reddish brown, astic, clayey silt with mode clusions of limestone fleck troughout some patches or nkish orange friable slight lt with moderate inclusions nestone flecks and mangatecks throughout.	erate ks f lighter ly sandy s of	0.45



Trench No	238	Length 50 m		Width 2 m	Depth 0	.40 m
Context	Fill Of/Fille	d Interpretative	De	Description		Depth (m)
Number	With	Category				BGL
23801		Topsoil	Mic	Mid-grey brown, friable, slightly		0.00-0.30
			cla	yey sandy silt.		
23802		Natural	Mic	d- to light orange red, ser	ni-	0.30-0.40
			pla	astic, clayey silt with mode	erate	
			inc	clusions of limestone fleck	s and	
			fra	gments throughout with		
			oco	casional patches of light p	oink	
			ora	ange friable silty sand.		

Trench No 239 Length 50 m		Length 50 m		Width 2 m	Depth 0	.63 m
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
23901		Topsoil	in pe m	Mid-grey brown silty sand with infrequent small grey white rounded pebble stone inclusions and minimal plant rooting. Firm compaction.		0.00-0.63
23902		Natural	in	lid-reddish brown sandy cl frequent small white angu one inclusions. Firm comp	lar	0.63+

Trench No	240 L	ength 50 m	Width 2 m	Depth 0.35 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
24001		Topsoil	Friable, mid-grey brown, slig clayey sandy silt.	ghtly	0.00-0.35
24002		Natural	Semi-plastic, light bright red clayey silt with moderate into of limestone flecks through occasional larger patches owhite limestone. At eastern trench was a very occasional of light pink orange friable swhich becomes a light yello friable sandy silt with moder inclusions of limestone fleck manganese flecks throughout	clusions but, also f grey end of al, patch and w brown rate as and	0.35



Trench No 241		Length 50 m		Width 2 m	Depth 0	.44 m	
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
24101		Topsoil	bı	ensely compacted mid-red rown clayish silt (40/60%) sible stony inclusions.	0.00-0.38		
24102		Natural	pi no	Extremely densely compacted dark pinkish red silty clay (30/70%) with no visible stony inclusions and occasional patches of pale green degraded stone.		0.38-0.44+	

Trench No 242 Length 50 m		W	/idth 2 m	Depth 0	.58 m	
Context Number	Fill Of/Fille With	d Interpretative Category	Desc	Description		Depth (m) BGL
24201		Topsoil	infred pebb minin	Mid-grey brown silty sand with infrequent small grey white rounded pebble stone inclusions and minimal plant rooting. Moderate compaction.		0.00-0.58
24202		Natural	infred	eddish brown sandy cl quent small white angu e inclusions. Firm comp	lar	0.58+

Trench No 243		Length 50 m		Width 2 m	Depth 0	.42 m
Context Number	Fill Of/Fille With	d Interpretative Category	D	Description		Depth (m) BGL
24301		Topsoil	bı	ensely compacted mid-red rown clayish silt (40/60%) sible stony inclusions.		0.00-0.36
24302		Natural	pi no	Extremely densely compacted dark pinkish red silty clay (30/70%) with no visible stony inclusions and occasional patches of pale green degraded stone.		0.36-0.42+

Trench No 244		Length 50 m	_ength 50 m		Depth 0).50 m
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
24401		Topsoil		riable, mid-grey brown, s ayey silt.	0.00-0.35	
24402		Natural	sl in	Light / bright red orange, friable, slightly clayey silt with moderate inclusions of limestone flecks throughout.		0.35-0.50



Trench No 245		Length 50 m	ength 50 m Width 2 m		Depth 0.50 m	
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
24501		Topsoil		Friable, mid-grey brown, slightly		0.00-0.36
			cla	ayey sandy silt.		
24502		Natural		ght reddish brown clay wit oderate inclusions of lime		0.36-0.50
				ecks throughout also occa		
			la	rger patches of grey white		
			lin	nestone.		

Trench No 246 Len		Length 50 m	Width 2 m		Depth 0.40 m	
Context Number	Fill Of/Fille With	d Interpretative Category	D	escription		Depth (m) BGL
24601		Topsoil	br	ensely compacted mid-rec rown clayish silt (40/60%) sible stony inclusions.		0.00-0.36
24602		Natural	pi no	extremely densely compact nkish red silty clay (30/70%) visible stony inclusions a ccasional patches of pale (egraded stone.	%) with ind	0.36-0.40+

Trench No	247	Length 50 m	m Width 2 m Depth 0		.44 m	
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
24701		Topsoil	in pe m	lid-grey brown silty sand w frequent small grey white ebble stone inclusions and inimal plant rooting. Mode ompaction.	rounded I	0.00-0.44
24702		Natural	in	lid-reddish brown sandy cl frequent small white angu one inclusions. Firm comp	lar	0.44+

Trench No	Trench No 248 Lengt			Width 2 m	Depth 0	.49 m
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
24801		Topsoil	bı	ensely compacted mid-red rown clayish silt (40/60%) sible stony inclusions.		0.00-0.36
24802		Natural	pi no	extremely densely compact nkish red silty clay (30/70° to visible stony inclusions a ccasional patches of pale of egraded stone.	%) with and	0.36-0.49+



Trench No	249	Length 25 m	Width 2 m Depth 0		Depth 0	0.48 m	
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
24901		Topsoil	in pe m	lid-grey brown silty sand w frequent small grey white ebble stone inclusions and inimal plant rooting. Mode ompaction.	rounded I	0.00-0.48	
24902		Natural	in	lid-reddish brown sandy cl frequent small white angu cone inclusions. Firm comp	lar	0.48+	

Trench No	250	Length 50 m	Width 2 m	Width 2 m Depth (
Context Number	Fill Of/Filled	d Interpretative Category	Description		Depth (m) BGL
25001		Topsoil	Densely compacted brown clayish silt (4 visible stony inclusion	0/60%) with no	0.00-0.36
25002		Natural	Extremely densely of pinkish red silty clay no visible stony included occasional patches degraded stone.	(30/70%) with usions and	0.36-0.46+

Trench No	251	Length 50 m		Width 2 m	Depth 0	.60 m
Context Number	Fill Of/Fille With	d Interpretative Category	D	escription		Depth (m) BGL
25101		Topsoil	bı	ensely compacted mid-red rown clayish silt (40/60%) sible stony inclusions.		0.00-0.46
25102		Natural	pi no	xtremely densely compact inkish red silty clay (30/70) o visible stony inclusions a ccasional patches of pale egraded stone.	%) with and	0.46-0.60+



Trench No	252	Length 50 m		Width 2 m	Depth 0	.64 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
25201		Topsoil	br ra	ensely compacted mid-red own clayish silt (40/60%) re rounded stony inclusion n in size.	with	0.00-0.40
25202		Subsoil	br	ensely compacted mid-red own clay with no visible clusions.	ddish	0.37-0.60
25203		Natural	pi no	ktremely densely compact nkish red silty clay (30/70° o visible stony inclusions a ccasional patches of pale o egraded stone.	%) with and	0.60-0.64+

Trench No	253	Length 50 m	Width 2 m	Depth 0).42 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
25301		Topsoil	Densely compacted mid brown clayish silt (40/60 rare rounded stony inclu cm in size.	%) with	0.00-0.34
25302		Natural	Extremely densely comp pinkish red silty clay (30 no visible stony inclusion occasional patches of pa degraded stone and occ rounded stony inclusions size.	/70%) with ns and ale green casional	0.34-0.42+



Trench No	254 L	ength 50 m	Width 1.80 m	Depth 0	.41 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
25401	Vital	Topsoil	Dark orangey brown silty cl- Loosely compacted and diff boundaries and homogened Rare (5%) sub-rounded and rounded grit and pebbles, p sorted and 5-50 mm in size Frequent fine rooting. Ploug field, with some given over ground.	fuse ous. d oorly ghed	0.00-0.18
25402		Subsoil	Mid-orange brown silty clay Moderately compacted, homogeneous and diffuse boundaries. Rare (5%) sub- rounded and sub-angular poorly sorted and 20-60 mm	- ebbles,	0.18-0.32
25403		Natural	Mid-pinkish red sandy clay. compacted, homogeneous diffuse boundaries. Rare (1 rounded and sub-angular g pebbles, poorly sorted and mm in size. Patches of bed appear in the eastern half o trench.	and %) sub- rit and 5-30 rock	0.32-0.41+

Trench No	255	Length 50 m		Width 2 m	Depth 0	.29 m
Context Number	Fill Of/Fille With	d Interpretative Category	D	escription		Depth (m) BGL
25501		Topsoil	fri	ark reddish-brown sandy of able / loose compaction we casional inclusions of sto	vith .	0.00-0.10
25502		Subsoil	fri fre	ark reddish-brown sandy of able to loose compaction equent inclusions of small and chalk flecks.	with	0.10-0.29
25503		Natural	of	ark brownish-red silty clay ompacted with frequent ind manganese and patches hitish-grey chalk.	clusions	0.29



Trench No	256 L	ength 50 m	Width 2 m	Depth 0	.15 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
25601		Topsoil	Dark reddish-brown sandy of friable/loose compaction with occasional inclusions of sto	th	0.00-0.11
25602		Subsoil	Dark reddish-brown sandy of friable to loose compaction frequent inclusions of small and chalk flecks.	with	0.11–0.15
25603		Natural	Dark brownish-red silty clay compacted with frequent in of manganese and patches whitish-grey chalk.	clusions	0.15

Trench No	257 L	ength 50 m	Width 2 m Depth		0.39 m	
Context	Fill Of/Filled	Interpretative	Description		Depth (m)	
Number	With	Category			BGL	
25701		Topsoil	Moderately compacted dark	(0.00-0.27	
			brownish grey clayish sand			
			(40/60%) with very rare stor	ny		
			inclusions 2-5 cm in size.			
25702		Natural	Densely compacted mid-pir	nkish red	0.27-0.39+	
			silty clay (10/90%) with occ	asional		
			patches of greenish white d	egraded		
			stone.			

Trench No	Depth 0.4 Depth 0.4		.40 m			
Context Number	Fill Of/Filled With	d Interpretative Category	Des	scription		Depth (m) BGL
25801		Topsoil	brov (40/	derately compacted dark wnish grey clayish sand '60%) with very rare stor usions 2-5 cm in size.		0.00-0.30
25802		Natural	silty pato	sely compacted mid-pin clay (10/90%) with occa ches of greenish white d ne and significant rooting	asional egraded	0.30-0.40+



Trench No	259 L	ength 50 m	Width 1.80 m	Depth 0.	40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
25901		Topsoil	Dark orangey brown silty class Loosely compacted and diff boundaries and homogened Rare (5%) sub-rounded and rounded grit and pebbles, posted and 5-50 mm in size. Frequent coarse rooting. Plafield.	use ous. I oorly	0.00-0.13
25902		Subsoil	Mid-orange brown silty clay Moderately compacted, homogeneous and diffuse boundaries. Rare (5%) subrounded and sub-angular perpoorly sorted and 20-60 mm Frequent coarse rooting.	ebbles,	0.13-0.33
25903		Natural	Mid-pinkish red sandy clay. compacted, homogeneous a diffuse boundaries. Rare (19 rounded and sub-angular gratones formed in streaks, verpoorly sorted and 5-120 mm	and %) sub- rit and ery	0.33-0.40+

Trench No	260 L	ength 50 m	Width 1.80 m	Depth 0	.50 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
26001		Topsoil	Dark orangey brown silty class Loosely compacted and diff boundaries and homogened Rare (5%) sub-rounded and rounded grit and pebbles, p sorted and 5-50 mm in size Frequent fine rooting. Ploug field.	use ous. d oorly	0.00-0.25
26002		Subsoil	Mid-orange brown silty clay Moderately compacted, homogeneous and diffuse boundaries. Rare (5%) sub- rounded and sub-angular po poorly sorted and 20-60 mn	ebbles,	0.25-0.41
26003		Natural	Mid-pinkish red sandy clay. compacted, homogeneous diffuse boundaries. Rare (1 rounded and sub-angular gratones formed in streaks, very poorly sorted and 5-120 mm	and %) sub- rit and ery	0.41-0.50+



Trench No	261 L	ength 50 m	Width 1.80 m	Depth 0.	.41 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
26101		Topsoil	Dark orangey brown silty class Loosely compacted and different boundaries and homogened Rare (5%) sub-rounded and rounded grit and pebbles, persorted and 5-50 mm in size. Frequent fine rooting. Ploug field.	use ous. I oorly	0.00-0.14
26102		Subsoil	Mid-orange brown silty clay. Moderately compacted, homogeneous and diffuse boundaries. Rare (5%) subrounded and sub-angular perpoorly sorted and 20-60 mm	ebbles,	0.14–0.35
26103		Natural	Mid-pinkish red sandy clay. compacted, homogeneous a diffuse boundaries. Rare (19 rounded and sub-angular gr stones, very poorly sorted a 120 mm in size.	and %) sub- rit and	0.35-0.41+

Trench No	262 L	ength 50 m	Width 1.80 m	Depth 0	.32 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
26201		Topsoil	Dark orangey brown silty class Loosely compacted and diff boundaries and homogened Rare (5%) sub-rounded and rounded grit and pebbles, p sorted and 5-50 mm in size Frequent fine rooting. Ploug field.	fuse ous. d oorly	0.00-0.13
26202		Subsoil	Mid-orange brown silty clay Moderately compacted, homogeneous and diffuse boundaries. Rare (5%) subrounded and sub-angular poporly sorted and 20-60 mn	ebbles,	0.13-0.30
26203		Natural	Mid-pinkish red sandy clay. compacted, homogeneous diffuse boundaries. Rare (1 rounded and sub-angular greebbles, poorly sorted and mm in size.	and %) sub- rit and	0.30-0.32+



Trench No	263	Length 50 m		Width 2 m Depth 0		0.35 m	
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL	
26301		Topsoil	(4	loderately compacted sand 10/60%) with rare rounded clusions 2-4 cm in size.		0.00-0.26	
26302		Natural	cl	ensely compacted reddish ay with rare patches of pa reenish white degraded sto	le	0.26-0.35+	

Trench No	264	Length 50 m	Width 2 m	Depth 0	n 0.43 m	
Context	Fill Of/Filled	Interpretative	Description		Depth (m)	
Number	With	Category			BGL	
26401		Topsoil	Moderately compacted dark brownish grey clayish sand (40/60%) with very rare stor inclusions 2-5 cm in size.		0.00-0.35	
26402		Natural	Densely compacted mid-pir silty clay (10/90%) with very rounded stony inclusions 2-size and occasional patches greenish white degraded sto	rare 5 cm in s of	0.35-0.43+	

Trench No	265	Length 50 m	Width 2 m	Depth 0	.30 m
Context Number	Fill Of/Filled With	I Interpretative Category	Description		Depth (m) BGL
26501		Topsoil	Moderately compacted mid- brown sandy clay (30/70%) very rare rounded stony inc 2-4 cm in size.	with	0.00-0.24
26502		Natural	Densely compacted mid-red pink silty clay (10/90%) with common patches of pale grawhite degraded stone.	1	0.24-0.30+
26503		Possible trackway	Linear, north/south aligned. 5.16 m	Width:	0.24–0.30
26504		Primary fill	Dark greyish black silty clay frequent charcoal inclusions fragments of redeposited depale greenish white stone. Cand modern pot found in co	and egraded CBM	



Trench No	266	Length 50 m		Width 2 m Depth 0		0.37 m	
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
26601		Topsoil	lo	ark reddish-brown sandy sose to friable compaction are inclusions of stone.		0.00-0.09	
26602		Subsoil	D	ark reddish-brown sandy sompacted with frequent incompacted with frequent incompanding the small stones and chalky f	clusions	0.09-0.20	
26603		Natural	of	lid- brownish-red silty clay ompacted with frequent ind f stones and chalky flecks ght whitish-grey patches.	clusions	0.20-0.37	

Trench No	267 I	_ength 50 m		Width 2 m Depth 0.33 m		.33 m
Context	Fill Of/Filled	Interpretative	De	escription		Depth (m)
Number	With	Category				BGL
26701		Topsoil	br ve	oderately compacted mid- own sandy clay (30/70%) ry rare rounded stony inc 4 cm in size.	with	0.00-0.25
26702		Natural	pir pa	ensely compacted mid-rec nk silty clay (10/90%) with tches of pale greenish wh egraded stone.	rare	0.25-0.33+

Trench No	268	Length 50 m	Wie	Width 2 m Depth 0		.20 m
Context Number	Fill Of/Fille	d Interpretative Category	Descr	iption		Depth (m) BGL
26801	With	Topsoil	loose t	eddish-brown sandy s to friable compaction. ons of stone.		0.00-0.11
26802		Subsoil	compa	Mid-reddish-brown sandy silt firmly compacted with rare inclusions of limestone and chalky flecks.		0.11–0.20
26803		Natural	compa of lime	prownish-red silty clay acted with frequent industriant actione throughout and halky patches.	clusions	0.20



Trench No	269	Length 50 m		Width 2 m	Depth 0	.40 m
Context	Fill Of/Filled	Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
26901		Topsoil	bi Ve	loderately compacted mid- rown sandy clay (30/70%) ery rare rounded stony inc -4 cm in size.	with	0.00-0.32
26902		Natural	pi pa	ensely compacted mid-red ink silty clay (10/90%) with atches of pale greenish wh egraded stone.	rare	0.32-0.40+

Trench No	270	Length 50 m	Width 2 m	Depth 0	.54 m
Context Number	Fill Of/Filled With	d Interpretative Category	Description		Depth (m) BGL
27001		Topsoil	Mid-grey orange brown silty fairly loosely compacted. In pebbly stones and gravel. Frooting.	frequent	0.00-0.20
27002		Subsoil	Mid-orange brown silty clay moderately compacted, mo well sorted pebbly stones. S fine rootlets.	derate	0.20-0.42
27003		Natural	Very densely compacted m reddish brown clay. Some if greyish limestone bedrock of in places. Occasional grave patches.	ight exposed	0.42-0.54+

Trench No	271	Length 50 m	Width 2 m	Depth 0.57	7 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
27101		Topsoil	Mid-greyish brown silty clay compacted and very plough rare small gravel, poorly so Undulating interface. Mode rooting.	ned with rted.	0.00-0.27
27102		Subsoil	Mid- to light moderately cor silty clay with rare small sto poorly sorted. Clear undula interface.	nes,	0.27-0.42
27103		Natural	Mid- to light reddish brown compacted clay with sands deposits and moderate coa gravel. No rooting.	tone).42–0.57+



Trench No	272	Length 50 m		Width 2 m	Depth 0	.36 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
27201		Topsoil	fa O	lid- grey orange brown silty airly loosely compacted. ocasional pebbly and grave cone inclusions. Frequent r	velly	0.00-0.16
27202		Subsoil	C(lid-orange brown moderate ompacted silty clay. Occase ebbly/gravelly stone inclus ome rooting.	sional	0.16–0.29
27203		Natural	bı pa	ery densely compacted re rown clay, occasional grav atches. Exposed patches or reenish grey limestone be	elly of light	0.29-0.36+

Trench No	273 L	ength 50 m	Width 1.80 m	Depth 0	th 0.30 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
27301		Topsoil	Dark reddish brown silty cla common rounded and sub- stones of varying size. Mod compacted, with well-estab rooting throughout	rounded erately	0.00-0.15	
27302		Subsoil	Mid-yellowish brown silty cl Moderate compaction. Upp portion of the layer mildly ro	er	0.15-0.30	
27303		Natural	Mid-reddish brown clay with sandstone deposits and rar cobbles.		0.30+	

Trench No	274	Length 50 m	Width	Width 1.80 m Depth 0		.35 m	
Context	Fill Of/Filled	Interpretative	Descript	ion		Depth (m)	
Number	With	Category				BGL	
27401		Topsoil	common stones of compact	dish brown silty cla rounded and sub-i f varying size. Mod ed, with well-establ nroughout.	ounded erately	0.00-0.15	
27402		Subsoil	Moderate	wish brown silty class compaction. Upper f the layer mildly ro	er	0.15-0.35	
27403		Natural		ish brown silty clay angular and sub-a llusions.		0.35+	



Trench No	275	Length 50 m	Width 1.80 m	Depth 3	2 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Description	
27501		Topsoil	Mid-greyish brown moderated compacted silty clay with no components and rare rooting undulating interface.	o coarse	0.00-0.19
27502		Subsoil	Mid-to light greyish brown moderately compacted silty with rare angular coarse grapoorly sorted and no rooting	avel,	0.19–0.32
27503		Natural	Mid-reddish brown clay with sandstone deposits and rar cobbles.		0.32+

Trench No	276	Length 50 m	Width 2 m	Depth 0	.45 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
27601		Topsoil	Mid-greyish brown with orar fairly loosely compacted silt Occasional pebbly inclusion Frequent roots.	y clay.	0.00-0.10
27602		Subsoil	Mid-orange brown moderate compacted silty clay. Occas pebbly inclusions. Some fin rootlets.	sional	0.10-0.27
27603		Natural	Very densely compacted re brown clay. Occasional clus gravelly stone. Some patche exposed light grey limeston bedrock.	sters of es of	0.27-0.45+

Trench No	277	Length Unknown	Width Unknown	Depth 0	.40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
27701		Topsoil	Dark reddish brown silty cla common rounded and sub- stones of varying size. Mod compacted, with well-establ rooting throughout	ounded erately	0.00-0.19
27702		Subsoil	Mid- to light greyish brown moderately compacted silty with rare angular coarse grapoorly sorted and no rooting	avel,	0.19–0.36
27703		Natural	Mid-reddish brown clay with sandstone deposits and rare cobbles.		0.36-0.40+



Trench No	278	Length 50 m		Width 1.80 m	Depth 0	.37 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
27801		Topsoil	st cc	ark reddish brown silty cla ommon rounded and sub-rones of varying size. Mod ompacted, with well-establoting throughout.	ounded erately	0.00-0.12
27802		Subsoil	m wi	id- to light greyish brown oderately compacted silty ith rare angular coarse graporly sorted and no rooting	avel,	0.12-0.35
27803		Natural	sa	id-reddish brown clay with andstone deposits and ran obbles.		0.35-0.37+

Trench No	279 L	ength 50 m	Width 1.80 m	Depth 0	.28 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
27901		Topsoil	Dark reddish brown silty cla common rounded and sub-r stones of varying size. Mod- compacted, with well-establ rooting throughout.	rounded erately	0.00-0.12
27902		Subsoil	Mid- to light greyish brown moderately compacted silty with rare angular coarse grapoorly sorted and no rooting	avel,	0.12–0.21
27903		Colluvium	Dark reddish brown silty cla moderate compaction with r coarse components.	•	0.21+
27904		Natural	Mid-reddish brown clay with sandstone deposits and rare cobbles.		0.28+

Trench No	280	Length 50 m		Width 1.80 m	Depth 0	.39 m
Context Number	Fill Of/Filled With	Interpretative Category	De	scription		Depth (m) BGL
28001		Topsoil	cor sto	rk reddish brown silty cla mmon rounded and sub- ones of varying size. Mod mpacted, with well-establ oting throughout.	rounded erately	0.00-0.12
28002		Subsoil	mo wit	d- to light greyish brown oderately compacted silty h rare angular coarse graphly sorted and no rooting	aveľ,	0.12-0.30
28883		Natural	sar	d-reddish brown clay with ndstone deposits and ran obles.		0.30-0.39+



Trench No	281	Length 50 m		Width 1.80 m	Depth 0).47 m	
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL	
28101		Topsoil	st co	ark reddish brown silty cla ommon rounded and sub-rones of varying size. Mod ompacted, with well-estable ooting throughout.	ounded erately	0.00-0.12	
28102		Subsoil	m w	id- to light greyish brown oderately compacted silty ith rare angular coarse graporly sorted and no rooting	avel,	0.12-0.47	
28103		Natural	sa	id-reddish brown clay with andstone deposits and rar obbles.		0.47+	

Trench No	282	Length 50 m		Width 2 m	Depth 0	.46 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
28201		Topsoil	fa O	lid-greyish brown with orar iirly loosely compacted silt ccasional pebbly inclusior requent roots.	y clay.	0.00-0.23
28202		Subsoil	co pe	id-orange brown moderate ompacted silty clay. Occase ebbly inclusions. Some fin ootlets.	sional	0.23-0.38
28203		Natural	bi gi ex	ery densely compacted re rown clay. Occasional clus ravelly stone. Some patch posed light grey limeston edrock.	sters of es of	0.38-0.46+

Trench No	283 L	ength 50 m	Width 1.80 m	Depth 0	.38 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
28301		Topsoil	Dark reddish brown silty cla	•	0.00–0.13
			common rounded and sub-	ounded	
			stones of varying size. Mod	•	
			compacted, with well-establ	ished	
			rooting throughout.		
28302		Subsoil	Mid- to light greyish brown,		0.13-0.32
			moderately compacted, silty	/ clay	
			with rare angular coarse gra	avel,	
			poorly sorted and no rooting	j .	
28303		Natural	Mid-reddish brown clay with)	0.32-0.38+
			sandstone deposits and rare	е	
			cobbles.		



Trench No	284	Length 50 m	Width 1.80 m Depth 0).43 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
28401		Topsoil	Dark reddish brown silty cla Common rounded, sub-rour and sub-angular stones thro Well established crops and formations throughout.	nded oughout.	0.00-0.13	
28402		Subsoil	Mid-yellowish brown silty cla Common rounded, sub-rour and sub-angular stones. Moderately compacted. Upp interface contains occasional tracks from crop.	nded per	0.13–0.36	
28403		Natural	Mid-reddish brown silty clay Heavily compacted with cor sedimentary stone inclusion light greenish grey mottling places.	mmon is and	0.36+	

Trench No	285	Length 50 m		Width 1.80 m	Depth 0	.28 m
Context Number	Fill Of/Filled With	d Interpretative Category	De	escription		Depth (m) BGL
28501		Topsoil	sto	ark reddish brown silty cla ommon rounded and sub-rones of varying size. Mod ompacted, with well-establoting throughout.	ounded erately	0.00-0.09
28502		Subsoil	m wi	id- to light greyish brown, oderately compacted, silty th rare angular coarse gra porly sorted and no rooting	avel,	0.09-0.23
28503		Natural	sa	id-reddish brown clay with andstone deposits and rare abbles.		0.23+

Trench No	286	Length 50 m	Width 2 m	Depth 0.48 m
Context Number	Fill Of/Filled With	I Interpretative Category	Description	Depth (m) BGL
28601		Topsoil	Mid-greyish brown fairly loos compacted silty clay. Abunda roots. Moderate pebbly stone	ant
28602		Subsoil	Mid-orangey brown silty clay compacted. Occasional rootl Occasional pebbly stones.	
28603		Natural	Very densely compacted red brown clay, occasional angu- white sand- or limestone incl	lar



Trench No	287	Length 50 m	•	Width Unknown Depth 4		41 m	
Context	Fill Of/Filled	Interpretative	De	escription		Depth (m)	
Number	With	Category		-		BGL	
28701		Topsoil	sa	Light brown loose clayey (30%) sand. Moderate rooting. Occasional pebbles.		0.00-0.25	
28702		Subsoil	Ve	Pale brown sandy (30%) clay. Firm. Very occasional sub-rounded pebbles.		0.25-0.35	
28703		Natural	(2 sp	ternate reddish and yellow 0%) clay, firm, with occas nots of blueish grey mudst ery occasional pebbles.	ional	0.35–0.41	

Trench No	288	Length 50 m	Width 1.80 m	Depth 0	.38 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
28801		Topsoil	Dark reddish brown silty cla common rounded and sub- stones of varying size. Mod compacted ploughsoil, with established rooting through	ounded erately well-	0.00-0.11
28802		Subsoil	Mid- to light greyish brown moderately compacted silty with rare angular coarse gra poorly sorted and no rooting	aveľ	0.11–0.35
28803		Natural	Mid-reddish brown clay with sandstone deposits and rare cobbles.		0.35-0.38+

Trench No 289		Length 50 m		Width 1.80 m Depth 0		.40 m
Context Number	Fill Of/Filled With	Interpretative Category	De	escription		Depth (m) BGL
28901		Topsoil	sto co	ark reddish brown silty cla mmon rounded and sub- ones of varying size. Mod mpacted, with well-establ oting throughout.	rounded erately	0.00-0.13
28902		Subsoil	mo wi	d- to light greyish brown oderately compacted silty th rare angular coarse graorly sorted and no rooting	avel,	0.13-0.33
28903		Natural	se	d- reddish brown clay wit dimentary deposits and rabbles.		0.33-0.40+
28904	28905	Furrow	wi fla	near furrow aligned WNW th shallow, concave sides t base. Length: >2.20 m. 60 m. Depth: 0.15 m.	and a	0.33-0.48
28905	28904	Secondary fill		ark greyish brown silty cla oderate greyish yellow sa	•	



Trench No	290	Length 50 m	Width 1.80 m	Depth 0.	.36 m
Context Number	Fill Of/Filled With	I Interpretative Category	Description		Depth (m) BGL
29001		Topsoil	Dark reddish brown silty cla Common rounded, sub-rour and sub-angular stones thro Well established crops and formations throughout.	nded oughout.	0.00-0.09
29002		Subsoil	Mid-yellowish brown silty cla Common rounded, sub-rour and sub-angular stones. Moderately compacted. Upp interface contains occasional tracks from crop.	nded ber	0.09–0.31
29003		Natural	Mid-reddish brown silty clay Heavily compacted with con sedimentary stone inclusion light greenish grey mottling places.	nmon s and	0.31-0.36+

Trench No	291 L	ength 50 m	Width 2 m	Depth 0.).28 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
29101		Topsoil	Mid-greyish brown loosely compacted silty clay, well ro frequent pebbly stones.	ooted,	0.00-0.13	
29102		Subsoil	Mid-orange brown moderate compacted silty clay, some rootlets, occasional pebbly	fine	0.13-0.28	
29103	29104, 29105	Ditch	Linear ditch aligned N-S wit shallow, irregular sides and base. Length: >1.00 m. Wid m. Depth: 0.69 m.	a flat	0.28–0.97	
29104	29103	Deliberate backfill	Mid-greyish brown moderat compaction clay with 10% moderate small to medium rounded stones poorly sorte	sub-		
29105	29103	Secondary fill	Dark greyish brown silty cla frequent sandstone.	y with		
29106		Natural	Mid-reddish brown densely compacted clay, occasional patches of light greenish gre limestone.		0.28	



Trench No	292 L	ength 50 m	Width 1.80 m Depth	0.37 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL
29201		Topsoil	Mid-greyish brown moderately compacted silty clay with substantial rooting and moderate coarse gravel.	0.00-0.32
29202		Subsoil	Mid-reddish brown silty clay with moderate compaction, no rooting and moderate coarse components.	0.32-0.37
29203		Natural	Dark reddish brown clay with patches of limestone patches of lighter whitish brown sandy material.	0.37+
29204	29205	Pit	Irregular pit with moderate, straight sides and a concave base. Length: 4.50 m. Width: >1.40 m. Depth: 0.70 m.	
29205	29204	Deliberate backfill	Dark brownish grey silty clay with moderate mixed stones max 150 mm.	
29206	29207	Deliberate backfill	Mid-greyish brown silty clay with occasional angular stones (max. 0.05 m).	
29207	29206, 29207	Pit	Incomplete pit with moderate, concave sides and a concave base Length: >0.40 m. Width: 0.84 m. Depth: 0.70 m.	0.37–1.07
29208	29207	Primary fill	Mid-pinkish brown clay with frequent crushed limestone from bedrock.	
29209	29210, 29211	Ditch	Linear ditch aligned NW-SE with moderate, concave sides and a concave base. Length: >1.80 m. Width: >0.94 m. Depth: 0.70 m.	0.37–1.07
29210	29209	Secondary fill	Light greyish brown silty clay with flecks of crushed limestone with occasional angular pieces of limestone.	
29211	29209	Primary fill	Light brownish pink clay with crushed limestone, occasional angular pieces of limestone.	



Trench No	293	Length 50 m	Width 2 m	Depth 0).32 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
29301		Topsoil	Loosely compacted mid-gre brown silty clay, well rooted occasional pebble stones.	-	0.00-0.18	
29302		Subsoil	Mid-orange brown, modera compacted silty clay, some rootlets, rare pebble stones	fine	0.18-0.32	
29303		Natural	Bright reddish brown dense compacted clay. Occasiona patches of broken light grey limestone.	aľ	0.32+	
29304	29305	Pit	Sub-oval pit with shallow, or sides and an irregular/undubase. Length: >1.80 m. Wid m. Depth: 0.22 m.	lating	0.32–54	
29305	29304	Deliberate backfill	Dark reddish grey silty clay occasional stones/sandstor			



Trench No		ength 50 m	Width 2 m Dep	oth 0.36 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL
29401		Topsoil	Mid-greyish brown, moderately compacted, silty clay, frequent stones.	0.00-0.14
29402		Subsoil	Mid-orange brown, moderately compacted, silty clay, some fine rootlets, moderate sub-rounded a sub-angular stone inclusions.	0.14–0.31 and
29403		Natural	Mid-reddish brown clay, occasion small to large sub-rounded and sub-angular stones.	nal 0.31–0.36+
29404	29405	Ditch	Linear ditch aligned NW-SE with steep, concave sides and a flat base. Length: 0.58 m. Width: 0.5 m. Depth: 0.43 m.	0.31–0.74
29405	29404	Secondary fill	Light brown silty clay with small t medium rounded and sub-angula stones, rare.	
29406	29407, 29408	Ditch	Linear ditch aligned NE-SW with moderate, concave sides and a f base. Length: 2.02 m. Width: 1.2 m. Depth: 0.44 m.	lat
29407	29406	Primary fill	Mixed light to mid-brownish grey and light reddish brown clay with small to large well rounded stone mod sorted.	
29408	29406	Secondary fill	Mid-greyish brown silty clay with small to large well-rounded stone poorly sorted, rare.	es,
29409	29410, 29411, 29412	Ditch	Linear ditch aligned NW-SE with steep, concave sides and a U-shaped base. Length: 0.70 m. Width: 2.00 m. Depth: 0.90 m.	0.31–1.21
29410	29409	Primary fill	Mid-brown clay with medium to v large well rounded and sub-angu stones at top of fill.	-
29411	29409	Secondary fill	Light pinkish brown clay with sma to medium rounded stones, rare.	
29412	29409	Secondary fill	Light brown clay with gravels, sm to medium rounded stones, moderate.	



Trench No	295	Length 50 m		Width 2 m	Depth 0	.33 m
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
29501		Topsoil	C	lid-greyish brown, modera ompacted, silty clay, well re equent pebble stones.	•	0.00-0.12
29502		Subsoil	C	id-orange brown, moderat ompacted, silty clay, some ooting, moderate pebble st	fine	0.12-0.26
29503		Natural	Co lig	right reddish brown, dense ompacted, clay with patche ght greenish grey clay, occ ebble stones and gravel.	es of	0.26-0.33+

Trench No	296	Length 50 m		Width 2 m Depth 0.		0.37 m	
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL	
29601		Topsoil	C	lid-greyish brown, fairly loo ompacted, silty clay, well r oderate pebble stone incl	ooted,	0.00-0.14	
29602		Subsoil	rc	lid-orange brown, moderate compacted, silty clay, some potlets, occasional pebble clusions.	fine	0.14-0.26	
29603		Natural	gı	right reddish brown, very of ompacted, clay, some light rey/white sub-angular lime clusions.	t	0.26-0.37+	

Trench No	297 I	∟ength 50 m		Width 2 m Depth 0.).39 m	
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL	
29701		Topsoil	CC	id-greyish brown, moderat ompacted, silty clay, well re oderate pebble stone inclu	ooted,	0.00-0.13	
29702		Subsoil	ro	id-orange brown, moderate ompacted, silty clay, some otlets, occasional pebble sclusions.	fine	0.13-0.28	
29703		Natural	CC	eddish brown, very densel ompacted, clay, occasiona ngular stone inclusions.	•	0.28-0.39+	



Trench No	298	Length 50 m	Width 2 m	Depth (0.48 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
29801		Topsoil	Mid-greyish brown, compacted, silty cla moderate pebble sto	y, well rooted,	0.00-0.18
29802		Subsoil	Mid-orange brown s fine rootlets, occasio stones.	•	0.18-0.36
29803		Natural	Very densely compa brown clay, with bar brown sandy clay, s angular and sub-rou inclusions.	nds of orange ome sub-	0.36-0.48+

Trench No 299 L		ength 50 m	Width 2 m	Depth 0).40 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
29901		Topsoil	Mid-greyish brown, fairly loc compacted, silty clay, abund roots, moderate pebble stor	dant	0.00-0.16	
29902		Subsoil	Mid-orange brown, moderat compacted, silty clay, some rootlets, occasional pebbles	fine	0.16–0.34	
29903		Natural		Bright reddish brown, very well compacted, clay, some patches of light greenish grey crumbly		
29904	29905	Secondary fill	Mixed light to mid-grey and reddish brown silty clay with to medium rounded and sub angular stones throughout.	small		
29905	29904	Posthole	straight sides and a flat base	Sub-circular posthole with steep, straight sides and a flat base. Length: 0.50 m. Width: 0.42 m.		
29906	29907	Deliberate backfill	Mixed light grey and mid-red brown silty clay with small to medium rounded and sub-a stones throughout.)		
29907	29906	Posthole	Circular posthole with steep straight sides and a flat base Diameter: 0.36 m. Depth: 0.	e.	0.34-0.44	



Trench No	300	Length 50 m	Width 2 m	Width 2 m Depth 0.	
Context	Fill Of/Filled	<u> </u>	Description		Depth (m)
Number	With	Category			BGL
30001		Topsoil		Friable, mid-grey brown, slightly	
			clayey silty sand with inclus		
			plastic and occasional stone	plastic and occasional stone.	
30002		Subsoil	Light yellowish brown, friable	le, silt.	0.22-0.50
30003		Natural	Patchy reddish brown clay moderate inclusion of stone	Patchy reddish brown clay with	
			throughout and light yellowish		
				311	
			brown compact silt with no		
			inclusions.		

Trench No	301 L	ength 50 m	Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
30101		Topsoil	Mid-greyish brown, moderate compacted, silty clay, well refrequent pebble stones.	•	0.00-0.17
30102		Subsoil	compacted, silty clay, some	Mid-orange brown, moderately compacted, silty clay, some fine rootlets, moderate pebble stones.	
30103		Natural	Reddish brown, densely compacted, clay and bands orange brown silty clay, more small angular and sub-angular stone inclusions.	derate	0.32-0.40+
30104	30105	Furrow	Linear furrow aligned N-S w shallow, concave sides and irregular/undulating base. Lo >2.00 m. Width: 1.47 m. De 0.05 m.	an ength:	0.32–0.37
30105	30104	Secondary fill	Mid-yellowish brown silty cla occasional sub-rounded and angular stones.	-	

Trench No	302 I	_ength 50 m	Width 2 m	Depth 0	.42 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
30201		Topsoil	Friable, mid-grey brown, slickly clayey silty sand with mode inclusions of plastic.		0.00-0.20
30202		Subsoil	Light brown yellow, friable, no inclusions.	silt with	0.20-0.42
30203		Natural	Patchy reddish brown clay moderate inclusions of rour stones throughout and light yellowish brown clayey silt occasional stones.	ded	0.42



Trench No	303	Length 50 m	Width 2 m	Width 2 m Depth 0	
Context	Fill Of/Filled	d Interpretative	Description		Depth (m)
Number	With	Category			BGL
30301		Topsoil	Friable slightly clayey silty with moderate inclusions		0.00-0.20
30302		Subsoil	Friable, light orange brow	Friable, light orange brown silt.	
30303		Natural	Patchy reddish brown clay moderate inclusions of round angular stones throughout yellowish brown sandy sill inclusions.	unded and t and light	0.50

Trench No 306 Length 50 m Width 1.84 m		Width 1.84 m	Depth 0.66 m	
Context	Fill Of/Filled	Interpretative	Description	Depth (m)
Number	With	Category		BGL
30601		Topsoil	Firm, light brown, silty clay.	0.00-0.30
30602		Natural	Very firm, light reddish brown	, clay. 0.30-0.66

Trench No 307		Length 50 m		Width 2 m	Depth 0	.40 m
Context	Fill Of/Filled	Interpretative	De	escription		Depth (m)
Number	With	Category				BGL
30701		Topsoil	Fi	rm, light brown, silty clay.		0.00-0.30
30702		Natural	Ve	ery firm, light reddish brow	n, clay.	0.30-0.40

Trench No 309		Length 50 m		Width 2 m	Depth 0	.60 m
Context	Fill Of/Filled	Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
30901		Topsoil	Fi	rm, light brown, silty clay.		0.00-0.30
30902		Natural	Ve	ery firm, light reddish brow	n, clay.	0.30-0.60

Trench No 310		Length 50 m		Width 2 m	Depth 0	.37 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	Description		Depth (m) BGL
31001		Topsoil	br	Moderately compacted, mid-greyish brown clayish silt with rare rounded stony inclusions 1-5 cm in size.		0.00-0.29
31002		Natural		id-pinkish red silty clay (10 ith patches of whitish gree	,	0.29-0.37+



Trench No	311	Length 50 m		Width 2 m Depth 0).41 m	
Context	Fill Of/Fille	<u>.</u>	D	Description		Depth (m)	
Number	With	Category				BGL	
31101		Topsoil	M	Mid-grey brown silty sand with		0.00-0.41.	
			in	frequent small grey white			
			ре	ebble stone inclusions and			
			m	inimal plant rooting. Mode	rate		
			CC	ompaction.			
31102		Natural	М	id-reddish brown sandy cl	ay with	0.41+	
			in	frequent small white angu	lar		
			st	one inclusions. Firm comp	action.		

Trench No 312 L		Length 50 m	Width 2 m	Depth 0	.58 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
31201		Topsoil	Firm, light brown, silty clay.		0.00-0.35
31202		Natural	Very firm, light reddish brow	n, clay.	0.35-0.58

Trench No 313 Length 50 m			Width 2 m Depth 0		.55 m	
Context	Fill Of/Filled	I Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
31301		Topsoil	Fi	rm, light brown, silty clay.		0.00-0.30
31302		Natural	Ve	ery firm, light reddish brow	n clay.	0.30-0.55

Trench No	314 L	ength 50 m	Width 2 m	Depth 0	.46 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
31401		Topsoil	Firm, light brown, silty clay.		0.00- 0.37
31402		Natural	Very firm, light reddish brow	n, clay.	0.37-0.46
31403	31404	Ditch	Linear ditch aligned E-W wi shallow, irregular sides and irregular/undulating base. L 1.00 m. Width: 0.86 m. Dep m.	an ength:	0.37-0.45
31404	31403	Secondary fill	Light brown silty clay with some large rounded stones (large found in feature outside of some lincluding heat affected) through the some large states and some large states are some large states and some large states are some large states and some large states are	r stones slot	



Trench No	315 L	ength 50 m		Width 2 m	Depth 0	.50 m
Context Number	Fill Of/Filled With	Interpretative Category	D	Description		Depth (m) BGL
	VVICII		+			
31501		Topsoil	FI	rm, light brown, silty clay.		0.00-0.35
31502		Natural	Ve	ery firm, light reddish brow	n, clay.	0.35-0.50
31503	31504, 31505	Ditch	m ba	near ditch aligned NW-SE oderate, straight sides and ase. Length: 0.84 m. Width . Depth: 0.27 m.	d a flat	0.35-0.62
31504	31503	Secondary fill	cla	ght to mid -reddish brown ay with gravel, small round ones throughout.	•	
31505	31503	Secondary fill	gr	ght to mid-brown silty clay avel, small to medium rou ones throughout.		

Trench No 316 Lo		_ength 50 m		Width 2 m	Depth 0	.46 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
31601		Topsoil	Fi	rm, light brown, silty clay.		0.00-0.36
31602		Natural	Ve	ery firm, light reddish brow	n, clay	0.36-0.46

Trench No	317	Length 50 m		Width 2 m Depth 0		.34 m
Context	Fill Of/Filled	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
31701		Topsoil	Fi	Firm, light brown, silty clay.		0.00-0.34
31702		Natural	V	Very firm, reddish brown, clay.		0.34
31703	31704	Ditch	irı irı O.	Linear ditch aligned N-S with irregular, irregular sides and an irregular/undulating base. Length: 0.78 m. Width: 0.76 m. Depth: 0.12 m.		0.34–0.42
31704	31703	Secondary fill		ght brown silt with small to redium rounded stones, ra		

Trench No 318 Length 50 m		Length 50 m		Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled	d Interpretative Category	D	escription		Depth (m) BGL
31801		Topsoil	cl	riable, mid-grey brown, sliq ayey sandy silt with some roughout.		0.00-0.40
31802		Natural	w	atchy light orange brown s hite limestone and bright r range slightly sandy silt.		0.40



Trench No 319 L		Length 50 m	Width 2 m	Depth 0	.50 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
31901		Topsoil	Firm, light brown, silty clay.		0.00-0.40
31902		Natural	Very firm, light reddish brow	n, clay.	0.40-0.50

Trench No	321 L	ength 50 m		Width 2 m	Depth 0	.39 m
Context	Fill Of/Filled	Interpretative	De	escription		Depth (m)
Number	With	Category				BGL
32101		Topsoil		Dark reddish-brown clayey sand.		0.00-0.18
				iable/loose compaction. N		
			inc	clusion of small-medium s	tones.	
32102		Natural		ark brownish-red silty clay		0.18-0.39
			fre	equent inclusions of mang	anese.	
			Pa	tches of white/grey chalk	and	
			lig	ht orange brown patches.	Firm	
			СО	mpaction.		

Trench No	322	Length 50 m	Width 2 m	Depth 0	.40 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
32201		Topsoil	Light to mid-yellowish brown clay. Firm and hard. Freque rooting (crop). Occasional s medium sub-rounded stone	nt mall to	0.00-0.30
32202		Natural	Mid-pinkish red slightly sand Firm and compact. Occasion small to medium sub-angular stones. Some occasional or of bedrock visible.	nal ar	0.30-0.40+

Trench No	323	Length 50 m	Width 2 m		Depth 0	.30 m
Context Number	Fill Of/Filled With	Interpretative Category	Description			Depth (m) BGL
32301		Topsoil	Mid-grey brown, fri clayey sandy silt.	able, slig	htly	0.00-0.25
32302		Natural	plastic, silty clay wi inclusions of limest throughout. There grey white limestor	Mid- to light orange red, semi- plastic, silty clay with moderate inclusions of limestone flecks throughout. There were patches of grey white limestone showing through at north end of trench.		0.25-0.30



Trench No	324 L	ength 50 m	Width 2 m	Depth 0).40 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL	
32401		Topsoil	Friable, mid-grey brown, clayey sandy silt.	Friable, mid-grey brown, slightly clayey sandy silt.		
32402		Natural	Light orange brown, frial silt with moderate inclusi limestone and mangane throughout. Also patches pink orange, semi-plastic silt with moderate inclusi limestone fragments throughout silt with moderate inclusions.	ons of se flecks s of light c, clayey ons of	0.30-0.40	

Trench No	325	Length 50 m		Width 2 m	Depth 0	.34 m
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
32501		Topsoil	ar	id-reddish brown clayey s nd hard. Frequent rooting	0.00-0.29	
			R	are small sub-rounded sto	nes.	
32502		Natural	w Fi	id- pinkish red slightly san ith patches of the bedrock rm and compact. Occasio nall to large sub-rounded	0.29-0.34+	

Trench No	326	Length 50 m	Length 50 m		Depth 0	.36 m	
Context Number	Fill Of/Fille With	d Interpretative Category	D	escription		Depth (m) BGL	
32601		Topsoil	а	ark reddish-brown clayey friable/loose compaction v ccasional small to medium	with	0.00-0.16	
32602		Alluvium		ght whiteish grey silty clay oderate compaction.	of a	0.16–0.23	
32603		Natural	fre	ark brownish-red silty clay equent inclusions of mang mly compacted.		0.23	

Trench No	328 I	Length 50 m	Width 2 m	Width 2 m Depth 0	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
32801		Topsoil	Dark reddish-brown cla a friable/loose compact Moderate inclusion of s medium stones.	tion.	0.00-0.10
32802		Natural	Dark brownish-red silty frequent inclusions of repatches of white/grey light orangish-brown. For compaction.	manganese. chalk and	0.10-0.38



Trench No	329	Length 50 m	Width 2 m	Depth 0).35 m	
Context Number	Fill Of/Fille With	d Interpretative Category	Description		Depth (m) BGL	
32901		Topsoil	Mid- grey brown, frial clayey sandy silt.	Mid- grey brown, friable, slightly clayey sandy silt.		
32902		Natural	friable, sandy silt and orange, semi-plastic,	Patchy mid- to light orange brown, friable, sandy silt and mid- to light orange, semi-plastic, clayey silt both with moderate inclusions of		

Trench No	330	Length 50 m		Width 2 m	Depth 0	.45 m
Context Number	Fill Of/Filled With	I Interpretative Category	D	Description		Depth (m) BGL
33001		Topsoil		Mid-grey brown slightly clayey sandy silt.		0.00-0.34
33002		Natural	cl	Light reddish brown, semi-plastic clayey silt with moderate inclusions of limestone flecks throughout.		0.34-0.45

Trench No	331	Length 50 m		Width 2 m	Depth 0	.11 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	Description		Depth (m) BGL
33101		Topsoil	а	ark reddish-brown clayey of friable/loose compaction v ccasional small to medium	vith	0.00-0.11
33102		Subsoil	fre	ark brownish-red silty clay equent inclusions of mang nd firmly compacted.		0.11

Trench No	332	Length 50 m	Length 50 m		Depth 0	.16 m
Context Number	Fill Of/Fille With	d Interpretative Category	D	Description		Depth (m) BGL
33201		Topsoil	а	Dark reddish-brown clayey sand of a friable/loose compaction with occasional small to medium stones.		0.00-0.16
33202		Natural	fr aı	Dark brownish-red silty clay with frequent inclusions of manganese and patches of light orange brown, firmly compacted.		0.16



Trench No	333	Length 50 m		Width 2 m	Depth 0	.42 m
Context Number	Fill Of/Filled With	d Interpretative Category	D	Description		Depth (m) BGL
33301		Topsoil	fri	Reddish-brown clayey sand of a friable/loose compaction with occasional stones.		0.00-0.16
33302		Natural	fr	ark brownish-red silty clay equent inclusions of mang nd patches of light orange	anese	0.16–0.42

Trench No	334	Length 50 m	Length 50 m		Depth 0	.40 m
Context	Fill Of/Fille	• • • • • • • • • • • • • • • • • • •	D	escription		Depth (m)
Number	With	Category				BGL
33401		Topsoil	а	Dark reddish-brown clayey sand of a friable/loose compaction with occasional small to medium stones.		0.00-0.09
33402		Natural	fro ar	Dark brownish-red silty clay with frequent inclusions of manganese and patches of light orange brown firmly compacted.		0.09-0.40

Trench No	335	Length 50 m		Width 2 m	Depth 0	.42 m
Context Number	Fill Of/Fille With	d Interpretative Category	D	Description		Depth (m) BGL
33501		Topsoil	in pe m	Mid-grey brown silty sand with infrequent small grey white rounded pebble stone inclusions and minimal plant rooting. Moderate compaction.		0.00-0.42.
33502		Natural	in	id-reddish brown sandy cl frequent small white angu one inclusions. Firm comp	lar	0.42+

Trench No	336	Length 50 m		Width 2 m Depth 0).38 m	
Context	Fill Of/Fille	d Interpretative	De	escription		Depth (m)	
Number	With	Category				BGL	
33601		Topsoil	inf pe mi	Mid-grey brown silty sand with infrequent small grey white rounded pebble stone inclusions and minimal plant rooting. Moderate compaction.		0.00-0.38.	
33602		Natural	inf	d-reddish brown sandy cl requent small white angu one inclusions. Firm comp	lar	0.38+	



Trench No	337	Length 50 m	Width 2 m	Depth 0.	.56 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
33701		Topsoil	Mid-grey brown, friable, slig clayey sandy silt with some throughout.	•	0.00-0.32
33702		Subsoil	Mid-reddish orange, semi-p clayey silt with no inclusions	-	0.32-0.56
33703		Natural	Light red orange, friable, slickly clayey silt with moderate paragreyish white limestone through Towards west end it becompatchy - light brown orange white a mix of silt and limes	oughout. es more and	0.56

Trench No	338	Length 50 m		Width 2 m Depth 0).45 m	
Context Number	Fill Of/Fille With	d Interpretative Category	D	escription		Depth (m) BGL	
33801		Topsoil	cl	riable, mid-brown grey, slig ayey sandy silt with some proughout.		0.00-0.40	
33802		Natural	re w	atchy, semi-plastic/friable, eddish brown clay and ligh hite limestone mixed in sn atches.	t yellow	0.40-0.45	

		Length 50 m		Width 2 m Depth 0.		.40 m
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
33901		Topsoil	cl	riable, mid-brown grey, sliq ayey sandy silt with some iroughout.		0.00-0.30
33902		Natural	fle la	rown, semi-plastic, silty cla ecks of limestone throughorger patches of limestone astern end.	out and	0.30-0.40

Trench No	Trench No 340 Length 50 m Width 2 m De		Depth 0	Depth 0.56 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
34001		Topsoil	Mid-grey brown silty sand w infrequent small grey white pebble stone inclusions and minimal plant rooting. Mode compaction.	rounded I	0.00-0.56
34002		Natural	Mid-reddish brown sandy cl infrequent small grey white pebble stone inclusions. Fir compaction.	rounded	0.56+



Trench No 341 Length 50 m		ength 50 m	Width 2 m	Depth 0).70 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	·	Depth (m) BGL
34101		Topsoil	Friable, mid-brown gre clayey sandy silt with s throughout.		0.00-0.30
34102		Subsoil	Friable, brown orange clayey silt with no inclu	• .	0.30-0.50
34103		Natural	Streaky light brown or compact, silt with mod inclusions of limestone throughout.	lerate	0.50-0.70

Trench No	342	Length 50 m		Width 2 m Depth (0.57 m	
Context Number	Fill Of/Filled	d Interpretative Category	De	escription		Depth (m) BGL	
34201		Topsoil	int pe m	id-greyish brown silty sar frequent small grey white abble stone inclusions an inimal plant rooting. Mod ampaction.	rounded d	0.00-0.57	
34202		Natural	inf	id-reddish brown sandy o frequent small white ango one inclusions. Firm com	ular	0.57+	

Trench No	343 L	ength 50 m	Width 2 m Depth 1.		.12 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
34301		Topsoil	Mid-grey brown silty sand w infrequent small grey white in pebble stone inclusions and minimal plant rooting. Mode compaction.	rounded	0.00-0.62
34302		Subsoil	Mid-orange brown silty sand infrequent small grey white in pebble stone inclusions and minimal plant rooting. Mode compaction.	rounded	0.62–1.12
34303		Natural	Mid-reddish brown sandy classification infrequent small grey white a pebble stone inclusions. First compaction.	rounded	1.12+



Trench No	344 L	ength 50 m	Width 2 m	Depth 0	.57 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
34401	With	Topsoil	Mid-grey brown silty sand winfrequent small grey white pebble stone inclusions and minimal plant rooting. Mode compaction.	rounded I	0.00-0.38
34402		Subsoil	Mid-orange brown silty sand infrequent small grey white pebble stone inclusions. Mo compaction.	rounded	0.38-0.57
34403		Natural	Mid-reddish brown sandy cl infrequent small white angu stone inclusions. Firm comp	lar	0.57+

Trench No 345 Length 50 m		Width 2 m	Depth 1	.20 m		
Context Number	Fill Of/Filled With	Interpretative Category	De	escription		Depth (m) BGL
34501		Topsoil	cla	Friable, mid-grey brown, slightly clayey sandy silt with some plastic throughout.		0.00-0.40
34502		Colluvium?	М	id-brown orange, soft, silty	/ sand.	0.40-1.20

Trench No	ch No 346 Length 50 m Width 1.80 m Depth 0.35		.35 m			
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
34601		Topsoil	cl	lid -brown, moderately con ay with 10% small to medi ounded and sub-angular st porly sorted.	um sub-	0.00-0.30
34602		Natural	co sr	lid-brownish red, moderate ompact, clay with 10% mo mall to medium sub-round ones, poorly sorted.	derate	0.30-0.35

Trench No	347	Length 50 m		Width 1.80 m Depth (0.30 m	
Context	Fill Of/Fille	<u>-</u>	D	escription		Depth (m)	
Number	With	Category				BGL	
34701		Topsoil	cl	lid-brown, moderately com ay with 10% small to medi ounded and sub-angular st porly sorted.	ium sub-	0.00-0.23	
34702		Natural	SI	lid-brownish red, moderate ompact, clay with 10% mo- mall to medium sub-round cones, poorly sorted	derate	0.23-0.30	



Trench No	348	Length 50 m		Width 1.80 m	Depth 0	.40 m
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
34801		Topsoil	cl	lid -brown, moderately con ay with 10% small to medi ounded and sub-angular st porly sorted.	um sub-	0.00-0.34
34802		Natural	co	lid-brownish red, moderate ompact, clay with 10% mo- mall to medium sub-round ones, poorly sorted.	derate	0.34-0.40

Trench No	349	Length 50 m	Width 1.80 m	Width 1.80 m Depth 0	
Context Number	Fill Of/Fille With	d Interpretative Category	Description		Depth (m) BGL
34901		Topsoil	Mid-brown, moderately compact, clay with 10% small to medium subrounded and sub-angular stones, poorly sorted.		0.00-0.20
34902		Natural	Mid-brownish red, mo compact, clay with 10 small to medium substones, poorly sorted	0% moderate -rounded	0.20-0.28

Trench No	350	Length 50 m	Width 1.80 m	Width 1.80 m Depth 0	
Context Number	Fill Of/Fille With	d Interpretative Category	Description		Depth (m) BGL
35001		Topsoil	Mid-brown, moderately compact, clay with 10% small to medium subrounded and sub-angular stones, poorly sorted.		0.00-0.23
35002		Natural	Mid-brownish red, mo compact, clay with 10 small to medium sub- stones, poorly sorted.	% moderate rounded	0.23-0.34

Trench No	351	Length 50 m		Width 1.80 m Depth 0		.29 m
Context	Fill Of/Fille	d Interpretative	De	escription		Depth (m)
Number	With	Category				BGL
35101		Topsoil	cla ro	id-brown, moderately com ay with 10% small to medi unded and sub-angular st porly sorted.	um sub-	0.00-0.24
35102		Natural	wi m	id-red, moderately compa th 10% moderate small to edium sub-rounded stone oorly sorted.		0.24-0.29



Trench No	Trench No 352 Length 50 m Widt		Width 1.80 m	Depth 0	.40 m	
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
35201		Topsoil	cl rc	Mid-brown, moderately compact, clay with 10% small to medium subrounded and sub-angular stones, poorly sorted.		0.00-0.34
35202		Natural	w m	id-red, moderately compa ith 10% moderate small to edium sub-rounded stone porly sorted.)	0.34-0.40

Trench No	353	Length 50 m	Width 1.90 m	Depth 1	.20 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
35301		Topsoil	Mid- to dark brown clayey s and granular. Frequent root (crop). Rare small to mediu angular and sub-rounded s about 10-20 mm in size sca throughout.	ting m sub- tones	0.00-0.20
35302		Colluvium	Mid-brownish yellow clayey Firm, hard and compact. Fr small to large sub-rounded Frequent small manganese	equent stones.	0.20–1.20
35303		Natural	Mid-pinkish red slightly san Firm and compact. Occasio outcrops of early bedrock formation. Quite stony with patches of silty sand.	onal	1.20+

Trench No	ench No 354 Length 50 m Width 2 m Depth 0.		.30 m			
Context	Fill Of/Filled	Interpretative	Desci	ription		Depth (m)
Number	With	Category				BGL
35401		Topsoil	Mid-g clayey	reyish brown, friable, s y silt.	sandy	0.00-0.10
35402		Subsoil	Mid-b silt.	rown orange, friable, s	andy	0.10-0.30
35403		Natural	with o	orange pink, plastic, since occasional patch of limbreas of light brown ora and.	estone	0.30+



Trench No	355 I	Length 50 m	Width 1.80 m	m Depth 0.47 m	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
35501		Topsoil	Dark greyish brown sa common rooting conce on/near surface, 5% sp sorted sub-rounded gra mm, loose compaction clear horizon with 3550	entrated parse poorly avel 2-60 , moderately	0.00-0.38
35502		Natural	Dark reddish brown wirclay, 3% sparse poorly rounded 2-50 mm grave compaction, plough so moderately clear horized 35501.	sorted sub- el, firm ars in layer,	0.38-0.47+

Trench No	356	Length 50 m	Width 1.80 m	Width 1.80 m Depth 0	
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
35601		Topsoil	Dark greyish brown sandy common rooting concentration near surface, 5% sparse particles sorted sub-rounded 2-60 gravel, moderate to loose compaction, moderately contributed horizon with 35602.	ated on / poorly mm	0.00-0.36
35602		Natural	Dark reddish brown with a clay, 3% sparse poorly so rounded 2-50 mm gravel, compaction, plough scars moderately clear horizon 35601.	rted sub- firm in layer,	0.36-0.48+

Trench No	357 L	ength 50 m	Width 1.80 m	Depth 0	.33 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
35701		Topsoil	Mid-greyish brown sandy si common rooting on/near su 5% sparse poorly sorted su rounded 2-70 mm gravel, lo moderate compaction, modelear horizon with 35702.	rface, b- ose to	0.00-0.25
35702		Natural	Dark reddish brown with a g clay, 3% sparse poorly sorte rounded 2-50 mm gravel, fir compaction, plough scars in moderately clear horizon wi 35701.	ed sub- m n layer,	0.25-0.33+



Trench No	358	Length 50 m		Width 1.80 m	Depth 0	.40 m
Context Number	Fill Of/Filled With	Interpretative Category	D	escription		Depth (m) BGL
35801		Topsoil	rc lig	id-greyish brown sandy si % sparse poorly sorted sulunded 2-60 mm gravel, must rooting near surface, must rootion, moderately cleorizon with 35802.	b- oderate noderate	0.00-0.35
35805		Natural	cl rc lir co m	ark reddish brown with a gay, 3% sparse poorly sorte ounded 2-50 mm gravel, conestone flecking in layer, formpaction, plough scars in oderately clear horizon wi 5801.	ed sub- ommon iirm n layer,	0.35-0.40+

Trench No	359 L	ength 50 m	Width 1.80 m	Depth 0	.50 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
35901	With	Topsoil	Dark greyish brown sandy s 3% sparse poorly sorted sul rounded 2-70 mm gravel, co- light rooting on surface, moderately diff horizon with 35902 due to s mixing between the layers be discernible through colour.	b- ommon derate use ome	0.00-0.42
35902		Natural	Mid-brownish red with a gre 3% sparse poorly sorted sul rounded 2-40 mm gravel, fir compaction, moderately diff horizon with 35901 due to s mixing between the layers be discernible through colour.	b- m use ome	0.42-0.50+

Trench No	360 L	ength 50 m	Width 2 m	Depth	0.30 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
36001	36001	Topsoil	Mid-greyish browr sandy silt.	Mid-greyish brown, friable, clayey sandy silt.	
36002	36002	Subsoil	Light orange brow silt. Occasional, ra distributed, small	andomly	0.19–0.29
36003	36003	Natural	Light pink red, pla moderate inclusio limestone fragmer lighter brown grey Occasional flint no	ns of small-sized nts and patches of clay throughout.	0.29-0.30+



Trench No	361 L	ength 50 m	Width 2 m	Depth 0	.30 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
36101		Topsoil	Mid-greyish brown, friable, clayey silt.	sandy	0.00-0.08
36102		Subsoil	Light brown orange, friable, silt. Occasional small stone randomly distributed.	•	0.08-0.22
36103		Alluvium	Homogeneous light yellow friable, sandy silt with occas rounded stones, randomly distributed.		0.22-0.25
36104		Natural	Streaky light orange/red yet orange, plastic, silty clay with moderate inclusions of small stones, limestone fragment occasional manganese flect throughout.	th Ill-sized s and	0.25-0.30+

Trench No	362 I	_ength 50 m	Width 1.	80 m	Depth 0	.30 m
Context	Fill Of/Filled	Interpretative	Description			Depth (m)
Number	With	Category				BGL
36201		Topsoil	clay with 10	moderately com % small to medid sub-angular st d.	ium sub-	0.00-0.28
36202		Natural	with 10% me	derately compa oderate small to rounded stone d.)	0.28-0.30

Trench No 363 Length 50 m		Width 1.	80 m	Depth 0	.35 m	
Context	Fill Of/Filled	Interpretative	Description	1		Depth (m)
Number	With	Category				BGL
36301		Topsoil	clay with 10	moderately com % small to medid sub-angular st d.	um sub-	0.00-0.28
36302		Natural	compact, cla	sh red, moderate ay with 10% mo dium sub-round rly sorted.	derate	0.28–0.35



Trench No 364 Length 50 m			Width 1.80 m	Depth 0	.39 m	
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
36401		Topsoil	cl ro	id-brown, moderately com ay with 10% small to medi unded and sub-angular st porly sorted.	um sub-	0.00-0.34
36402		Natural	cl	id-yellow, moderately com ay with 10% sub-rounded porly sorted.		0.34–0.39

Trench No	365 L	ength 50 m	Width 1.80 m Depth	0.50 m
Context Number	Fill Of/Filled With	Interpretative Category	Description	Depth (m) BGL
36501		Topsoil	Dark greyish brown sandy silt, common rooting concentrated on/near surface, 5% sparse poorly sorted sub-rounded 2-50 mm gravel, loose compaction, moderately clear horizon with 36502.	0.00-0.30
36502		Subsoil	Mid-yellowish brown with a grey hue sandy silt, 3% sparse poorly sorted sub-rounded 2-30 mm gravel, moderate compaction, moderately clear horizon with 36501 and 36503, layer fluctuates in thickness across trench. Measurement given is a rough average with a difference of +/-0.07 m. Some mixing between this layer and 36503.	0.30-0.40
36503		Natural	Dark reddish brown clay, common limestone flecking, 5% sparse poorly sorted sub-rounded 2-70 mm gravel, firm compaction, moderately clear horizon with 36502, some mixing with 36502.	

Trench No	366	Length 50 m	Width 1.80 m Depth 0.4		.40 m	
Context	Fill Of/Fille	<u> </u>	D	escription		Depth (m)
Number	With	Category				BGL
36601		Topsoil	cl rc	lid-brown, moderately com ay with 10% small to medi ounded and sub-angular st porly sorted.	um sub-	0.00-0.37
36602		Natural	cl m	lid-yellow, moderately com ay with 10% moderate sm edium sub-rounded stone porly sorted.	all to	0.37-0.40



Trench No	367	7 Length 50 m		Width 1.80 m	Depth 0	.33 m
Context	Fill Of/Filled	d Interpretative	D	escription		Depth (m)
Number	With	Category				BGL
36701		Topsoil	cl	lid-brown, moderately com ay with 10% small to medi ounded and sub-angular st porly sorted.	ium sub-	0.00-0.28
36702		Natural	co	lid-brownish yellow, mode ompact, clay with 10% mo mall to medium sub-round cones, poorly sorted.	derate	0.28-0.33

Trench No	368	Length 50 m	Width 1.80 m	Depth 0	.45 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
36801		Topsoil	Mid-brown, moderate clay with 10% small to rounded and sub-ang poorly sorted.	o medium sub-	0.00-0.28
36802		Natural	Mid-yellow, moderate clay with 10% modera medium sub-rounded poorly sorted.	ate small to	0.28-0.45

Trench No	Trench No 369 Length 50 m		Width 1.80 m	Depth	0.32 m
Context Number	Fill Of/Fille With	d Interpretative Category	Description		Depth (m) BGL
36901		Topsoil	clay with 10% small t	Mid-brown, moderately compact, clay with 10% small to medium subrounded and sub-angular stones,	
36902		Natural	Mid-greyish blue, cor 10% sub-rounded sto sorted.		0.20-0.32

Trench No	370	Length 50 m		Width 1.80 m Depth 0		.39 m
Context	Fill Of/Fille	<u>'</u>	D	escription		Depth (m)
Number	With	Category				BGL
37001		Topsoil	cl rc	lid-brown, moderately com ay with 10% small to medi ounded and sub-angular st porly sorted.	um sub-	0.00-0.28
37002		Natural	cl m	lid-yellow, moderately com ay with 10% moderate sm edium sub-rounded stone porly sorted.	all to	0.28-0.39



Trench No	371 L	ength 50 m	Width 1.80 m	Depth 0	.47 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
37101		Topsoil	Dark greyish brown sandy so common rooting concentrated on/near surface, 5% sparsed sorted sub-rounded 2-60 m gravel, moderate to loose compaction, clear horizon with 37102.	ed poorly m	0.00-0.33
37102		Subsoil	Mid-greyish brown with a ye hue sandy silt, 1% rare poo sorted sub-rounded 2-50 m gravel, moderate compaction horizon with 37101, diffuse with 37103 due to some mix between the layers.	rly m on, clear horizon	0.33-0.45
37103		Natural	Mid-brownish red with a yel clay, some geological patch mid yellowish grey silty clay throughout layer, 5% sparse sorted sub-rounded 2-60 m gravel, common limestone firm compaction, diffuse how with 37102 due to some mix between the layers.	es of e poorly m flecking, rizon	0.45-0.47+

Trench No	372 L	ength 50 m	Width 1.80 m	Depth 0	.46 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
37201		Topsoil	Dark greyish brown sandy sabundant rooting concentration/near surface, 5% sparse sorted sub-rounded 2-60 mgravel, moderate to loose compaction, diffuse horizon 37202.	ted poorly m	0.00-0.34
37202		Subsoil	Mid-greyish brown with a ye hue sandy silt, 1% rare poo sorted sub-rounded 2-50 m gravel, moderate compaction diffuse horizon with 37201 a 37203.	rly m on,	0.34-0.39
37203		Natural	Mid-brownish red with a yel clay, some geological patch mid-yellowish grey silty clay throughout layer, 5% sparse sorted sub-rounded 2-60 m gravel, common limestone f firm compaction, diffuse hor with 37202.	nes of r e poorly m flecking,	0.39-0.46+



Trench No	373 L	ength 50 m	Width 1.80 m	Depth 0	.60 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
37301		Topsoil	Dark greyish brown sandy so common rooting concentration/near surface, 5% sparse sorted sub-rounded 2-60 m gravel, moderate to loose compaction, moderately cle horizon with 37302.	ed poorly m	0.00-0.30
37302		Subsoil	Mid-yellowish brown with a hue sandy silt, 1% rare poo sorted sub-rounded 2-30 m gravel, moderate compactio moderately clear horizon wi 37301 and 37303.	rly m on,	0.30-0.45
37303		Natural	Mid-brownish red with a yel clay, some geological patch mid yellowish grey silty clay throughout layer, 5% sparse sorted sub-rounded 2-60 m gravel, common limestone firm compaction, moderatel horizon with 37302.	nes of e poorly m flecking,	0.45-0.60+

Trench No	374	Length 50 m	Width 1.80 m	Depth 0	.38 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
37401		Topsoil	Dark greyish brown sandy so common rooting concentrate on/near surface, 5% sparse sorted sub-rounded 2-60 min gravel, moderate to loose compaction, clear horizon with 37402.	ed poorly m	0.00-0.27
37402		Natural	Mid-yellowish grey with a reclay, 10% moderate well so sub-rounded 2-70 mm grave gravel inclusions tend to be patches across layer, firm compaction, clear horizon w 37401, common limestone full throughout layer.	rted el, in vith	0.27-0.38+



Trench No	376	Length 50 m		Width 2 m Depth ().40 m	
Context	Fill Of/Fille	d Interpretative	De	escription		Depth (m)	
Number	With	Category				BGL	
37601		Topsoil		d-grey brown, friable, clay ndy silt.	yey	0.00-0.26	
37602		Subsoil	_	Light brown orange, friable, sandy silt with no inclusions.		0.26-0.36	
37603		Natural	pla sm	ght pink red and very light astic, silty clay with occas nall stones and limestone gments throughout.	ional	0.36-0.40+	

Trench No	386 Lo	ength 50 m	Width 1.99 m	Depth 1	.20 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
38601		Topsoil	Mid- to dark brown clayey s and granular. Frequent root (crop). Rare small to mediul angular and sub-rounded st about 10-30 mm in size sca	ing m sub- ones	0.00-0.30
			throughout.	liereu	
38602		Colluvium	Mid- brownish yellow clayey Firm, hard and compact. Fro small to large sub-rounded Frequent small manganese	equent stones.	0.30–1.20
38603		Natural	Mid-pinkish red slightly sand Firm and compact. Occasio outcrops of early bedrock formation. Quite stony in ce areas with patches of sand.	nal rtain	1.20+

Trench No	387	Length 50 m		Width 1.99 m Depth		1.20 m	
Context	Fill Of/Fille	d Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
38701		Topsoil	ar (c	id- to dark brown clayey s nd granular. Frequent root rop). Rare small to mediu ngular and sub-rounded st	ing m sub-	0.00-0.31	
38702		Colluvium	Fi sr	id-brownish yellow clayey rm, hard and compact. Fro nall to large sub-rounded s requent small manganese	equent stones.	0.31–1.20	



Trench No	392 L	ength 20 m	W	idth 2 m	Depth 0	.42 m
Context Number	Fill Of/Filled With	Interpretative Category	Desc	ription		Depth (m) BGL
39201		Topsoil	comp	greyish brown, fairly loo pacted, silty clay, well re erate pebble stones ghout.	•	0.00-0.16
39202		Subsoil	comp	orange brown, modera pacted silty clay, some ets, occasional pebble	fine	0.16–0.32
39203		Natural	comp crum limes	lish brown, very dense pacted, clay flecked wit bly light greenish grey tone. Occasional patc sed limestone bedrock	hes of	0.32-0.42+

Trench No	393 Le	ength 30 m	Width 1.91 m	Depth 0	.44 m
Context Number	Fill Of/Filled With	Interpretative Category	Description		Depth (m) BGL
39301		Topsoil	Dark grey brown clayey silt. Granular, sticky, slightly pla Frequent rooting (crop). Occ small to medium sub-rounde stones.	stic. casional	0.00-0.32
39302		Natural	Mid-brownish orange red sli sandy clay. Firm, compact, Occasional small to mediun angular stones.	plastic.	0.32-0.44+
39303		VOID - number skipped	VOID - number skipped		
39304	39305	Ditch	Linear ditch aligned N-S wit shallow, concave sides and base. Length: 1.00 m. Width m. Depth: 0.13 m.	a flat	0.44–0.57
39305	39304	Secondary fill	Mid-greyish brown sandy cl silt with sparse (5%) rounder rounded/sub-angular stone inclusions of small size (10-	ed/sub-	



Trench No	394 L	ength 30 m	Width 1.94 m	Depth 0.	42 m
Context	Fill Of/Filled	Interpretative	Description		Depth (m)
Number	With	Category			BGL
39401		Topsoil	Mid-brown grey clayey silt.		0.00-0.27
			Granular, sticky and plastic.		
			Frequent rooting (crop). Occ	casional	
			small to medium sub-rounde	ed	
			stones.		
39402		Natural	Light to mid-yellow clay. Fire	m,	0.27-0.42+
			sticky, plastic. Occasional s	mall to	
			medium sub-rounded stone	S.	
39403	39404	Secondary fill	Mid-grey with orange mottling	ng	
			throughout sandy clay with		
			occasional small to medium	sub-	
			rounded and sub-angular st	ones	
39404	39403	Ditch	Linear ditch aligned NW-SE		
			Length: >1.94 m. Width: 2.0	8 m.	

Trench No	395	Length 30 m		Width 1.93 m Depth 0		0.53 m	
Context Number	Fill Of/Filled With	d Interpretative Category	D	escription		Depth (m) BGL	
39501		Topsoil	gı	lid-brown grey clayey silt. canular, slightly plastic. Fro oting (crop). Occasional s redium sub-rounded stone	equent mall to	0.00-0.29	
39502		Natural	sa of F	lid-yellowish red clay. Bec andier towards the south-e f trench. Firm, sticky and p requent small to medium s bunded and sub-angular si	east end plastic. sub-	0.29-0.53+	

Trench No	396	Length 30 m		Width 1.94 m Depth 0).44 m	
Context	Fill Of/Fille	d Interpretative	De	escription		Depth (m)	
Number	With	Category				BGL	
39601		Topsoil	Gr Fre	d-brown grey clayey silt. ranular, sticky and slightly equent rooting (crop). Octall to medium sub-roundenes.	casional	0.00-0.33	
39602		Natural	sti	d-orange red sandy clay. cky, plastic. Frequent sma ry large sub-rounded stor	all to	0.33-0.44+	



Trench No	2492	Length 25 m		Width 2.02 m Depth 0).44 m	
Context	Fill Of/Filled	Interpretative	D	escription		Depth (m)	
Number	With	Category				BGL	
249201		Topsoil	ha O	lid-grey brown silty clay. F ard. Frequent rooting (crop ccasional small to medium bunded stones.	o).	0.00-0.34	
249202		Natural	Fi Sr	lid-pinkish red slightly sand irm and compact. Occasio mall to medium sub-angula clusions.	nal	0.34-0.44+	

Trench No 3041 Length 25 m			Width 2 m	Depth 0	.40 m	
Context Number	Fill Of/Filled With	I Interpretative Category	De	Description		Depth (m) BGL
304101		Topsoil	Fr	iable, light brown, silty cla	у.	0.00-0.30
304102		Natural	Ve	ery firm, light reddish brow	n, clay.	0.30-0.40

Trench No 3042 Length 25 m			Width 2 m Depth 0.40 m			
Context Number	Fill Of/Filled	d Interpretative Category	D	Description		Depth (m) BGL
304201		Topsoil	Sa	id-grey brown slightly clay andy silt with some plastic roughout.	•	0.00-0.34
304202		Natural	sl cl	Patchy light orange brown, friable, slightly sandy silt and brown red clay with moderate inclusions of limestone throughout.		0.34-0.40

Trench No 3051 Length 25 m		Width Unknown Depth 0.37 m		.37 m		
Context Number	Fill Of/Filled With	d Interpretative Category	De	Description		Depth (m) BGL
305101		Topsoil	cla Fr	Light yellowish brown slightly clayey sand. Firm and friable. Frequent rooting (crop). Occasional small sub-angular stones.		0.00-0.31
305102		Natural	cla O	Mid-reddish pink slightly sandy clay. Very firm and compact. Occasional small to medium subangular stones.		0.31-0.37+



Trench No	3052	Length 25 m		Width 1.95 m Depth 0.41 m		.41 m
Context	Fill Of/Filled	Interpretative	D	escription		Depth (m)
Number	With	Category		•		BGL
305201		Topsoil	sa	lid-yellowish brown slightly and. Firm and friable. Freq poting (crop). Occasional s ub-angular stones.	0.00-0.35	
305202		Natural	Fi sr	lid-pinkish red slightly sand irm and compact. Occasio mall to medium sub-roundo ub-angular stones.	nal	0.35-0.41+

Trench No 3081 L		Length 25 m	Width 2 m	Depth 0).36 m	
Context	Fill Of/Filled Interpretative De		Description		Depth (m)	
Number	With	Category			BGL	
308101		Topsoil	Firm, light brown, silty clay.		0.00-0.32	
308102		Natural	Very firm, light reddish brow	n, clay.	0.32-0.36	

Trench No 3082 L		Length 25 m		Width 2 m	Depth 0	.32 m
Context Number	Fill Of/Filled With	Interpretative Category	D	Description		Depth (m) BGL
308201		Topsoil	Fr	Friable, light brown, silty clay.		0.00-0.32
308202		Natural	Ve	ery firm, light reddish brow	n, clay.	0.32

Trench No 3101 L		Length 25 m		Width 2 m	Depth 0.40 m	
Context Number	Fill Of/Filled With	Interpretative Category	De	escription		Depth (m) BGL
310101		Topsoil	Fi	rm, light brown silty clay.		0.00-0.32
310102		Natural	Ve	ery firm, reddish brown cla	ıy.	0.32-0.40

Trench No 3102 Length 25 m			Width 2 m Depth 0		.50 m	
Context	Fill Of/Filled	Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
310201		Topsoil	Fi	rm, light brown, silty clay.		0.00-0.30
310202		Natural	٧.	firm, light reddish brown,	clay.	0.30-0.50+

Trench No 3111 Length 25 m			Width 2 m	Depth 0.30 m		
Context	Fill Of/Filled	Interpretative	De	Description		Depth (m)
Number	With	Category				BGL
311101		Topsoil	Fir	m, mid-brown, silty clay.		0.00-0.30
311102		Natural	Lig	ght reddish brown, clay.		0.30

Trench No 3112 Lo		ength 25 m		Width 2 m Depth		0.36 m	
Context Number	Fill Of/Filled With	Interpretative Category	De	escription		Depth (m) BGL	
311201		Topsoil	Fir	m, light brown, silty clay.		0.00-0.30	
311202		Natural	Ve	ry firm, reddish brown, cla	ay.	0.30-0.36+	



Trench No	3201	Length 25 m		Width 2 m Depth 0.35 m		.35 m
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
320101		Topsoil		Mid-grey brown, friable, slightly		0.00-0.25
			cl	ayey sandy silt.		
320102		Natural	М	id- to light orange red, ser	ni-	0.25-0.35+
			pl	astic, clayey silt with mode	erate	
			in	clusions of limestone flech	(S	
			th	roughout and patches of I	ight	
			уe	ellow brown friable sandy	silt.	

Trench No	3202	Length 25 m	Wic	dth 2 m	Depth 0	.45 m
Context	Fill Of/Fille	d Interpretative	Descri	Description		Depth (m)
Number	With	Category				BGL
320201		Topsoil	Mid-gro	ey brown slightly clay silt.	0.00-0.34	
320202		Natural	semi-p orange modera flecks	mid- to light orange plastic, clayey silt and be brown friable sandy ate inclusions of limesthroughout and large white limestone.	light silt with stone	0.34–0.45+

Trench No	Trench No 3271 Length 25 m			Width 2 m Depth 0.34 m		.34 m
Context	Fill Of/Fille	d Interpretative	D	Description		Depth (m)
Number	With	Category				BGL
327101		Topsoil		id-grey brown, friable, slig ayey sandy silt.	0.00-0.29	
327102		Natural	se m fle	atchy light to mid- reddish emi-plastic, clayey silt with oderate inclusions of lime ecks and larger patches of nestone throughout.	0.29–0.34	

Trench No 3272		Length 25 m	Width 2 m	Depth	epth 0.44 m		
Context	Fill Of/Filled	Interpretative	Description	Depth (m)			
Number	With	Category			BGL		
327201		Topsoil	Dark reddish-brown a loose compaction small to medium sto	0.00-0.25			
327202		Natural	Dark brownish-red s frequent inclusions firmly compacted.		0.25–0.44		



Appendix 2 Environmental evidence

Area	Feature Type	Feature	Context	Sample Code	Sample vol. (I)	Flot vol.	Bioturb ation proxies	Grain	Chaff	Cereal	Charred Other	Charred Other Notes	Charcoa I >2mm	Charcoa	Other	Preserv ation
Area 1 (Field 7)	Ditch	9705	9704	266170 _9701	27	50	90%, C (incl. modern cereal chaff), F	В	-	Triticum sp., Hordeum sp., Triticeae	С	Poaceae (incl. Bromus/Avena sp.), Trifolieae, tubers/rhizomes	4	Mostly non- Quercus species (incl. cf. Calluna vulgaris tp. stems). Fragmented, some mineral staining.	Coal/clinker/cinder (B)	Poor
Area 1 (Field 7)	Ditch	9706	9707	266170 _9702	25	50	99%, C (incl. modern cereal chaff), I, F	-	-	-	-	-	<1	Fragmented	Coal (B)	-
Area 1 (Field 7)	Ditch	9710	9708	266170 _9703	38	50	95%, A* (incl. modern cereal chaff, wood frags, frags of plastic), I, F	С	С	Triticum spelta glume base, Triticeae grains	В	Poaceae, Vicieae, <i>Rumex</i> sp., tubers/rhizomes	<1	cf. Calluna vulgaris tp. stems, otherwise fragmented	Coal/clinker/cinder (A*)	Poor
Area 1 (Field 7)	Ditch	9710	9709	266170 _9704	30	50	10%, A*** (mostly modern cereal chaff, wood frags), I, F	С	С	Triticum spelta/dicoccum (incl. T spelta) glume bases, Triticeae grain frags	С	Poaceae, Vicieae, tubers/rhizomes	<1	Fragmented, some mineral staining	Coal/clinker/cinder (B)	Poor
Area 1 (Field 7)	Ditch	9803	9804	266170 _9801	29	40	95%, A (incl. modern cereal chaff, wood frags), I, F	С	С	Triticum spelta/dicoccum (incl. T spelta) glume bases, Triticeae grain frags	С	Galium sp., Vicieae, tubers/rhizomes	<1	Fragmented, some mineral staining	Coal/clinker/cinder (B), Moll-t (C) (very crushed)	Poor
Area 1 (Field 7)	Ditch	10307	10309	266170 _10301	30	18	95%, A*	С	С	Triticum sp. grains, Triticeae grains, Triticum spelta/dicoccum glume bases	С	Vicieae (incl. fragments of large-seeded species), tubers/rhizomes, cf. plant gall	7	Mixture of Quercus sp. and non-Quercus species. Some mineral staining	Coal/clinker/cinder (B)	Poor



Area	Feature Type	Feature	Context	Sample Code	Sample vol. (I)	Flot vol.	Bioturb ation proxies	Grain	Chaff	Cereal Notes	Charred Other	Charred Other Notes	Charcoa I >2mm	Charcoa	Other	Preserv ation
Area 1 (Field 7)	Ditch	10307	10308	266170 _10302	31	10	95%, A (incl. modern cereal chaff)	-	С	Triticum spelta/dicoccum glume base	С	Poaceae, Vicieae	<1	Fragmented	Coal/clinker/cinder (B)	Poor
Area 1 (Field 7)	Ditch	10303	10306	266170 _10303	34	7	99%, A (incl. modern cereal chaff)	-	-	-	-	-	-	Trace	Coal/clinker/cinder (A**)	-
Area 1 (Field 7)	Ditch	10303	10304	266170 _10304	29	8	99%, A** (incl. modern cereal chaff, <i>Juncus</i> sp.)	-	С	Triticum spelta/dicoccum glume base	С	Chenopodiaceae	-	Trace	Coal/clinker/cinder (A*)	Poor
Area 1 (Field 7)	Ditch	10310	10312	266170 _10305	31	15	99%, B, I	С	-	Triticeae	С	Tubers/rhizomes, Corylus avellana nutshell frag (very small), monocot stem	-	Trace	Coal/clinker/cinder (A*)	Poor
Area 1 (Field 7)	Ditch	10310	10311	266170 _10306	32	17	99%, A** (incl. modern cereal chaff, Juncus sp., plastic frags)	-	-	-	С	Monocot stem	-	Trace	Coal/clinker/cinder (B)	Poor
Area 2 (Field 12)	Ditch	29103	29104	266170 _29102	20	50	10%, A*** (mostly modern cereal chaff, wood frags, plastic frags), E I, F	-	-	-	С	Polygonaceae, Poaceae (incl. <i>Bromus</i> sp.)	<1	Fragmented	Coal/clinker/cinder (A**)	Poor
Area 2 (Field 12)	Pit	29204	29205	266170 _29201	30	60	80%, A (incl. modern cereal chaff)	A*	A	Triticum sp. grains, Triticeae grains, Triticum spelta/dicoccum (incl. T. spelta) glume bases	A	Galium sp., Vicieae, Trifolieae, Plantago lanceolata, Poaceae (incl. Bromus sp.), Cyperaceae, Corylus avellana nutshell fragments, amorphous charred plant material, indet tree bud	15	Mixture of Quercus sp. and non-Quercus species. Some mineral staining	Coal (A*)	Hetero
Area 2 (Field 12)	Ditch	29209	29210	266170 _29202	5	1	99%, A* (incl. Juncus sp., Lemna sp.)	-	-	-	-	-	<1	Fragmented	-	-



Area	Feature Type	Feature	Context	Sample Code	Sample vol. (I)	Flot vol.	Bioturb ation proxies	Grain	Chaff	Cereal	Charred	Charred Other Notes	Charcoa I >2mm	Charcoa	Other	Preserv ation
Area 2 (Field 12)	Ditch	29409	29410	266170 _29401	14	2	95%, A (incl. Juncus sp.)	С	С	Triticeae grains, <i>Triticum</i> spelta/dicoccum glume bases	В	Vicieae, Trifolieae, Poaceae (incl. <i>Bromus</i> sp.), Chenopodiaceae, <i>Corylus avellana</i> nutshell fragment, amorphous charred plant material	<1	Fragmented	-	Hetero
Area 2 (Field 12)	Ditch	29406	29408	266170 _29402	27	50	80%, C	A*	A*	Triticum spelta/dicoccum grains and glume bases (incl. T. spelta), Triticeae grains	A*	Vicieae, Trifolieae, Poaceae (incl. Bromus sp.), Cyperaceae, Polygonaceae, Corylus avellana nutshell fragments	2	Mostly non- Quercus species	SAB (C)	Hetero
Area 2 (Field 12)	Posthole	29905	29904	266170 _29901	6	45	50%, A* (incl. modern cereal chaff)	-	-	-	С	Vicieae	20	Mixture of Quercus sp. and non-Quercus sp.	Coal (B)	Poor
Area 2 (Field 12)	Posthole	29907	29906	266170 _29902	4	13	50%, C	-	С	Triticum spelta/dicoccum glume base	-	-	10	Mixture of Quercus sp. and non-Quercus sp.	Coal (B)	Poor
Area 3 (Field 4)	Ditch	4404	4405	266170 _4401	28	7	95%, B, I	-	-	-	С	?tubers/rhizomes	<1	Fragmented	Coal/clinker/cinder (A**)	Poor
Area 3 (Field 4)	Ditch	4406	4407	266170 _4402	19	5	95%, C, F	С	-	Triticum aestivum/turgidum, Triticeae	В	Vicieae, Poaceae (incl. Poa/Phleum sp.), monocot stems, tubers/rhizomes	1	Fragmented, some mineral staining	Coal/clinker/cinder (A**)	Poor
Area 3 (Field 4)	Furrow	39304	39305	266170 _39301	30	30	40%, A*** (mostly modern cereal chaff, wood frags, plastic frags), E I, F	В	-	Triticum sp., Hordeum sp., Triticeae	С	cf. Fabaceae frag., Poaceae (incl. <i>Bromus</i> sp.), <i>Rumex</i> sp., tuber/rhizome	5	Mixture of Quercus sp. and non-Quercus sp.	-	Poor

Scale of abundance: C = <5, B = 5–10, A = 10–30, A* = 30–100, A** = 100–500, A*** = >500; Bioturbation proxies: Roots (%), Uncharred seeds (scale of abundance), F = mycorrhizal fungi sclerotia, E = earthworm eggs, I = insects; SAB = small animal/fish bones/charred faecal pellets, Moll-t = terrestrial molluscs; Preservation: H= Heterogeneous. Analysis: C2 = rapid charcoal analysis, P = plant remains analysis.



Appendix 3 OASIS summary

OASIS ID (UID): wessexar1-511026

Project Name: East Midlands Gateway - Phase 2, Land South of East Midlands Airport, Leicestershire;

Fieldwalking, evaluation and geoarchaeological watching brief

Activity type: Systematic Fieldwalking Survey, Evaluation, Field Observation (Monitoring)

Project Identifier(s): 266170

Reason for Investigation: Planning requirement

Organisation Responsible for work: Wessex Archaeology

Project Dates: 05-Sep-2022 - 04-Nov-2022

HER: Leicestershire HER **HER Identifiers:** [no data]

Project Methodology: A total of 388 trial trenches were excavated. A sample of archaeological

features and deposits were hand-excavated, and all were recorded.

Project Results: The earliest archaeological features recorded were pits and ditches of Iron Age date. The features were largely concentrated in three areas: Area 1 located just to the north of Hyam's Lane in the centre of the site, Area 2, which was located to the south of Hyam's Lane, at the western edge of the site, and Area 3 located just north of Hyam's Lane in the west of the site. Area 1 contained ditches; three of which contained Middle—Late Iron Age pottery, while Romano-British material was recovered from three ditches in trenches 97 and 98. Areas 2 and 3 contained ditches, pits and two postholes, from which only material dating to the Middle—Late Iron Age was recovered.

Keywords:

Subject/Period: Ditch: MIDDLE IRON AGE

FISH Thesaurus of Monument Types **Subject/Period:** Ditch: ROMAN FISH Thesaurus of Monument Types

Subject/Period: Rubbish Pit: MIDDLE IRON AGE

FISH Thesaurus of Monument Types


Archive:


Digital Archive - to be deposited with Archaeology Data Service Archive;


Physical Archive, Documentary Archive - to be deposited with Leicestershire County Council Museums;


Reports in OASIS:


Jackson-Slater, C., (2023). East Midlands Gateway Phase 2, Leicestershire: Archaeological evaluation. Sheffield: Wessex Archaeology. 266170.5.




























Figure 7: Trench 97, ditch 9706, view from the north-west, 0.5 m scale



Figure 8: Trench 101, ditch 10104, view from the north, 1 m scale

Created by: RG / CM

Date: 24/01/2023

Revision: 0





Figure 9: Trench 299, postholes 29905 and 29907, view from the south-east, 1 m scale



Figure 10: Trench 291, ditch 29103, view from the north, 2 x 1 m scales

Created by: RG / CM

Date: 06/02/2023

Revision: 0





Figure 11: Trench 292, ditch 29209, view from the north-west, 1 m scale



Figure 12: Trench 208, pit 20804, view from the south-west, 1 m scale

Created by: RG / CM

Date: 06/02/2023

Revision: 0







Wessex Archaeology Ltd registered office Portway House, Old Sarum Park, Salisbury, Wiltshire SP4 6EB Tel: 01722 326867 Fax: 01722 337562 info@wessexarch.co.uk www.wessexarch.co.uk

